

ASTM E1527-13 Phase I Environmental Site Assessment

645 Church Street
Norfolk, Virginia 23510

City of Norfolk
Department of Economic Development
Dominion Tower
999 Waterside Drive #2430
Norfolk, Virginia 23510

SCS ENGINEERS

SCS Project No. 02218113.03 | March 27, 2019


2877 Guardian Lane, Suite 1-F
Virginia Beach, VA 23452
757-466-3361

This Phase I Environmental Site Assessment (ESA) report for real property, encompassing approximately 1.5 acres and located at 645 Church Street in Norfolk, Virginia, was prepared by Alexis Holcomb, and reviewed by John Tabella of SCS Engineers.

We declare that, to the best of our professional knowledge and belief, we meet the definition of an Environmental Professional as defined in 40 CFR 312.10. The qualifications of the individuals below are included in Section 12. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject Site. We have developed and performed the all-appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.



Alexis Holcomb
Project Professional
SCS ENGINEERS



John Tabella, PG, LEED AP
Project Director
SCS ENGINEERS

Table of Contents

Section	Page
Executive summary	iv
1 Introduction.....	1
Location.....	1
Purpose	1
Scope of Services.....	1
Limitations and Exceptions.....	2
Significant Assumptions.....	3
Special Terms and Conditions	3
2 User Provided Information	3
Title Records.....	4
3 Commonly Known or Reasonably Ascertainable Information	4
Local Agency Records	4
4 Physical Setting	5
Topographic Conditions	5
General Geologic Conditions	5
General Hydrogeologic Setting	5
5 Review of Federal, State and Tribal Government Databases	6
Site Listings.....	6
Off-Site and Nearby Listings	6
Unmapped or Orphan Sites	10
6 Site History.....	10
Sanborn Fire Insurance Maps.....	12
City Directories	12
Historical Use Summary of Site	13
7 Site Reconnaissance	14
Adjoining Property Use.....	17
8 Interviews.....	18
9 Findings	18
Limiting Conditions.....	19
Data Gaps.....	19
10 Conclusions	20

Table of Contents

Section	Page
11 References	21
12 Qualifications of Environmental Professionals	22

Appendices

A	Figures
B	Site Photo Log
C	EDR Database Report
D	Historical Site Use Information
E	Agency File Records
F	User Questionnaire

EXECUTIVE SUMMARY

Parcel ID: 1437270517

645 Church Street
Norfolk, Virginia 23510

Current Property Owner: 645 Church Street, LLC, a California limited liability company and Willis Broadcasting Corporation, a Virginia corporation

36°51'9.41"N, 76°16'52.85"W

Date Phase I Property Reconnaissance Conducted: March 14, 2019

Date of Report: April 10, 2019

Update Required After: September 27, 2019

Type of Report: Phase I Environmental Site Assessment
Conducted in general accordance with ASTM E1527-13

Prepared for: The City of Norfolk Department of Economic Development

Prepared by: SCS Engineers

Property Description

- The Property is comprised of one parcel of land encompassing approximately 1.5 acres.
- The Property parcel is described as Norfolk Tax Records: **103-B, 1.5427 acres, ID 1437270517 and addressed 645 Church Street, Norfolk, VA.**
- The Property is currently comprised of a single 4-story building that has commercial retail units on the ground level and offices above, as well as associated exterior surface parking lot, a satellite dish, and landscaped areas. The building is approximately 69,000 square feet.
- The Property is relatively flat, and stormwater is directed toward stormwater drains located in the northeastern corner of the property (corner of Church Street and East Brambleton Avenue).
- The Property elevation is approximately 10 feet above mean sea level (MSL).
- The Property is currently mapped as being outside the 500-year floodplain by FEMA.
- The Property's surficial geology consists of Quaternary-age alluvium.
- Soils at the Property are primarily classified as Urban land.
- State regulatory agency records indicate no underground or aboveground storage tanks (USTs/ASTs) present at the subject Site. No water wells, groundwater monitoring wells, or other environmentally-significant features have been located on the Property.
- According to historical record sources, the subject Site has been developed, occupied by residences with few commercial entities. Over the years, commercial businesses grew and

became the dominant presence on and off-site. By 1970, the subject Site had been reconfigured slightly with the addition of Lincoln Street to the west and commercial entities occupying the entire property. By the mid to late 1980s, the subject Site was developed with a single office building located in the northeastern portion of the property, similar to current site conditions, with associated paved parking in the remaining areas of the site.

Current Uses of Adjoining Properties

- North: East Brambleton Avenue, followed by commercial and residential properties
- East: Church Street, followed by a commercial property
- West: Lincoln Street, Tulip Lane, and commercial properties
- South: East Bute Street, followed by St. John's African Methodist Episcopal (AME) Church and associated parking

Current Well Records

- There are 4 water wells within a 1-mile radius of the Property.
- According to the database report maps of Oil and Gas Wells, there are no active oil or gas wells within a 0.5-mile radius of the Property.

Report Database Records

- The Property was not identified in the EDR environmental databases.
- Eleven UST and 36 LUST sites are located within their respective ASTM E1527-13 search radii.
- Two UST sites and two LUST sites are located adjacent to the Property, and four UST and six LUST sites are located within one-eighth of a mile.
- The LUST cases associated with off-site properties have been issued case closure by the regulatory authority. There are no adverse impacts from these off-site facilities to the subject Site (see Section 5 for additional information).
- Williams Thomas Cleaner, located approximately 475 feet north of the subject Site, formerly operated a drycleaners from 1970 to 2013. Based on the relatively long-term use of this property as a cleaners and the properties location up-gradient of the subject Site, subsurface contamination is a possibility. If subsurface contaminants exist, the potential of vapor intrusion onto the subject Site cannot be ruled out. This facility is considered a business environmental risk to the subject Site based on the potential for a vapor intrusion risk, pending the confirmation of subsurface contamination associated with the former cleaners.

Data Gaps

- Historical data gaps were identified during the preparation of this report. It is our opinion that the data gaps are insignificant with respect to our conclusions.

Recognized Environmental Conditions (RECs)

- Recognized environmental conditions were not identified during completion of this Phase I ESA.

Historical Recognized Environmental Conditions (HRECs)

- Historical RECs were not identified during completion of this Phase I ESA.

Controlled Recognized Environmental Conditions (CRECs)

- Controlled RECs were not identified during completion of this Phase I ESA.

Business Environmental Risk (BER)

- A BER was identified during completion of this Phase I ESA (see Section 5, page 9 for additional information).

1 INTRODUCTION

SCS Engineers was retained by the City of Norfolk Department of Economic Development (the “Client”) to prepare an ASTM E1527-13 Phase I Environmental Site Assessment (ESA) for real property, encompassing approximately 1.5 acres located at 645 Church Street in Norfolk, VA. A location map for the subject Site is included in **Appendix A**.

Location

The subject Site is currently owned by 645 Church Street, LLC and is comprised of the parcel listed below.

GPIN	Owner	Legal Description
1437270517	645 Church Street, LLC	103-B 1.5427 Ac.

Purpose

The purpose of this Phase I ESA is to identify *recognized environmental conditions (RECs)* present at the subject Site as a result of current or historical site land use or activities, or from known or suspected off-site sources.

Scope of Services

This Phase I ESA is based on:

- Reviews of federal, tribal, state, and local government records.
- Visual reconnaissance of the subject Site and adjoining properties.
- Review of historical site use information (topographic maps, aerial photographs, fire insurance maps, existing reports, etc.).
- Commonly known or reasonably ascertainable information about the subject Site (e.g., interviews with appropriate regulatory agency personnel and review of agency files, review of available documents, interviews with other knowledgeable persons).
- Degree of obviousness of the presence or likely presence of contamination at the subject Site, and the ability to detect the contamination by appropriate investigation.
- Information provided as a result of additional inquiries conducted by the User.

This Phase I ESA was conducted in accordance with the following standards or requirements:

- U.S. Environmental Protection Agency (USEPA), 40 CFR Part 312, Standards and Practices for All Appropriate Inquiries; Final Rule (AAI);
- ASTM E1527-13, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*; and
- The scope, conditions, and limitations of the Contract between SCS and Client.

The Client understands that the above-referenced USEPA and ASTM standards were not developed to identify all environmental risks to the subject Site. The standards were developed to allow a User (Client) to qualify for the innocent purchaser defense, bona fide prospective purchaser defense, and contiguous property owner defense to landowner liabilities under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA, aka Superfund) and subsequent amendments.

This Phase I ESA is intended to constitute an appropriate inquiry into the previous ownership and uses of the subject Site consistent with good commercial and customary practice, as part of the due diligence process required by CERCLA, the Superfund Amendments and Reauthorization Act of 1986 (SARA), and the Small Business Liability Relief and Brownfields Revitalization Act of 2002 (Acts).

Please note that this Phase I ESA may initially qualify the Client for a CERCLA defense. However, after purchase there may be “continuing obligations” that must be implemented in order to preserve this defense through the term of subject Site ownership. There may be additional requirements under state laws that also apply. The Client should contact qualified legal counsel regarding matters of liability, interpretation of the Acts, and likely continuing obligations. While it is outside the scope of this Phase I ESA, SCS would be pleased to work with your legal counsel to develop and implement a strategy to preserve your CERCLA liability defenses through the term of your ownership.

Limitations and Exceptions

This Phase I ESA focused on likely sources of petroleum products and hazardous substances that could be considered a recognized environmental condition and liability due to their presence in significant concentrations (e.g., above acceptable limits set by the federal, state, or local government) or due to the likely for exposure and risk due to contaminant migration and complete exposure pathways (e.g., soil vapor inhalation or groundwater ingestion). Materials that contain substances that are not currently deemed hazardous by the United States Environmental Protection Agency (USEPA) or the state environmental agency were not considered as part of this Phase I ESA.

Unless specifically included in SCS’s scope of services, an evaluation of building materials such as asbestos, lead-based paint, lead in drinking water, urea formaldehyde, and pressure-treated lumber has not been considered in this Phase I ESA, nor are building issues such as fire safety, indoor air quality (except as it may be related to likely subsurface vapor encroachment), mold, or similar matters. SCS did not evaluate the subject Site for compliance with land use, zoning, or similar laws. This Phase I ESA also excludes cultural and historic resources, industrial hygiene, health and safety, ecological resources, endangered species, and high-voltage power lines. This Phase I ESA is not intended to be a comprehensive environmental compliance audit.

Hazardous substances occurring naturally in plants, soils, and rocks (e.g., heavy metals, naturally occurring asbestos, or radon) are not typically considered in these investigations. Similarly, construction debris (e.g., discarded concrete, asphalt) is not considered, unless obvious signs suggest that hazardous substances are likely to be present in significant concentrations or likely to migrate.

SCS assumes no responsibility for the accuracy of information obtained from, compiled by, or provided by third-party sources, such as regulatory agency listings. Unless obviously inaccurate or if information exists to the contrary, SCS assumes that information collected during this ESA is accurate and correct. Unless warranted, information collected has not been independently validated as part of this assessment.

Certain other limitations could affect the accuracy and completeness of these reports, such as:

- Physical Obstructions to Observations – None.
- Outstanding Information Requests – Information requests have not been received from the Virginia Health Department or Norfolk Fire Marshal’s Office as of the date of the report.
- Historical Data Sources Failure – Section 8 of the ASTM E1527-13 standard practice requires that standard historical sources be reviewed at five-year intervals. Readily-available historical topographic maps and aerial photographs obtained for the subject Site do not meet the historical five-year interval; therefore, this represents a data gap. Historical site use has not significantly changed over time (i.e., the site has been developed since at least 1887 with residential and some commercial facilities). Based on the information obtained to date, this data gap is not considered a significant data gap.
- Other – None.

Significant Assumptions

Based on the documents reviewed, interviews with knowledgeable parties, and the site reconnaissance, the following significant assumptions are made regarding the subject Site:

- Unless obviously inaccurate or if information exists to the contrary, SCS assumes that information collected during this ESA is accurate and correct. Unless warranted, information collected has not been independently validated as part of this ESA.
- The regional shallow groundwater flow direction is assumed to be to the south/southwest towards the Eastern Branch of the Elizabeth River; however, may be locally influenced by onsite drainage, nearby pumping wells, and other factors. General groundwater flow on-site is towards the east/northeast where stormwater drains are located.
- It is assumed that the interior spaces associated with the upper level office spaces are similar to the general layout detailed in this report.

Special Terms and Conditions

This Phase I ESA report has been prepared specifically for our Client’s use, as well as the City of Norfolk Office of Resilience. The report has been prepared in accordance with the care and skill generally exercised by reputable professionals, under similar circumstances, in this or similar localities. No other warranty, express or implied, is made as to the professional opinions presented herein.

No other party, known or unknown to SCS, is intended as a beneficiary of this work product, its content or information embedded therein. Client may choose to share the contents of this report with any third party. However, third parties use and rely on this report at their own risk. Third party reliance letters may be issued on request to SCS subject to approval of Client and payment to SCS of a fee for preparation of such letters.

2 USER PROVIDED INFORMATION

To qualify for one of the landowner liability protections offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001, 40 CFR Part 312 requires that the User (Client) provide the following information to the environmental professional. The User’s representative, Mr. Sean

Washington, with the City of Norfolk Department of Economic Development, completed a User Questionnaire on March 13, 2019. According to Mr. Washington, no environmental cleanup liens are registered with the subject Site; however, activity and use limitations are registered for the subject Site (see Title Records for additional information). He has no specialized knowledge or experience with the subject Site, specific chemicals that are present or were once present, spills or other chemical releases, and environmental cleanups that have taken place. Mr. Washington indicated the purchase price being paid for the subject Site reasonably reflects the fair market value. Mr. Washington indicated that there are no signs of contamination at the subject Site. A copy of the User Questionnaire is included in **Appendix E**.

Title Records

Title records for the subject Site were provided to SCS by the Client. Review of these records was not included as part of the scope of services to be performed by SCS; however, a review revealed the property cannot be used for residential or industrial purposes and can only be used for commercial. Other use restrictions, such as signage, fencing, and prevention of building demolition, are included against the subject Site. No environmental liens or other restrictions were included within the documents provided by the client.

3 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION

Local Agency Records

SCS submitted Agency File requests to the following agencies:

- Virginia Health District Environmental Health Division
- Norfolk FOIA Office
- Norfolk Fire Marshal's Office
- Virginia Department of Environmental Quality – Tidewater Regional Office

Environmental records associated with utilities (i.e., septic systems, wells, etc.), hazardous and solid waste, water, air, remediation activities, emergency responses, spills/releases, underground and aboveground storage tanks were requested from the above-referenced regulatory agencies. It should be noted that summarized information received from the agencies is not intended to be all inclusive of the complete files obtained from the agencies; but only to summarize significant findings relative to identification of RECs or other noteworthy environmental findings.

Records from the VDEQ were provided for the UST and LUST facilities identified in the surrounding area (see Section 5). Specifically, the VDEQ provided the UST Closure Report for Let Us Produce, and Case Closure letters and corresponding remedial action reports for the LUST cases associated with the Church Street BP/Amoco, US Post Office, Roland's Auto, and First Baptist Church. Additionally, the VDEQ provided a memo stating that the PC Case associated with the 7-Eleven (712 Church Street) is for a Northern VA property, not within the Tidewater area.

No other records or responses were provided by the agencies indicated above for the subject Site prior to completion of this Phase I ESA. Upon review of additional documentation (if any) from the agencies, SCS will submit an addendum letter summarizing the material findings and discussing

whether there are new conclusions of this report based on the additional documentation. Responses are provided in **Appendix E**.

4 PHYSICAL SETTING

Topographic Conditions

A topographic map for the subject Site's vicinity was reviewed and is summarized in the following table:

Reported Elevation	Approximately 10 feet above mean sea level.
Reported Slope Direction	The topography of the subject Site is generally flat, with stormwater directed towards nearby storm drains. Overall, regional shallow groundwater flow is to the south/southwest towards the Eastern Branch of the Elizabeth River.
Source	United States Geological Survey 7.5 Minute Topographic Maps, Norfolk South, Virginia, 2016.

General Geologic Conditions

The subject Site is located in the Atlantic Coastal Plain physiographic province, which consists of an eastward-thickening wedge of stratified, unconsolidated to semi-consolidated alluvial and marine deposits. The sediments consist primarily of sand, clay, silt, and gravel with various amounts of shell material that range in age from Cretaceous to Holocene. Underlying the Coastal Plain sediments is a basement rock surface composed of igneous and metamorphic rocks that range in age from Precambrian to Paleozoic. The consolidated rock basement surface forms the basal limit of the Coastal Plain hydrogeologic system, greater than 2,000 feet below the ground surface. Near-surface soil conditions at the subject Site may have been altered by construction and other activities associated with present day development.

According to the Environmental Data Resources' (EDR's) Report Geospatial Physical Setting Source, the lithology in the vicinity of the subject Site is described as being from the Cenozoic Era, the Quaternary System, and the Pleistocene Series. The subject Site is reported to be underlain by Urban land soils.

General Hydrogeologic Setting

According to topographic map interpretation, the subject Site is generally flat and stormwater is directed to nearby storm drains. The average regional groundwater flow direction is assumed to be to the south/southwest towards the Eastern Branch of the Elizabeth River.

5 REVIEW OF FEDERAL, STATE AND TRIBAL GOVERNMENT DATABASES

A database search for sites listed on various federal, state, and tribal databases in the area around the subject Site was performed by EDR. A description of each of the databases searched is included in the report. Among the databases included in the EDR report are National Priority List (NPL) (federal, tribal, and state-equivalent), proposed and delisted NPL, CORRACTS (Resource Conservation and Recovery Act – (RCRA) facilities subject to corrective actions), hazardous waste sites identified for investigation or remediation (Comprehensive Environmental Response, Compensation, and Liability Information System – (CERCLIS), State CERCLIS, Voluntary Cleanup Program (VCP), Brownfields, etc.), Leaking Underground Storage Tanks (LUSTs), sites with engineering controls, former CERCLIS (No Further Remedial Action Planned - NFRAP), RCRA and state hazardous waste generators, Environmental Response Notification System (ERNS), Solid Waste/Landfill Facility (SWLF) and Underground Storage Tanks (USTs).

The review of the records satisfies all requirements as set forth in 40 CFR Section 312.26 (b) and (c) with regard to the review of federal, tribal, and state government records of databases of such government records and local government records and databases of such records pertaining to both the subject Site and the nearby or adjoining properties. Further, the search distances for each particular database are as specified in 40 CFR 312.26.

Any known or suspected contaminated sites included on these lists within 0.25 mile of the subject Site are discussed in the following text. As a general rule, sites beyond 0.25 mile are not anticipated to impact a site significantly. Any sites beyond 0.25 mile with a high likely to impact the subject Site are also discussed.

Sites such as Treatment, Storage, and Disposal facilities (TSD), hazardous waste generators, Hazardous Waste Information System (HAZNET), Facility Index Systems (FINDS), Small Quantity Generators (SQGs), Large Quantity Generators (LQGs), USTs, HIST UST, RCRA violations, and Toxic Chemical Release Inventory System (TRIS) facilities with toxic chemical releases (generally in accordance with permitting requirements - into the air, water, or land as reported under SARA Title III) use or store hazardous materials and thus may pose a likely problem in the event of a spill or leak. However, unless these sites also appear in an agency list of contaminated sites, there is no evidence of any problems at this time. Therefore, sites on these lists will not be discussed unless on or in close proximity to the subject Site.

Please refer to **Appendix C** for additional information on these sites.

Site Listings

According to the EDR report, the subject Site was not identified in the ASTM-specified federal, state, and/or local databases.

Off-Site and Nearby Listings

Off-site facilities listed in the database report were evaluated as to their likelihood to impact the subject Site. The databases included in the EDR report can be grouped into two general categories: databases reporting unauthorized releases of petroleum products or hazardous substances (e.g., LUSTS, ERNS, CERCLIS [a.k.a. Superfund] sites) and databases reporting permitted hazardous

materials users and hazardous waste generators, for which a release has not been reported to, and recorded by, the regulatory agency.

According to the EDR report, nine surrounding off-site facilities were identified within 1/8th-mile of the subject Site. These listings are as follows:

Church Street BP / AMOCO 60546 Tanks

800 East Brambleton Avenue

Located adjacent to the northeast, across East Brambleton Avenue

Database Records: UST, LUST/LTANKS, RCRA-SQG

UST: This facility is listed as having two active 10,000-gallon gasoline and one active 10,000-gallon diesel underground storage tanks. According to the database report, the fiberglass tanks were installed in July 1991 and are equipped with an auto gauge, spill and overflow protection, and line tightness. This listing is included on a leaking database indicating a release to the environment occurred at this facility.

LUST/LTANKS: This facility is listed as a leaking underground storage tank / leaking tanks facility based for a release that was reported in April 2001 to the VDEQ and Pollution Complaint Case No. 20015131 was opened. According to the database listing, a release occurred; however, it does not specify the media impacted. An August 2002 letter from VDEQ reports that contamination levels did not warrant further corrective action and the case was closed. Based on the case closure and distance of this facility from the subject Site, this facility is not considered an environmental concern to the subject Site.

RCRA-SQG: This facility is listed in the EDR database as a Small Quantity Generator of hazardous wastes under EPA No. VA0000251710. This listing is associated with the petroleum and waste oil products stored and disposed of at the commercial business. According to the database listing and the EPA's Facility Registry Service, no violations have been reported. Based on available information, this waste generator is not considered an environmental concern to the subject Site.

US Postal Service

600 Church Street

Located adjacent to the east, across Church Street

Database Records: RCRA-NonGen/NLR, RCRA-CESQG, US AIRS, UST, LUST/LTANKS, SPILLS

RCRA NonGen/NLR: This listing does not presently generate hazardous waste. No violations have been reported.

RCRA-CESQG: This facility is listed as a Conditionally Exempt Small Quantity Generator of hazardous wastes under EPA No. VA2180090027. This listing is associated with the materials stored and disposed of at the facility. According to the database listing and the EPA's Facility Registry Service, no violations are reported for this listing. Based on available information, this waste generator is not considered an environmental concern to the subject Site.

US AIRS: This facility is listed on the US Aeromatic Information Retrieval System database due to the state implementation plan for National Primary and Secondary ambient air quality standards and stratospheric ozone protection. The AIRS is an information management system, which is the national repository for data about airborne pollution in the US. According to information within the database report, the facility has received violations in the past relating to lack of compliance for state air standards. Based on the lack of a release to the

environment and distance of this facility from the subject Site, this facility is not considered an environmental concern to the subject Site.

UST: This facility is listed as having seven active underground storage tanks: two 10,000-gallon diesel tanks, a 10,000-gallon gasoline tank, 2,500-gallon motor oil tank, an approximately 1,200-gallon hydraulic oil tank, a 1,000-gallon used oil tank, and a 750-gallon hydraulic oil tank; as well as eleven inactive USTs. According to the database report, the currently in use double-walled fiberglass tanks were installed in September 1991 and are equipped with an auto gauge, spill and overfill protection, and overfill automatic shutoff. The eleven inactive USTs have been reportedly removed from the ground. All eleven inactive tanks are listed as being installed in April 1982 and include the following: four 5,000-gallon gasoline tanks, two 5,000-diesel tanks, a 1,000-gallon lube oil tank, two 550-gallon motor oil tanks, and two 500-gallon used oil tanks. This listing is included on a leaking database indicating a release to the environment.

LUST/LTANKS: This facility is listed as a leaking underground storage tank / leaking tanks and spills facility based on two releases that were reported in February 1990 and February 2006 to the VDEQ and Pollution Complaint Case Nos. 19901020 and 20065105 were opened. Additionally, a spill that occurred in August 2018 was reported and given reference number 2019-T-0852. According to information presented in EDR's database report, the 1990 release was caused by a UST failing a November 1989 tank tightness test. Corrections were made and the case was closed by VDEQ in August 1994. The database states a release occurred during the 2006 release, but no specific media impacted is noted. A January 2008 letter from VDEQ reports that contamination levels did not warrant further corrective action and the case was closed. According to the database report, the spills case was the result of a large metal container with a hazmat placard being moved via forklift instead of being moved by hand. This caused a release of less than one gallon of mercury from the package cleanup area. The report indicates that the situation was secured and cleanup contractor was notified; however, the case is still listed as being open. Based on the case closure, the secured nature of the mercury release, relative groundwater flow to the south, and distance of this facility from the subject Site, this facility is not considered an environmental concern to the subject Site.

7 Eleven #10656

712 W Church Street

Located approximately 570 feet northeast of the subject Site

Database Records: LTANKS

LUST/LTANKS: This facility is listed as a leaking tanks facility based on a release reported in April 1991 to the VDEQ and Pollution Complaint Case No. 19911578 was opened. According to the database listing, a release occurred; however, it does not specify the media impacted. A December 1991 letter from VDEQ reports that contamination levels did not warrant further corrective action and the case was closed. Information received from the VDEQ identifies this facility as located in Northern Virginia, not based in the Tidewater area. Correspondence from the VDEQ is included in **Appendix E**. Based on the case closure documentation and the memo from VDEQ identifying this facility in Northern Virginia, this facility is not considered an environmental concern to the subject Site.

Williams, T C Cleaner / Williams Thomas C

635 E Olney Road

Located approximately 475 feet north of the subject Site

Database Records: RCRA NonGen/NLR, EDR Hist Cleaner

RCRA NonGen/NLR: This listing does not presently generate hazardous waste. No violations have been reported.

EDR Hist Cleaner: This historical facility is listed as a drycleaning plant from 1970 to 2013. The listing has an associated EPA ID No. VAD982580540, which suggests the use or former use of wastes on-site. Based on the relatively long-term use of this property as a cleaners and the properties location up-gradient of the subject Site, subsurface contamination is a possibility. If subsurface contaminants exist, the potential of vapor intrusion onto the subject Site cannot be ruled out. This facility is considered a business environmental risk to the subject Site based on the potential for a vapor intrusion risk, pending the confirmation of subsurface contamination associated with the former cleaners.

Rolands Auto Repair

42 Downtown Plaza

Located approximately 450 feet southwest of the subject Site

Database Records: UST, LUST/LTANKS

UST: This facility is listed as having one inactive 225-gallon used oil underground storage tank that was closed in the ground. According to the database report, the tank was installed in May 1962, no removal date is reported. The listing is included on a leaking database indicating a release to the environment occurred at this facility.

LUST/LTANKS: This facility is listed as a leaking underground storage tank / leaking tanks facility based on a release reported in May 2003 to the VDEQ and Pollution Complaint Case No. 20035158 was opened. According to the database listing, a release occurred; however, it does not specify the media impacted. An October 2006 letter from VDEQ reports that contamination levels did not warrant further corrective action and the case was closed. Based on the case closure and distance of this facility from the subject Site, this facility is not considered an environmental concern to the subject Site.

First Baptist Church

431 E Brambleton Avenue

Located ~435 feet west of the Subject Site

Database Records: UST

UST: This facility is listed as having one inactive 500-gallon and one inactive 1,000-gallon gasoline underground storage tanks. According to the database report, the steel tanks were installed in April 1951 and have been closed in ground. This listing is not included on a leaking database (however, First Baptist Church is, see below), and does not appear to have negatively impacted the subject Site.

First Baptist Church

418 E Bute Street

Located ~600 feet west of the Subject Site

Database Records: LUST/LTANKS

LUST/LTANKS: This facility is listed as a leaking underground storage tank / leaking tanks facility based on a release that was reported in May 1999 to the VDEQ and Pollution Complaint Case No. 19992389 was opened. According to information presented in EDR's

database report, heating oil was found in the basement of the church, possibly seeping through the floor. No additional information was provided within the report. A December 1999 letter from VDEQ reports that contamination levels did not warrant further corrective action and the case was closed. Based on the case closure and distance of this facility from the subject Site, this facility is not considered an environmental concern to the subject Site.

Americomm Direct Marketing VA Inc.

494 St Pauls Blvd.

Located adjacent to the north of the subject Site

Database Records: RCRA-SQG

RCRA-SQG: This facility is listed in the EDR database as a Small Quantity Generator of hazardous wastes under EPA No. VAD988225090. This listing is associated with the printing materials stored and disposed of at the commercial business. According to the database listing and the EPA's Facility Registry Service, no violations have been reported. Based on available information, this waste generator is not considered an environmental concern to the subject Site.

Let Us Produce

620 E Olney Road

Located ~550 feet north of the subject Site

Database Records: LUST/LTANKS

LUST/LTANKS: This facility is listed as a leaking underground storage tank / leaking tanks facility based on a release that was reported in May 2006 to the VDEQ and Pollution Complaint Case No. 20065148 was opened. According to information presented in EDR's database report, a release was reported; however, no specific media impacted was identified. A June 2006 letter from VDEQ reports that contamination levels did not warrant further corrective action and the case was closed. Based on the case closure and distance of this facility from the subject Site, this facility is not considered an environmental concern to the subject Site.

Unmapped or Orphan Sites

The EDR Radius Map Report with GeoCheck identified 16 unmapped orphan sites within proximity to the subject Site. Unmapped sites cannot be plotted due to inaccurate or incomplete addresses. Based on the information presented in the Orphan Detail report, these unmapped facilities are located over ¼-mile from the subject Site. The unmapped sites are listed on the Institutional and Engineering Controls, VCP, UST, and LUST/LTANKS databases. Based on distance, these unmapped sites are not considered RECs to the subject Site.

6 SITE HISTORY

In accordance with ASTM E1527 and the AAI rule, numerous reasonably ascertainable standard historical information references were reviewed, and an attempt was made to interpret the historical subject Site and vicinity land use back to the obvious first developed use of the subject Site.

The following table summarizes the historical resources reviewed as part of this Phase I ESA:

Reference	Source	Years Available
Aerial Photographs	EDR Aerial Photo Decade Package, 03/13/19 Google Earth	1954, 1961, 1963, 1970, 1973, 1982, 1990, 1994, 2000, 2005, 2009, 2012, and 2016 1964, 1968, 1987, 1990, 2002 – 2008, 2010, 2011, 2014, 2015, 2016, and 2018
Topographic Maps	EDR Historical Topographic Map Report, 03/13/19	1902, 1907, 1921, 1944, 1948, 1955, 1965, 1970, 1973, 1980, 1986, 1994, and 2013
Sanborn Maps	EDR Certified Sanborn Map Report, 03/13/19	1887, 1898, 1910, 1928, 1950, and 1970
City Directories	EDR City Directory Abstract, 03/18/19	1964, 1969, 1974, 1978, 1983, 1987, 1992, 1995, 2000, 2005, 2010, and 2014

Based on these reference materials, the following table presents a chronology of the subject Site and surrounding area. Copies of historical reference materials are included in **Appendix D**.

Year	Description	Source(s)
1887	The subject Site is developed for primarily residential use with a few stores located in the southeastern portion of the property.	Sanborn and Topographic Maps
1898 - 1928	The subject Site is developed with approximately half the property used for residential, while the other half is commercial. Commercial properties occupy the eastern	Sanborn and Topographic Maps

Year	Description	Source(s)
	portion of the property, along Church Street, while the residences occupy the western/southwestern portions along Bute Street.	
1950	The subject Site is developed for primarily commercial use with a few residences remaining in the southwestern corner of the site.	Sanborn and Topographic Maps
1970 - 1982	The subject Site is developed with several commercial entities occupying the entire site. The property configuration has changed with the addition of Lincoln Street to the west of the property.	Sanborn, Aerials, and Topographic Maps
1987 - 2018	The subject Site is developed with a single structure located in the northeastern portion of the site, with the remaining areas of the property occupied by paved parking.	Aerials and Topographic Maps

Sanborn Fire Insurance Maps

Sanborn Fire Insurance maps assist in the identification of historical land use and commonly illustrate the existence and location of aboveground and underground storage tanks, structures, improvements, and facility operations. Sanborn maps were reported to be available for the subject Site for 1887, 1898, 1910, 1928, 1950, and 1970. Copies of the Sanborn maps are included in **Appendix D**.

The Sanborn maps illustrate the subject Site as developed. From some time prior to 1887 to around 1950, the subject Site was developed with several residences, with commercial properties starting in the southeastern corner and expanding northward along Church Street. By 1950, only a few residences remained in the southwestern corner of the property along Bute Street, while the remaining areas of the property were occupied by commercial entities. Several commercial entities occupied the entire eastern portion of the property by 19670, as the property configuration changed with the addition of Lincoln Street to the west of the property. The subject Site is bounded by roadways: E Brambleton Avenue to the north, Church Street to the east, Bute Street to the south, and Lincoln Street to the west.

During the 1800s, Sanborn maps depict the surrounding area as primarily residential with some commercial entities, including a hospital, located to the east across Church Street. Over the years residences remained to the north and west, while commercial entities increased to the east and south. Commercial entities included, but were not limited to, furniture companies, loan offices, shoe repairs, jewelers, and restaurants. By 1970, the hospital is no longer illustrated and commercial entities surround the subject Site, which included funeral services, furniture companies, shoe repair, loan offices, jewelers, and restaurants.

City Directories

A city directory search was conducted by EDR from the first available directory to the present. The EDR City Directory search provided records for the following years: 1964, 1969, 1974, 1978, 1983, 1987, 1992, 1995, 2000, 2005, 2010, and 2014. The following records were provided for the subject Site:

Yea	Address	Name
1964 - 1969	601 – 655 Church Street	Commercial businesses including, but not limited to, the following: furniture companies, shoe stores/repair, loan offices, barbers shops, lawyers offices, jewelers, and restaurants.
1974 - 1978	601 – 643 Church Street	Commercial businesses including, but not limited to, the following: funeral service, furniture companies, shoe store/repair, loan offices, department store, jewelers, and restaurants.
1983 - 1987	No Listing	There are no listings for the subject Site addressed as 601 – 643 Church Street or 645 Church Street.
1992 - 2014	645 Church Street	Commercial businesses including, but not limited to, the following: funeral home, broadcasting/radio, communications, investments groups, graphics and signs, law offices, and catering.

During the historical search of the subject Site, several previous addresses were revealed pertaining to the various commercial businesses that previously occupied the subject Site. Of these, there were a few the raised concerns for potential impacts to the subject Site. These included: 601 Church Street – Tidewater Funeral Service (1974 – 1978); 645 Church Street – Twilight Funeral Home Inc. (1992 – 1995); Tidewater Graphics and Signs (2005 – 2014); and L Ward Automotive Center Inc. (2010). As there was no specific listing in the EDR database report for these addresses or the businesses associated with them, SCS conducted a RCRA and EPA ECHO search online, for additional information on whether hazardous substances or hazardous wastes were handled at the subject Site. The search, conducted on March 19, 2019, revealed no results found pertaining to the addresses or facility names.

Surrounding properties consisted of residential and commercial facilities. A copy of the city directory search for the Site address is presented in **Appendix D**.

Historical Use Summary of Site

The earliest historical record (topographic map from 1887) depicts the subject Site as developed, occupied by residences with few commercial entities. This represents a data failure as records back to the first developed use were not readily available. Over the years, the number of commercial businesses grew and became the dominant presence on and off-site. By 1970, the subject Site had been reconfigured slightly with the addition of Lincoln Street to the west and commercial entities occupying the entire property. By the mid to late 1980s, the subject Site was developed with a single building located in the northeastern portion of the property, similar to current site conditions, with

associated paved parking in the remaining areas of the site. Historical records indicate that the commercial businesses located at the subject Site appeared to be mostly office use in nature, and unlikely to have handled significant quantities of hazardous substances or wastes.

The surrounding areas were developed with residential and commercial properties. Additional development of commercial properties has occurred throughout the years in the immediate surrounding area.

7 SITE RECONNAISSANCE

On March 14, 2019, Ms. Alexis Holcomb of SCS conducted a visual reconnaissance of the subject Site and surrounding properties. The weather was sunny, and SCS was unaccompanied during the subject Site reconnaissance. A map of the subject Site depicting relevant features is provided in **Appendix A**. Site photographs taken during SCS' reconnaissance are included in **Appendix B**.

SCS obtained access to the subject Site via Bute Street, which adjoins the subject Site to the south/southwest. The subject Site is currently unoccupied, with one building located in the northeastern portion of the property. The remaining areas of the site are occupied by paved parking, a satellite dish, and landscaped areas. A few vehicles were parked on-site, and a non-PCB containing electrical transformer is located in the northwestern portion of the property. The vacant 4-story building was reportedly built in 1988 and is approximately 53,500 square feet in size.

The steel frame building has a stucco finish with the main entrance into the building located in the northeastern portion of the property. The building is comprised of former retail space and office space. All floors of the building were visually assessed by SCS with the general layout of the building remaining the same (i.e., restroom facilities were located on each floor, along with a utility room and an electrical room towards the front end of the building). The restrooms, utility rooms, electrical rooms, and elevator room were locked. SCS was provided with a set of keys in order to access all locked areas of the building during the site reconnaissance. Additionally, two elevators used to service the building. The elevator room and sprinkler system room are located on the first floor and are kept locked. No significant environmental concerns were observed during the site visit. Within the first floor utility room, it should be noted a dark colored, dried stain was observed near a floor drain.

No surface water bodies or pools of liquid were observed on-site. The subject Site is relatively flat, with a gentle slope towards the south/southwest of the property. Roof drains are installed along the sides of the building, which drain out onto the paved surfaces (i.e., asphalt parking areas or concrete sidewalk areas). Additionally, there is a storm drain located at the corner of East Brambleton Avenue and Church Street.

No recognized environmental conditions (RECs) were identified on the subject Site during the site reconnaissance.

The following table summarizes information in connection with the subject Site:

Parcel Number	1437270517
Area	Approximately 1.5 acres
Site Land Use	Vacant (former commercial uses see Section 6)

Occupants	Vacant
Number of Buildings	One 4-story building.
Site Grounds	One building located in the northeastern portion of the property, the remaining areas occupied by paved parking and general landscaped areas.
Electricity	Dominion Virginia Power
Source of Heating and Cooling	Central HVAC
High-Power Transmission Lines	None observed on or near the subject Site
Potable Water Source	City of Norfolk
Sanitary Wastewater	City of Norfolk

A summary of uses and conditions of the subject Site consistent with the ASTM E1527-13 standard practice is provided below. For each of the uses or conditions identified at the subject Site, detailed information is discussed in the 'Notes' column.

Likely Environmental Concern	Observed	Not Observed	Notes
Hazardous Substances in Connection with the Site Use	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No evidence of hazardous substances were observed in connection to the subject Site.
Petroleum Products in Connection with the Site Use	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No evidence of petroleum products were observed nor were signs of a release were observed.
Aboveground or Underground Storage Tanks (ASTs/USTs)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No evidence of ASTs or USTs in connection with the subject Site was observed.
Suspect Containers Not in Connection with Site Use	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Suspect containers were not observed.
Electrical or Mechanical Equipment Likely to Contain PCBs	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No obvious signs or evidence of electrical or mechanical equipment likely to contain PCBs in connection with the subject Site was observed. The pad-mounted electrical transformer on-site was affixed with a non-PCB placard.

Likely Environmental Concern	Observed	Not Observed	Notes
Exterior or Interior Stains or Corrosion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A small dark-colored stain was observed within a utility room on the first floor of the building. The stain was close to, but did not appear to have entered the floor drain. The stain did not appear recent. Another stain was observed within the elevator room. No floor drains were within this area and the stain was on concrete. Stained areas in the building are considered de minimis.
Drywells, Drains or Sumps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Floor drains were observed within the utility rooms of the building and within the bathroom facilities. No drywells or sumps were observed in connection with the subject Site.
Process Wastewater Discharges	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No obvious signs or evidence was observed of the generation of process wastewater or related discharges on the subject Site.
Septic or Sewage Tanks	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No obvious signs or evidence of septic or sewage tanks was observed in connection with the subject Site.
Pits, Ponds or Lagoons	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No obvious signs or evidence was observed on the subject Site of associated pits, ponds or lagoons.
Pools of Liquid or Standing Water	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No pools of liquid or standing water was observed on the subject Site.
Solid Waste Dumping, Landfills or Suspected Fill Material	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Minimal amounts of discarded material were observed throughout the landscaped areas of the subject Site. No fill material was observed or identified.
Pesticide and Herbicide Management	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No obvious signs or evidence was observed of pesticide or herbicide management on the subject Site.
Stained Soil, Leaking Pipes and Equipment	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No stained soil, leaking pipes, or equipment was observed in connection with the subject Site.

Likely Environmental Concern	Observed	Not Observed	Notes
Stressed Vegetation	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No stressed vegetation was observed on the subject Site.
Wells	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None observed
Air Emissions	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None observed
Odors	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No obvious signs or evidence of any unusual or noxious odors was noted during SCS' onsite reconnaissance.
General Housekeeping Concerns	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No general housekeeping concerns.
Other Uses or Conditions of Concern	<input type="checkbox"/>	<input checked="" type="checkbox"/>	None.

Adjoining Property Use

The following table summarizes land use and observations in the immediate vicinity of the subject Site. For the purpose of this Phase I ESA, the immediate subject Site vicinity includes those properties interpreted to be adjoining to the subject Site.

Direction	Land Use	Comments
North	East Brambleton Avenue. Farther north is Goldberg Hardware commercial property and multi-family residences.	No evidence or obvious indications of the use, storage, or generation of hazardous materials/wastes or petroleum products were observed.
East	Church Street. Farther east is the U.S. Post Office.	The Post Office is listed on the database records for USTs. There is a fueling area located on this property, located down-gradient of the subject Site. Therefore, there is evidence of the use, storage, and generation of petroleum products.
South	East Bute Street. Farther south is the St. John AME Church and associated parking.	No evidence or obvious indications of the use, storage, or generation of hazardous materials/wastes or petroleum products were observed.
West	Lincoln Street, Tulip Lane, and a daycare center. Further west is the Norfolk Wholesale Floral property.	No evidence or obvious indications of the use, storage, or generation of hazardous materials/wastes or petroleum products were observed.

8 INTERVIEWS

Section 10.5 of the ASTM Standard E1527-13 requires that the User identify an owner, occupant, or key site manager for interviewing as a part of the due diligence investigation. The User was provided a copy of the User Questionnaire to forward to the owner's representative with 645 Church Street, LLC. SCS was not provided the name of the owner's representative. No owner or a Key Site Manager with knowledge of the Site's history dating back to its first development were identified. The inability to identify an owner or Key Site Manager for interviewing constitutes a data gap. While this represents a data gap, based on the reasonably ascertainable information obtained from the site reconnaissance and data reviewed, it is unlikely that additional information obtained from interviews would impact the conclusions of this report.

9 FINDINGS

The findings of this Phase I ESA are presented below.

- The subject Site encompasses approximately 1.5 acres of land, and is developed with one 4-story structure (vacant) located in the northeastern portion of the property. The remaining areas of the site are occupied by paved parking and general landscaped areas. No water bodies are located on-site. The interior of the structure was formerly occupied by commercial businesses and is comprised of several office spaces, two restrooms on each floor, two elevators, an elevator and sprinkler room on the first floor, and a utility and electrical room on each floor.
- Surficial trash and debris were scattered throughout the landscaped areas of the property. Two localized areas of staining were observed within the structure: one within the first floor utility room and the other in the elevator room. The stained areas are considered de minimis.
- The earliest historical record (topographic map from 1887) depicts the subject Site as developed, occupied by residences with few commercial entities. This represents a data failure as records back to the first developed use were not readily available. Over the years, the number of commercial businesses grew and became the dominant presence on and off-site. By 1970, the subject Site had been reconfigured slightly with the addition of Lincoln Street to the west and commercial entities occupying the entire property. By the mid to late 1980s, the subject Site was developed with a single building located in the northeastern portion of the property, similar to current site conditions, with associated paved parking in the remaining areas of the site. Historical records indicate that the commercial businesses located at the subject Site appeared to be mostly office use in nature, and unlikely to have handled significant quantities of hazardous substances or wastes.
- During the historical search of the subject Site, several previous addresses were revealed pertaining to the various commercial businesses that previously occupied the subject Site. Of these, there were a few that raised concerns for potential environmental impacts to the subject Site. These included: 601 Church Street – Tidewater Funeral Service (1974 – 1978); 645 Church Street – Twilight Funeral Home Inc. (1992 – 1995); Tidewater Graphics and Signs (2005 – 2014); and L Ward Automotive Center Inc. (2010). As there was no specific listing in the EDR database report for these addresses or the businesses associated with them, SCS conducted a RCRA and EPA ECHO search online, which revealed no results found pertaining to the addresses or facility names.
- The subject Site was not included in the searched environmental database records.

- The adjacent Church Street BP (located to the northeast) was included on the UST and LUST/LTANKS databases for a release that occurred in 2001 (PC20015131). The case was closed in 2002 and a closure letter received from the VDEQ. There are three active USTs located at the gasoline service station and the tanks are reported to be in compliance with regulatory agencies. Based on the closure of the leaking tank database case and relative distance of the tanks from the subject Site, this database listing is not considered an environmental concern to the subject Site.
- The adjacent US Post Office (located to the east) was included on the UST and LUST/LTANKS databases for a release that occurred in 1990 (PC19901020) and 2006 (PC2065105). The cases were closed in 1994 and 2008; respectively; and closure letters from the VDEQ were obtained. According to the database report, there are seven active USTs located at this property. A 2016 tank inspection report was received from the VDEQ, which stated the inspection did not identify compliance issues that needed to be addressed at that time. Based on the closure of the leaking tanks database ceases, in compliance status of the in-use tanks, and relative distance of the tanks from the subject Site, this database listing is not considered an environmental concern to the subject Site.
- The off-site Williams Thomas Cleaner site (located to the north) was included on the EDR Historical Cleaners database as a drycleaning plant from 1970 to 2013. The listing is also associated with EPA ID No. VAD982580540, which suggests the use or former use of wastes on-site. Based on the relatively long-term use of this property as a cleaners and the properties location up-gradient of the subject Site, subsurface contamination is a possibility. If subsurface contaminants exist, the potential of vapor intrusion onto the subject Site cannot be ruled out. This facility is considered a business environmental risk to the subject Site based on the potential for a vapor intrusion risk, pending the confirmation of subsurface contamination associated with the former cleaners. Note: the property formerly operated as a dry cleaners is now a Metro PCS dealer.

Limiting Conditions

No limiting conditions were experienced in completion of the Phase I ESA.

Data Gaps

A data gap represents an inability on the part of the environmental professional to obtain information required by the standards and practices of 40 CFR 312 to fully identify conditions indicative of releases or threatened releases of hazardous substances on, at, in, or to the site.

- Section 8 of ASTM Standard E1527-13 requires that standard historical sources be reviewed at five-year intervals and back to first developed use. Historical topographic maps and aerial photographs provided for the subject Site do not meet the historical five-year interval and, therefore, this represents a data gap. Additionally, the first historical record (topographic map dating back to 1887) depicts the subject Site as developed, not first developed use. While this is considered a data gap, based on the reasonably ascertainable information obtained from the site reconnaissance and data reviewed detailing relative consistent land use since at least 1950, it is unlikely that additional information obtained from historical records would impact the conclusions of this report.
- Section 10.5 of the ASTM Standard E1527-13 requires that the User identify an owner, occupant, or key site manager for interviewing as a part of the due diligence investigation. No

owner or a Key Site Manager with knowledge of the Site's history dating back to its first development were identified. The inability to identify an owner or Key Site Manager for interviewing constitutes a data gap. While this represents a data gap, based on the reasonably ascertainable information obtained from the site reconnaissance and data reviewed, it is unlikely that additional information obtained from interviews would impact the conclusions of this report.

It is our opinion that these data gaps are insignificant with respect to our conclusions.

10 CONCLUSIONS

SCS has performed a Phase I Environmental Site Assessment for real property, encompassing approximately 17 acres of property located at 1140 E. Princess Anne Road in Norfolk, Virginia in conformance with the scope and limitations of 40 CFR 312 and ASTM 1527-13.

No RECs, CRECs, or HRECs were identified at the subject Site.

A BER was identified at the subject Site pertaining to the off-site former dry cleaners, Williams Thomas Cleaners, located at 635 East Olney Road (north of the subject Site). Based on the relatively long-term use of this property as a cleaners and the properties location up-gradient of the subject Site, subsurface contamination is a possibility with the potential for vapor intrusion onto the subject Site.

11 REFERENCES

ASTM, Standard E 1527-13, *Standard Practice for Phase I Environmental Site Assessments: Phase I Environmental Site Assessment Process*.

Environmental Data Resources, Inc., *Radius Map Report with GeoCheck®*, March 14, 2019.

Environmental Data Resources, Inc. *Certified Sanborn Map Report*, March 14, 2019.

Environmental Data Resources, Inc. *Historical Topographic Map Report*, March 14, 2019.

Environmental Data Resources, Inc. *Aerial Photographs Decade Package*, March 14, 2019.

Environmental Data Resources, Inc. *City Directory Image Report*, March 18, 2019.

12 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

This Phase I Environmental Site Assessment report was prepared by or under the supervision of the following professionals:

Alexis Holcomb – Project Professional Ms. Holcomb is a Project Professional with SCS's Environmental Services division, and provides environmental support for projects performed out of SCS's Virginia Beach, VA office. Ms. Holcomb has six years of environmental experience, including Phase I ESAs.


John Tabella, P.G. - Project Director Mr. Tabella is a Project Director and the Environmental Services Group Leader for SCS's Reston, VA office. Mr. Tabella oversees all aspects of environmental services opportunities and projects primarily throughout the U.S. Mr. Tabella has over 25 years of board environmental experience, covering environmental due diligence, mergers and acquisitions, environmental site characterization, remedial design and construction, environmental regulatory compliance and permitting, industrial hygiene, and health and safety.

Endnotes:

ⁱ Adjoining is defined by ASTM E1527-13 as any real property the border of which is contiguous or partially contiguous with that of the Site or would be contiguous or partially contiguous with that of the Site but for a street, road, or other public thoroughfare separating them.

Appendices

Appendix A Figures



 Site Boundary

Figure 1. Site Location Map
 645 Church Street, Norfolk, VA
 SCS File No. 02218113.03

Source: USGS Norfolk South Quadrangle (1994)



 Site Boundary

Figure 2. Site Vicinity Map
645 Church Street, Norfolk, VA
SCS File No. 02218113.03

Source: Google Satellite Imagery (2018)

Appendix B Site Photo Log

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 1. View of the eastern side of the subject Site.



Photograph 2. View of the northern side of the subject Site.



Photograph 3. View of the western side of the subject Site.



Photograph 4. View of the southern side of the subject Site and associated parking lot.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 5. View of the subject Site entrance located on the northeastern side.



Photograph 6. View of the paved driveway located on the western side of the subject Site.



Photograph 7. View of the southern portion of the subject Site.



Photograph 8. View of the southwestern portion of the subject Site.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 9. View of the northwestern portion of the subject Site.



Photograph 10. View of the satellite dish located in the northwestern portion of the subject Site parking lot.



Photograph 11. View of the HVAC system located within a fenced area in the northwestern portion of the subject Site.



Photograph 12. View of non-PCB electrical transformer located in the northwestern portion of the subject Site.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 13. View of the Non PCB placard affixed to the electrical transformer.



Photograph 14. View of the buried optic cable located in the northwestern portion of the subject Site.



Photograph 15. View of the main electrical room for the subject Site building. Photo taken from doorway.



Photograph 16. View of the 80-gallon electrical air compressor horizontal tank located within the electrical room.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 17. View of the on-site building lobby.



Photograph 18. View of the two elevators within the on-site building. Elevator pits were inaccessible.



Photograph 19. View of the elevator room located on the first floor. Photo shows typical hydraulic unit for elevators.



Photograph 20. View of the sprinkler room located on the first floor.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 21. View of the typical utility room and floor drain. Photo shows the first floor utility room and associated stain.



Photograph 22. View of a typical office area located within the on-site building. Photo shows offices located on the second floor.



Photograph 23. View of a typical break room within the office areas of the on-site building.



Photograph 24. View of the former kitchen area within the on-site building.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**


SITE VISIT: MARCH 14, 2019




Photograph 25. View of the third floor hallway within the on-site building.



Photograph 26. View of the adjacent properties to the south of the subject Site (St. John's AME Church and associated parking). Photo taken from a fourth floor window.



Photograph 27. View of the adjacent properties to the west (daycare facility and Norfolk Wholesale Florist). Photo taken from a fourth floor window.



Photograph 28. View of the adjacent residential properties located to the northwest. Photo taken from a fourth floor window.

**645 CHURCH STREET SITE
NORFOLK, VIRGINIA**

SITE VISIT: MARCH 14, 2019



Photograph 29. View of the adjacent property to the north (Goldberg Hardware). Photo taken from a fourth floor window.



Photograph 30. View of the adjacent BP gasoline service station and Martin Luther King Jr. Memorial to the northeast. Photo taken from a fourth floor window.



Photograph 31. View of the adjacent US Post Office to the east. Photo taken from a fourth floor window.



Photograph 32. View of the adjacent US Post Office to the east.

Appendix C EDR Database Report

645 Church Street Site

645 Church Street
Norfolk, VA 23510

Inquiry Number: 5588325.2s
March 13, 2019

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	163
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-9
Physical Setting Source Map Findings	A-11
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

645 CHURCH STREET
NORFOLK, VA 23510

COORDINATES

Latitude (North):	36.8526900 - 36° 51' 9.68"
Longitude (West):	76.2813480 - 76° 16' 52.85"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	385765.7
UTM Y (Meters):	4079094.5
Elevation:	11 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5950979 NORFOLK SOUTH, VA
Version Date:	2013

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140705
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
645 CHURCH STREET
NORFOLK, VA 23510

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	7 ELEVEN 10656	712 W CHURCH RD	VA LTANKS	Lower	261, 0.049, NE
A2	WILLIAMS, T C CLEANE	635 E OLNEY	RCRA NonGen / NLR, FINDS, ECHO	Higher	496, 0.094, NNE
A3	WILLIAMS THOMAS C	635 E OLNEY RD	EDR Hist Cleaner	Higher	496, 0.094, NNE
B4	ROLANDS AUTO REPAIR	42 DOWNTOWN PLAZA	VA LUST, VA LTANKS, VA UST	Higher	501, 0.095, WSW
C5	CHURCH STREET BP	800 E BRAMBLETON AVE	VA LUST, VA LTANKS, VA UST, VA Financial Assurance	Lower	513, 0.097, ENE
C6	AMOCO 60546 TANKS	800 E BRAMBLETON AVE	RCRA-SQG, FINDS, ECHO	Lower	513, 0.097, ENE
C7	CHURCH STREET BP	800 E BRAMBLETON AVE	EDR Hist Auto	Lower	513, 0.097, ENE
8	FIRST BAPTIST CHURCH	431 E BRAMBLETON AVE	VA UST	Lower	599, 0.113, WNW
D9	USPS NORFOLK P&DC/VM	600 CHURCH STREET	PA MANIFEST	Lower	612, 0.116, SE
D10	US POSTAL SERVICE -	600 CHURCH ST	VA LUST, VA LTANKS, VA SPILLS	Lower	612, 0.116, SE
D11	USPS-NORFOLK P&DC/VM	600 CHURCH ST	RCRA-CESQG, US AIRS	Lower	612, 0.116, SE
D12	US POSTAL SERVICE -	600 CHURCH ST	VA LTANKS	Lower	612, 0.116, SE
D13	USPS-NORFOLK P&DC/VM	600 CHURCH ST	RCRA NonGen / NLR	Lower	612, 0.116, SE
D14	USPS - NORFOLK VEHIC	600 CHURCH ST	VA UST, VA Financial Assurance	Lower	612, 0.116, SE
15	FIRST BAPTIST CHURCH	418 E BUTE ST	VA LUST, VA LTANKS	Lower	632, 0.120, West
B16	AMERICOMM DIRECT MAR	494 ST PAULS BLVD	RCRA-SQG, FINDS, ECHO	Lower	636, 0.120, WSW
A17	LET US PRODUCE	620 E OLNEY RD	VA LUST, VA LTANKS	Higher	641, 0.121, NNE
18	NORFOLK REDEV & HSG	824 SMITH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	742, 0.141, North
E19	ONE STOP FOOD MART #	900 BRAMBLETON AVENU	VA LUST, VA LTANKS, VA UST, VA Financial Assurance	Lower	745, 0.141, ESE
F20	AMOCO #2033-TANKS	18 DOWNTOWN PLAZA	RCRA-SQG, FINDS, ECHO	Higher	802, 0.152, SW
F21	DRY CLEANING OF VIRG	#71 DOWNTOWN PLAZA 3	RCRA NonGen / NLR	Higher	802, 0.152, SW
E22	TITUS SCHOOL	722 CHAPEL STREET	VA LUST, VA LTANKS, VA UST	Lower	824, 0.156, East
23	NRHA - CALVERT PARK	748 CHAPEL STREET	VA UST	Lower	869, 0.165, East
24	YOUNGS PARK ELEMENTA	543 OLNEY EAST ROAD	VA LUST, VA LTANKS, VA UST	Lower	890, 0.169, NW
25	NORFOLK CITY - FIRE	450 SAINT PAUL BLVD	VA UST, VA Financial Assurance	Lower	918, 0.174, WSW
E26	NORFOLK CITY - PLUM	1001 W BRAMBLETON AV	VA LUST, VA LTANKS	Lower	941, 0.178, ESE
F27	ST PAULS TEXACO	418 SAINT PAULS BOUL	VA LUST, VA LTANKS, VA SPILLS	Lower	1042, 0.197, SW
F28	HOLIDAY FOODS #405	418 SAINT PAULS BOUL	VA UST, VA Financial Assurance	Lower	1042, 0.197, SW
29	HAMPTON ROADS CHAMBE	485 ST PAULS BLVD	VA LUST, VA LTANKS	Lower	1184, 0.224, WSW
30	TIDEWATER PARK ELEME	1045 BRAMBLETON AVEN	VA LUST, VA LTANKS, VA UST	Lower	1328, 0.252, SE
31	NRHA - YOUNG TERRACE	816 WHITAKER LANE	VA LUST, VA LTANKS, VA UST, VA AIRS	Lower	1373, 0.260, NNW
32	FREEMASON STREET BAP	400 E FREEMASON ST	VA LUST, VA LTANKS	Lower	1559, 0.295, WSW
33	TIDEWATER DRIVE BUSI	850 TIDEWATER DR	VA LTANKS	Lower	1659, 0.314, East
34	NRHA-TIDEWATER PARK	450 WALLE STREET	VA LUST, VA LTANKS	Lower	1710, 0.324, SSE
G35	HUMAN SERVICES BUILD	741 MONTICELLO AVE	VA LUST, VA LTANKS	Lower	1786, 0.338, WNW
G36	PRECISION TUNE	751 MONTICELLO AVE	VA LUST, VA LTANKS, VA UST	Lower	1837, 0.348, NW
37	FAIRBANKS MORSE ENGI	630 TIDEWATER DR	VA LUST, VA LTANKS	Lower	1960, 0.371, SE
38	NORFOLK CITY OF - RU	489 TIDEWATER DRIVE	VA LUST, VA LTANKS, VA SPILLS	Lower	2036, 0.386, SSE
H39	SHOWCASE BUILDING	500 GRANBY STREET	VA LUST, VA LTANKS	Lower	2063, 0.391, West

MAPPED SITES SUMMARY

Target Property Address:
645 CHURCH STREET
NORFOLK, VA 23510

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
H40	MONTAGNA'S PROPRTIE	437 GRANBY ST	VA LUST, VA LTANKS	Lower	2185, 0.414, West
H41	TRAPANI PROPERTY	431 GRANBY ST	VA LUST, VA LTANKS	Lower	2206, 0.418, West
42	NR&HA RETENTION POND	NEAR ANNE & OUTTEN S	VA LUST	Lower	2213, 0.419, NNE
43	ALLSAFE SELF STORAGE	1213 EAST BRAMBLETON	VA LUST, VA LTANKS	Lower	2258, 0.428, SE
44	VIRGINIA POWER-FORME	539 OR 541 EAST CITY	VA LUST, VA LTANKS, VA UST	Lower	2262, 0.428, SW
I45	THREE HAPPINESS CHIN	411 GRANBY STREET	VA LUST, VA LTANKS, VA UST	Lower	2275, 0.431, West
I46	GROWING NORFOLK, LLC	429 GRANBY ST	VA LUST, VA LTANKS	Lower	2278, 0.431, West
47	MAGAZINE & BOOK DIVI	1108 TIDEWATER DRIVE	VA LUST, VA LTANKS, VA UST	Lower	2332, 0.442, ENE
J48	EAGLETONS	430 BOUSH STREET	VA LUST, VA LTANKS	Lower	2428, 0.460, West
49	VIRGINIA PILOT AND T	150 W BRAMBLETON AVE	VA LUST, VA LTANKS, VA TIER 2	Lower	2436, 0.461, WNW
J50	FIVE ASSOCIATES LLC	436 BOUSCH ST AND 45	VA LTANKS	Lower	2471, 0.468, West
51	NORFOLK CITY OF - PO	811 E. CITY HALL	VA LUST, VA LTANKS	Lower	2485, 0.471, SSW
52	CITY OF NORFOLK - PL	PLUME ST AND SAINT P	VA LUST, VA LTANKS	Lower	2494, 0.472, SSW
53	CITY OF NORFOLK MAIN	736 CECELIA ST	VA LUST, VA LTANKS, VA UST	Lower	2538, 0.481, ESE
54	NORFOLK TOWN GAS	MONTICELLO AND VA BE	EDR MGP	Lower	2656, 0.503, NNW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

EXECUTIVE SUMMARY

State- and tribal - equivalent CERCLIS

VA SHWS..... This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State and tribal landfill and/or solid waste disposal site lists

VA SWF/LF..... Solid Waste Management Facilities

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST..... Underground Storage Tank Listing
VA AST..... Registered Petroleum Storage Tanks
INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

VA ENG CONTROLS..... Engineering Controls Sites Listing
VA INST CONTROL..... Voluntary Remediation Program Database

State and tribal voluntary cleanup sites

VA VCP..... Voluntary Remediation Program
INDIAN VCP..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

VA BROWNFIELDS..... Brownfields Site Specific Assessments

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
US CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

EXECUTIVE SUMMARY

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
VA SPILLS 90..... SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System
PRP..... Potentially Responsible Parties
PADS..... PCB Activity Database System
ICIS..... Integrated Compliance Information System
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS..... Incident and Accident Data
CONSENT..... Superfund (CERCLA) Consent Decrees
INDIAN RESERV..... Indian Reservations
FUSRAP..... Formerly Utilized Sites Remedial Action Program
UMTRA..... Uranium Mill Tailings Sites
LEAD SMELTERS..... Lead Smelter Sites
US MINES..... Mines Master Index File
ABANDONED MINES..... Abandoned Mines
DOCKET HWC..... Hazardous Waste Compliance Docket Listing
UXO..... Unexploded Ordnance Sites
FUELS PROGRAM..... EPA Fuels Program Registered Listing
VA NPDES..... Comprehensive Environmental Data System
VA COAL ASH..... Coal Ash Disposal Sites
VA DRYCLEANERS..... Drycleaner List
VA ENF..... Enforcement Actions Data
VA UIC..... Underground Injection Control Wells

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

VA RGA LF..... Recovered Government Archive Solid Waste Facilities List
VA RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

EXECUTIVE SUMMARY

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/01/2018 has revealed that there are 3 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>AMOCO #2033-TANKS</i> EPA ID:: VAD988199014	<i>18 DOWNTOWN PLAZA</i>	<i>SW 1/8 - 1/4 (0.152 mi.)</i>	<i>F20</i>	<i>77</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>AMOCO 60546 TANKS</i> EPA ID:: VA0000251710	<i>800 E BRAMBLETON AVE</i>	<i>ENE 0 - 1/8 (0.097 mi.)</i>	<i>C6</i>	<i>20</i>
<i>AMERICOMM DIRECT MAR</i> EPA ID:: VAD988225090	<i>494 ST PAULS BLVD</i>	<i>WSW 0 - 1/8 (0.120 mi.)</i>	<i>B16</i>	<i>67</i>

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 03/01/2018 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>USPS-NORFOLK P&DC/VM</i> EPA ID:: VA5180000148	<i>600 CHURCH ST</i>	<i>SE 0 - 1/8 (0.116 mi.)</i>	<i>D11</i>	<i>29</i>

EXECUTIVE SUMMARY

State and tribal leaking storage tank lists

VA LUST: The Leaking Underground Storage Tank Database.

A review of the VA LUST list, as provided by EDR, has revealed that there are 33 VA LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROLANDS AUTO REPAIR Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000066815 Pollution Complaint Num: 20035158	42 DOWNTOWN PLAZA	WSW 0 - 1/8 (0.095 mi.)	B4	12
LET US PRODUCE Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000224072 Pollution Complaint Num: 20065148	620 E OLNEY RD	NNE 0 - 1/8 (0.121 mi.)	A17	68
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHURCH STREET BP Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000089799 Pollution Complaint Num: 20015131	800 E BRAMBLETON AVE	ENE 0 - 1/8 (0.097 mi.)	C5	14
US POSTAL SERVICE - Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000067441 Pollution Complaint Num: 20065105 Pollution Complaint Num: 19901020	600 CHURCH ST	SE 0 - 1/8 (0.116 mi.)	D10	27
FIRST BAPTIST CHURCH Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000065159 Pollution Complaint Num: 19992389	418 E BUTE ST	W 0 - 1/8 (0.120 mi.)	15	66
ONE STOP FOOD MART # Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000195743 Pollution Complaint Num: 20005220	900 BRAMBLETON AVENU	ESE 1/8 - 1/4 (0.141 mi.)	E19	71
TITUS SCHOOL Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000087589 Pollution Complaint Num: 19932421	722 CHAPEL STREET	E 1/8 - 1/4 (0.156 mi.)	E22	81
YOUNGS PARK ELEMENTA Database: LUST REG TD, Date of Government Version: 06/30/2013 Facility Status: Closed Facility ID: 200000067833 Pollution Complaint Num: 19901773	543 OLNEY EAST ROAD	NW 1/8 - 1/4 (0.169 mi.)	24	86
NORFOLK CITY - PLUM Database: LUST REG TD, Date of Government Version: 06/30/2013	1001 W BRAMBLETON AV	ESE 1/8 - 1/4 (0.178 mi.)	E26	90

EXECUTIVE SUMMARY

Facility Status: Closed
 Facility ID: 200000846463
 Pollution Complaint Num: 20075109

ST PAULS TEXACO	418 SAINT PAULS BOUL	SW 1/8 - 1/4 (0.197 mi.)	F27	91
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000063935				
Pollution Complaint Num: 19860715				
Pollution Complaint Num: 20025027				
HAMPTON ROADS CHAMBE	485 ST PAULS BLVD	WSW 1/8 - 1/4 (0.224 mi.)	29	105
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Open				
Facility Status: Closed				
Facility ID: 200000065437				
Pollution Complaint Num: 20015055				
Pollution Complaint Num: 19982353				
TIDEWATER PARK ELEME	1045 BRAMBLETON AVEN	SE 1/4 - 1/2 (0.252 mi.)	30	107
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000067352				
Pollution Complaint Num: 19931231				
NRHA - YOUNG TERRACE	816 WHITAKER LANE	NNW 1/4 - 1/2 (0.260 mi.)	31	110
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000066380				
Pollution Complaint Num: 19920697				
FREEMASON STREET BAP	400 E FREEMASON ST	WSW 1/4 - 1/2 (0.295 mi.)	32	123
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000847882				
Pollution Complaint Num: 20085044				
NRHA-TIDEWATER PARK	450 WALKE STREET	SSE 1/4 - 1/2 (0.324 mi.)	34	125
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000066379				
Pollution Complaint Num: 19910528				
HUMAN SERVICES BUILD	741 MONTICELLO AVE	WNW 1/4 - 1/2 (0.338 mi.)	G35	126
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000064145				
Pollution Complaint Num: 19911589				
PRECISION TUNE	751 MONTICELLO AVE	NW 1/4 - 1/2 (0.348 mi.)	G36	127
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000091559				
Pollution Complaint Num: 19911351				
FAIRBANKS MORSE ENGI	630 TIDEWATER DR	SE 1/4 - 1/2 (0.371 mi.)	37	136
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000858334				
Facility ID: 200000215535				
Pollution Complaint Num: 20135037				

EXECUTIVE SUMMARY

Pollution Complaint Num: 20045179				
NORFOLK CITY OF - RU	489 TIDEWATER DRIVE	SSE 1/4 - 1/2 (0.386 mi.)	38	137
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000066850				
Pollution Complaint Num: 19921528				
Pollution Complaint Num: 19921529				
Pollution Complaint Num: 19921669				
SHOWCASE BUILDING	500 GRANBY STREET	W 1/4 - 1/2 (0.391 mi.)	H39	141
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000201732				
Pollution Complaint Num: 20015139				
MONTAGNA'S PROPRTIE	437 GRANBY ST	W 1/4 - 1/2 (0.414 mi.)	H40	142
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Open				
Facility ID: 200000857775				
Pollution Complaint Num: 20135002				
TRAPANI PROPERTY	431 GRANBY ST	W 1/4 - 1/2 (0.418 mi.)	H41	143
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Open				
Facility ID: 200000857776				
Pollution Complaint Num: 20135003				
NR&HA RETENTION POND	NEAR ANNE & OUTTEN S	NNE 1/4 - 1/2 (0.419 mi.)	42	144
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000066371				
Pollution Complaint Num: 19952213				
ALLSAFE SELF STORAGE	1213 EAST BRAMBLETON	SE 1/4 - 1/2 (0.428 mi.)	43	144
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000063887				
Pollution Complaint Num: 19952409				
VIRGINIA POWER-FORME	539 OR 541 EAST CITY	SW 1/4 - 1/2 (0.428 mi.)	44	145
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000067595				
Pollution Complaint Num: 19972235				
THREE HAPPINESS CHIN	411 GRANBY STREET	W 1/4 - 1/2 (0.431 mi.)	I45	147
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000191269				
Pollution Complaint Num: 20005002				
GROWING NORFOLK, LLC	429 GRANBY ST	W 1/4 - 1/2 (0.431 mi.)	I46	150
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Open				
Facility ID: 200000856726				
Pollution Complaint Num: 20125089				
MAGAZINE & BOOK DIVI	1108 TIDEWATER DRIVE	ENE 1/4 - 1/2 (0.442 mi.)	47	151
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				

EXECUTIVE SUMMARY

Facility ID: 200000066025
 Pollution Complaint Num: 19940681

EAGLETONS	430 BOUSH STREET	W 1/4 - 1/2 (0.460 mi.)	J48	153
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000194463				
Pollution Complaint Num: 20005157				
VIRGINIA PILOT AND T	150 W BRAMBLETON AVE	WNW 1/4 - 1/2 (0.461 mi.)	49	154
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000067591				
Pollution Complaint Num: 19900518				
NORFOLK CITY OF - PO	811 E. CITY HALL	SSW 1/4 - 1/2 (0.471 mi.)	51	156
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000066604				
Pollution Complaint Num: 19943124				
CITY OF NORFOLK - PL	PLUME ST AND SAINT P	SSW 1/4 - 1/2 (0.472 mi.)	52	157
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000852933				
Pollution Complaint Num: 20105119				
CITY OF NORFOLK MAIN	736 CECELIA ST	ESE 1/4 - 1/2 (0.481 mi.)	53	158
Database: LUST REG TD, Date of Government Version: 06/30/2013				
Facility Status: Closed				
Facility ID: 200000066031				
Pollution Complaint Num: 20075089				
Pollution Complaint Num: 20005028				

VA LTANKS: The Leaking Tanks Database contains current Leaking petroleum tanks. The data comes from the Department of Environmental Quality.

A review of the VA LTANKS list, as provided by EDR, and dated 10/02/2018 has revealed that there are 36 VA LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROLANDS AUTO REPAIR	42 DOWNTOWN PLAZA	WSW 0 - 1/8 (0.095 mi.)	B4	12
Facility Status: Closed				
CEDS Facility Id: 200000066815				
Pollution Complaint #: 20035158				
LET US PRODUCE	620 E OLNEY RD	NNE 0 - 1/8 (0.121 mi.)	A17	68
Facility Status: Closed				
CEDS Facility Id: 200000224072				
Pollution Complaint #: 20065148				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
7 ELEVEN 10656	712 W CHURCH RD	NE 0 - 1/8 (0.049 mi.)	1	8
Facility Status: Closed				
CEDS Facility Id: 200000097372				
Pollution Complaint #: 19911578				
CHURCH STREET BP	800 E BRAMBLETON AVE	ENE 0 - 1/8 (0.097 mi.)	C5	14

EXECUTIVE SUMMARY

Facility Status: Closed CEDS Facility Id: 200000089799 Pollution Complaint #: 20015131				
US POSTAL SERVICE - Facility Status: Closed CEDS Facility Id: 200000067441 Pollution Complaint #: 20065105	600 CHURCH ST	SE 0 - 1/8 (0.116 mi.)	D10	27
US POSTAL SERVICE - Facility Status: Closed CEDS Facility Id: 200000067441 Pollution Complaint #: 19901020	600 CHURCH ST	SE 0 - 1/8 (0.116 mi.)	D12	41
FIRST BAPTIST CHURCH Facility Status: Closed CEDS Facility Id: 200000065159 Pollution Complaint #: 19992389	418 E BUTE ST	W 0 - 1/8 (0.120 mi.)	15	66
ONE STOP FOOD MART # Facility Status: Closed CEDS Facility Id: 200000195743 Pollution Complaint #: 20005220	900 BRAMBLETON AVENU	ESE 1/8 - 1/4 (0.141 mi.)	E19	71
TITUS SCHOOL Facility Status: Closed CEDS Facility Id: 200000087589 Pollution Complaint #: 19932421	722 CHAPEL STREET	E 1/8 - 1/4 (0.156 mi.)	E22	81
YOUNGS PARK ELEMENTA Facility Status: Closed CEDS Facility Id: 200000067833 Pollution Complaint #: 19901773	543 OLNEY EAST ROAD	NW 1/8 - 1/4 (0.169 mi.)	24	86
NORFOLK CITY - PLUM Facility Status: Closed CEDS Facility Id: 200000846463 Pollution Complaint #: 20075109	1001 W BRAMBLETON AV	ESE 1/8 - 1/4 (0.178 mi.)	E26	90
ST PAULS TEXACO Facility Status: Closed CEDS Facility Id: 200000063935 Pollution Complaint #: 19860715	418 SAINT PAULS BOUL	SW 1/8 - 1/4 (0.197 mi.)	F27	91
HAMPTON ROADS CHAMBE Facility Status: Closed CEDS Facility Id: 200000065437 Pollution Complaint #: 20015055	485 ST PAULS BLVD	WSW 1/8 - 1/4 (0.224 mi.)	29	105
TIDEWATER PARK ELEME Facility Status: Closed CEDS Facility Id: 200000067352 Pollution Complaint #: 19931231	1045 BRAMBLETON AVEN	SE 1/4 - 1/2 (0.252 mi.)	30	107
NRHA - YOUNG TERRACE Facility Status: Closed CEDS Facility Id: 200000066380 Pollution Complaint #: 19920697	816 WHITAKER LANE	NNW 1/4 - 1/2 (0.260 mi.)	31	110
FREEMASON STREET BAP Facility Status: Closed CEDS Facility Id: 200000847882 Pollution Complaint #: 20085044	400 E FREEMASON ST	WSW 1/4 - 1/2 (0.295 mi.)	32	123
TIDEWATER DRIVE BUSI	850 TIDEWATER DR	E 1/4 - 1/2 (0.314 mi.)	33	124

EXECUTIVE SUMMARY

Facility Status: Closed CEDS Facility Id: 200000886391 Pollution Complaint #: 20185175				
NRHA-TIDEWATER PARK Facility Status: Closed CEDS Facility Id: 200000066379 Pollution Complaint #: 19910528	450 WALKE STREET	SSE 1/4 - 1/2 (0.324 mi.)	34	125
HUMAN SERVICES BUILD Facility Status: Closed CEDS Facility Id: 200000064145 Pollution Complaint #: 19911589	741 MONTICELLO AVE	WNW 1/4 - 1/2 (0.338 mi.)	G35	126
PRECISION TUNE Facility Status: Closed CEDS Facility Id: 200000091559 Pollution Complaint #: 19911351	751 MONTICELLO AVE	NW 1/4 - 1/2 (0.348 mi.)	G36	127
FAIRBANKS MORSE ENGI Facility Status: Closed CEDS Facility Id: 200000858334 CEDS Facility Id: 200000215535 Pollution Complaint #: 20135037 Pollution Complaint #: 20045179	630 TIDEWATER DR	SE 1/4 - 1/2 (0.371 mi.)	37	136
NORFOLK CITY OF - RU Facility Status: Closed CEDS Facility Id: 200000066850 Pollution Complaint #: 19921669 Pollution Complaint #: 19921529 Pollution Complaint #: 19921528	489 TIDEWATER DRIVE	SSE 1/4 - 1/2 (0.386 mi.)	38	137
SHOWCASE BUILDING Facility Status: Closed CEDS Facility Id: 200000201732 Pollution Complaint #: 20015139	500 GRANBY STREET	W 1/4 - 1/2 (0.391 mi.)	H39	141
MONTAGNA'S PROPERTIE Facility Status: Open CEDS Facility Id: 200000857775 Pollution Complaint #: 20135002	437 GRANBY ST	W 1/4 - 1/2 (0.414 mi.)	H40	142
TRAPANI PROPERTY Facility Status: Closed CEDS Facility Id: 200000857776 Pollution Complaint #: 20135003	431 GRANBY ST	W 1/4 - 1/2 (0.418 mi.)	H41	143
ALLSAFE SELF STORAGE Facility Status: Closed CEDS Facility Id: 200000063887 Pollution Complaint #: 19952409	1213 EAST BRAMBLETON	SE 1/4 - 1/2 (0.428 mi.)	43	144
VIRGINIA POWER-FORME Facility Status: Closed CEDS Facility Id: 200000067595 Pollution Complaint #: 19972235	539 OR 541 EAST CITY	SW 1/4 - 1/2 (0.428 mi.)	44	145
THREE HAPPINESS CHIN Facility Status: Closed CEDS Facility Id: 200000191269 Pollution Complaint #: 20005002	411 GRANBY STREET	W 1/4 - 1/2 (0.431 mi.)	I45	147
GROWING NORFOLK, LLC	429 GRANBY ST	W 1/4 - 1/2 (0.431 mi.)	I46	150

EXECUTIVE SUMMARY

Facility Status: Closed
 CEDS Facility Id: 200000856726
 Pollution Complaint #: 20125089

MAGAZINE & BOOK DIVI Facility Status: Closed CEDS Facility Id: 200000066025 Pollution Complaint #: 19940681	1108 TIDEWATER DRIVE	ENE 1/4 - 1/2 (0.442 mi.)	47	151
EAGLETONS Facility Status: Closed CEDS Facility Id: 200000194463 Pollution Complaint #: 20005157	430 BOUSH STREET	W 1/4 - 1/2 (0.460 mi.)	J48	153
VIRGINIA PILOT AND T Facility Status: Closed CEDS Facility Id: 200000067591 Pollution Complaint #: 19900518	150 W BRAMBLETON AVE	WNW 1/4 - 1/2 (0.461 mi.)	49	154
FIVE ASSOCIATES LLC Facility Status: Closed CEDS Facility Id: 200000878857 Pollution Complaint #: 20155044	436 BOUSCH ST AND 45	W 1/4 - 1/2 (0.468 mi.)	J50	155
NORFOLK CITY OF - PO Facility Status: Closed CEDS Facility Id: 200000066604 Pollution Complaint #: 19943124	811 E. CITY HALL	SSW 1/4 - 1/2 (0.471 mi.)	51	156
CITY OF NORFOLK - PL Facility Status: Closed CEDS Facility Id: 200000852933 Pollution Complaint #: 20105119	PLUME ST AND SAINT P	SSW 1/4 - 1/2 (0.472 mi.)	52	157
CITY OF NORFOLK MAIN Facility Status: Closed CEDS Facility Id: 200000066031 Pollution Complaint #: 20075089	736 CECELIA ST	ESE 1/4 - 1/2 (0.481 mi.)	53	158

State and tribal registered storage tank lists

VA UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Underground Storage Tank Data Notification Information.

A review of the VA UST list, as provided by EDR, and dated 10/30/2018 has revealed that there are 10 VA UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ROLANDS AUTO REPAIR Tank Status: CLS IN GRD Facility Id: 5021071 CEDS Facility ID: 200000066815	42 DOWNTOWN PLAZA	WSW 0 - 1/8 (0.095 mi.)	B4	12
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHURCH STREET BP	800 E BRAMBLETON AVE	ENE 0 - 1/8 (0.097 mi.)	C5	14

EXECUTIVE SUMMARY

Tank Status: CURR IN USE Facility Id: 5024425 CEDS Facility ID: 200000089799				
FIRST BAPTIST CHURCH	431 E BRAMBLETON AVE	WNW 0 - 1/8 (0.113 mi.)	8	22
Tank Status: CLS IN GRD Facility Id: 5003960 CEDS Facility ID: 200000089867				
USPS - NORFOLK VEHIC	600 CHURCH ST	SE 0 - 1/8 (0.116 mi.)	D14	43
Tank Status: CURR IN USE Tank Status: REM FROM GRD Facility Id: 5014521 CEDS Facility ID: 200000067441				
ONE STOP FOOD MART #	900 BRAMBLETON AVENU	ESE 1/8 - 1/4 (0.141 mi.)	E19	71
Tank Status: CURR IN USE Tank Status: REM FROM GRD Facility Id: 5037733 CEDS Facility ID: 200000195743				
TITUS SCHOOL	722 CHAPEL STREET	E 1/8 - 1/4 (0.156 mi.)	E22	81
Tank Status: PERM OUT OF USE Facility Id: 5026770 CEDS Facility ID: 200000087589				
NRHA - CALVERT PARK	748 CHAPEL STREET	E 1/8 - 1/4 (0.165 mi.)	23	83
Tank Status: PERM OUT OF USE Tank Status: REM FROM GRD Facility Id: 5022290 CEDS Facility ID: 200000066373				
YOUNGS PARK ELEMENTA	543 OLNEY EAST ROAD	NW 1/8 - 1/4 (0.169 mi.)	24	86
Tank Status: PERM OUT OF USE Facility Id: 5025013 CEDS Facility ID: 200000067833				
NORFOLK CITY - FIRE	450 SAINT PAUL BLVD	WSW 1/8 - 1/4 (0.174 mi.)	25	88
Tank Status: CURR IN USE Facility Id: 5040187 CEDS Facility ID: 200000224855				
HOLIDAY FOODS #405	418 SAINT PAULS BOUL	SW 1/8 - 1/4 (0.197 mi.)	F28	93
Tank Status: REM FROM GRD Tank Status: CURR IN USE Facility Id: 5003737 CEDS Facility ID: 200000063935				

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/01/2018 has revealed that

EXECUTIVE SUMMARY

there are 4 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WILLIAMS, T C CLEANE EPA ID:: VAD982580540	635 E OLNEY	NNE 0 - 1/8 (0.094 mi.)	A2	8
NORFOLK REDEV & HSG EPA ID:: VA0000382093	824 SMITH ST	N 1/8 - 1/4 (0.141 mi.)	18	69
DRY CLEANING OF VIRG EPA ID:: VAD988223467	#71 DOWNTOWN PLAZA 3	SW 1/8 - 1/4 (0.152 mi.)	F21	79

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
USPS-NORFOLK P&DC/VM EPA ID:: VA2180090027	600 CHURCH ST	SE 0 - 1/8 (0.116 mi.)	D13	41

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, and dated 12/31/2017 has revealed that there is 1 PA MANIFEST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
USPS NORFOLK P&DC/VM Generator EPA Id: VA2180090027	600 CHURCH STREET	SE 0 - 1/8 (0.116 mi.)	D9	24

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there is 1 EDR MGP site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NORFOLK TOWN GAS	MONTICELLO AND VA BE	NNW 1/2 - 1 (0.503 mi.)	54	162

EXECUTIVE SUMMARY

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there is 1 EDR Hist Auto site within approximately 0.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHURCH STREET BP	800 E BRAMBLETON AVE	ENE 0 - 1/8 (0.097 mi.)	C7	21

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.125 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WILLIAMS THOMAS C	635 E OLNEY RD	NNE 0 - 1/8 (0.094 mi.)	A3	11













EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 16 records.

<u>Site Name</u>	<u>Database(s)</u>
NORFOLK TOWN GAS F & C CAROLINA CENTURY BREWERY (FORMER)	SEMS-ARCHIVE SEMS-ARCHIVE VA ENG CONTROLS, VA INST CONTROL, VA VCP VA LUST, VA UST
FIRST AMERICAN BANK NORFOLK CITY OF - DEVELOPMENT DEPT SUBURBAN PARK SHOPPING CENTER NORFOLK CITY - BOUSH STREET PARKIN ESSO - BANK STREET AND CHARLOTTE S RESIDENCE INN - FUTURE CHEVRON ASPHALT PLANT BRISTOL AT GHENT PHASE II PROPERTY HAMPTON ROADS TRANSIT AUTHORITY-NL HRSD SOUTH TRUNK SEWER CORRIDOR HAMPTON ROADS TRANSIT AUTHORITY-AB GREEN AT GHENT (FORMERLY BRISTOL A NORFOLK GAS PLANT	VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS, VA UST VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LUST, VA LTANKS VA LTANKS VA VCP VA VCP

OVERVIEW MAP - 5588325.2S




-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  National Priority List Sites
-  Dept. Defense Sites
-  Indian Reservations BIA
-  County Boundary
-  Power transmission lines
-  100-year flood zone
-  500-year flood zone
-  National Wetland Inventory








This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 645 Church Street Site
 ADDRESS: 645 Church Street
 Norfolk VA 23510
 LAT/LONG: 36.85269 / 76.281348




CLIENT: SCS Engineers
 CONTACT: Alexis Holcomb
 INQUIRY #: 5588325.2s
 DATE: March 13, 2019 12:36 pm

DETAIL MAP - 5588325.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites



-  Indian Reservations BIA
-  100-year flood zone
-  500-year flood zone



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 645 Church Street Site
 ADDRESS: 645 Church Street
 Norfolk VA 23510
 LAT/LONG: 36.85269 / 76.281348

CLIENT: SCS Engineers
 CONTACT: Alexis Holcomb
 INQUIRY #: 5588325.2S
 DATE: March 13, 2019 12:39 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site list</i>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		2	1	NR	NR	NR	3
RCRA-CESQG	0.250		1	0	NR	NR	NR	1
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	0.001		0	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
VA SHWS	N/A		N/A	N/A	N/A	N/A	N/A	N/A
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
VA SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
VA LUST	0.500		5	6	22	NR	NR	33
INDIAN LUST	0.500		0	0	0	NR	NR	0
VA LTANKS	0.500		7	6	23	NR	NR	36
<i>State and tribal registered storage tank lists</i>								
FEMA UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
VA UST	0.250		4	6	NR	NR	NR	10
VA AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
VA ENG CONTROLS	0.500		0	0	0	NR	NR	0
VA INST CONTROL	0.500		0	0	0	NR	NR	0
State and tribal voluntary cleanup sites								
VA VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
VA BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
Local Land Records								
LIENS 2	0.001		0	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
VA SPILLS	0.001		0	NR	NR	NR	NR	0
VA SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		2	2	NR	NR	NR	4
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	0.001		0	NR	NR	NR	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.001		0	NR	NR	NR	NR	0
FINDS	0.001		0	NR	NR	NR	NR	0
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
ECHO	0.001		0	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
VA AIRS	0.001		0	NR	NR	NR	NR	0
VA NPDES	0.001		0	NR	NR	NR	NR	0
VA COAL ASH	0.500		0	0	0	NR	NR	0
VA DRYCLEANERS	0.250		0	0	NR	NR	NR	0
VA ENF	0.001		0	NR	NR	NR	NR	0
VA Financial Assurance	0.001		0	NR	NR	NR	NR	0
PA MANIFEST	0.250		1	0	NR	NR	NR	1
VA TIER 2	0.001		0	NR	NR	NR	NR	0
VA UIC	0.001		0	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	1	NR	1
EDR Hist Auto	0.125		1	NR	NR	NR	NR	1
EDR Hist Cleaner	0.125		1	NR	NR	NR	NR	1

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

VA RGA LF	0.001		0	NR	NR	NR	NR	0
-----------	-------	--	---	----	----	----	----	---

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Search Distance (Miles)</u>	<u>Target Property</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
VA RGA LUST	0.001		0	NR	NR	NR	NR	0
- Totals --		0	24	21	45	1	0	91

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

N/A = This State does not maintain a SHWS list. See the Federal CERCLIS list.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMS, T C CLEANER (Continued)

1000283928

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MASON, LYNDA
Owner/operator address: OWNERSTREET
OWNERCITY, AK 99999

Owner/operator country: Not reported
Owner/operator telephone: 215-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: OPERNAME
Owner/operator address: OPERSTREET
OPERCITY, AK 99999

Owner/operator country: Not reported
Owner/operator telephone: 215-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MASON, LYNDA
Owner/operator address: OWNERSTREET
OWNERCITY, AK 99999

Owner/operator country: US
Owner/operator telephone: 215-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMS, T C CLEANER (Continued)

1000283928

User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 03/15/1988

Site name: WILLIAMS, T C CLEANER

Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D002
. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 05/16/2017
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110005234157

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMS, T C CLEANER (Continued)

1000283928

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000283928
Registry ID: 110005234157
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005234157>

**A3
NNE
< 1/8
0.094 mi.
496 ft.**

**WILLIAMS THOMAS C
635 E OLNEY RD
NORFOLK, VA 23510**

**EDR Hist Cleaner 1020121288
N/A**

Site 2 of 3 in cluster A

**Relative:
Higher**

EDR Hist Cleaner

**Actual:
11 ft.**

Year:	Name:	Type:
1970	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1971	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1972	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1973	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1974	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1975	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1976	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1977	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1978	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1979	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1980	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1982	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1983	WILLIAMS THOMAS C	Drycleaning Plants, Except Rugs
1992	TC WILLIAMS CLEANERS & TAILORS	Drycleaning Plants, Except Rugs
1993	TC WILLIAMS CLEANERS & TAILORS	Drycleaning Plants, Except Rugs
1994	TC WILLIAMS CLEANERS & TAILORS	Drycleaning Plants, Except Rugs
1995	TC WILLIAMS CLEANERS & TAILORS	Drycleaning Plants, Except Rugs
1996	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
1997	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
1998	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
1999	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2000	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2001	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2002	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2003	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2004	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2005	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2006	WILLIAMS T C CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2007	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2008	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2009	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2010	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2011	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2012	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs
2013	T C WILLIAMS CLEANERS & TLRs	Drycleaning Plants, Except Rugs

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B4
WSW
< 1/8
0.095 mi.
501 ft.

ROLANDS AUTO REPAIR
42 DOWNTOWN PLAZA
NORFOLK, VA 23505

VA LUST
VA LTANKS
VA UST

U003917043
N/A

Site 1 of 2 in cluster B

Relative:
Higher
Actual:
11 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000066815
Facility Status: Closed
Completed Date: 05/27/2003
Pollution Complaint Num: 20035158
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000066815
Facility Status: Closed
Completed Date: 10/20/2006
Pollution Complaint Num: 20035158
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed

LTANKS:
Region: TRO
CEDS Facility Id: 200000066815
Case Status: Closed
Pollution Complaint #: 20035158
Reported: 05/27/2003
Case Closed Date: 10/20/2006
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): Y
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:
Facility Id: 5021071
Facility Type: OTHER
CEDS Facility ID: 200000066815

Owner:
Owner Id: 33159

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROLANDS AUTO REPAIR (Continued)

U003917043

Owner Name:	DOWNTOWN PLAZA ASSOCIATES
Owner Address:	P.O. BOX 9627
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23505
Owner Type:	PRIVATE
Number of Active AST:	0
Number of Active UST:	0
Number of Inactive AST:	0
Number of Inactive UST:	1

UST:

Facility ID:	5021071
Federally Regulated:	Yes

Tank Number:	2
Tank Capacity:	225
Tank Contents:	USED OIL
Tank Status:	CLS IN GRD
Tank Type:	UST

Tank Material:

Install Date:	5/18/1962
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	Yes
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ROLANDS AUTO REPAIR (Continued)

U003917043

Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

C5
ENE
 < 1/8
 0.097 mi.
 513 ft.

CHURCH STREET BP
800 E BRAMBLETON AVE
NORFOLK, VA 23504

Site 1 of 3 in cluster C

VA LUST **U003692485**
VA LTANKS **N/A**
VA UST
VA Financial Assurance

Relative:
Lower
Actual:
8 ft.

LUST REG TD:	
Region:	TD
Region Code:	TRO
Facility ID:	200000089799
Facility Status:	Closed
Completed Date:	04/26/2001
Pollution Complaint Num:	20015131
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported
Region:	TD
Region Code:	TRO
Facility ID:	200000089799
Facility Status:	Closed
Completed Date:	08/08/2002
Pollution Complaint Num:	20015131
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case Closed

LTANKS:	
Region:	TRO
CEDS Facility Id:	200000089799
Case Status:	Closed
Pollution Complaint #:	20015131
Reported:	04/26/2001
Case Closed Date:	08/08/2002
Program:	RP Lead
Federally Regulated UST (Y/N):	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH STREET BP (Continued)

U003692485

Regulated Petroleum UST (1): Y
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:

Facility Id: 5024425
Facility Type: GAS STATION
CEDS Facility ID: 200000089799

Owner:

Owner Id: 40905
Owner Name: Tidewater Investments LLC
Owner Address: PO Box 10114
Owner Address2: Not reported
Owner City, State, Zip: Virginia Beach, VA 23450
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 3
Number of Inactive AST: 0
Number of Inactive UST: 0

Owner Id: 40055
Owner Name: BP Products North America Incorporated
Owner Address: PO Box 6038
Owner Address2: Not reported
Owner City, State, Zip: Artesia, CA 90702
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 3
Number of Inactive AST: 0
Number of Inactive UST: 0

UST:

Facility ID: 5024425
Federally Regulated: Yes

Tank Number: 1
Tank Capacity: 10000
Tank Contents: DIESEL
Tank Status: CURR IN USE
Tank Type: UST

Tank Material:

Install Date: 7/1/1991
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel Yes
Tank Materials: Epoxy Steel No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CHURCH STREET BP (Continued)

U003692485

Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Sti-P3

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	TLS-350 w/CSLD
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	flapper

Pipe Type:

	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	Yes
Pipe Materials: Other Note	FLEX PROTECTORS

Facility ID:	5024425
Federally Regulated:	Yes

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH STREET BP (Continued)

U003692485

Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	7/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Sti-P3
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	TLS-350 w/CSLD
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	flapper
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	Yes
Pipe Materials: Other Note	FLEX PROTECTORS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH STREET BP (Continued)

U003692485

Facility ID:	5024425
Federally Regulated:	Yes
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	7/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Sti-P3
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	TLS-350 w/CSLD
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	flapper
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHURCH STREET BP (Continued)

U003692485

Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	Yes
Pipe Materials: Other Note	FLEX PROTECTORS

VA Financial Assurance 1:

Facility ID:	5024425
Owner Name:	Tidewater Investments LLC
ROF Own Id:	40905
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	BP Amoco Station #60546
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Facility ID:	5024425
Owner Name:	Tidewater Investments LLC
ROF Own Id:	40905
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	BP Amoco Station #60546
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Facility ID:	5024425
Owner Name:	Tidewater Investments LLC
ROF Own Id:	40905
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	BP Amoco Station #60546
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

C6
ENE
< 1/8
0.097 mi.
513 ft.

AMOCO 60546 TANKS
800 E BRAMBLETON AVE
NORFOLK, VA 23504

Site 2 of 3 in cluster C

RCRA-SQG 1000891691
FINDS VA0000251710
ECHO

Relative:
Lower

RCRA-SQG:

Date form received by agency: 04/12/1994

Actual:
8 ft.

Facility name: AMOCO 60546 TANKS
 Facility address: 800 E BRAMBLETON AVE
 NORFOLK, VA 23504
 EPA ID: VA0000251710
 Mailing address: ONE W PENNA AVE STE 900
 TOWSON, MD 21204-5027
 Contact: TONI DOUGHERTY
 Contact address: ONE W PENNA AVE STE 900
 TOWSON, MD 21204-5027
 Contact country: US
 Contact telephone: 410-494-3704
 Contact email: Not reported
 EPA Region: 03
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AMOCO OIL CO
 Owner/operator address: STE 900 ONE W PENNA AVE
 TOWSON, MD 21204
 Owner/operator country: Not reported
 Owner/operator telephone: 410-494-3706
 Owner/operator email: Not reported
 Owner/operator fax: Not reported
 Owner/operator extension: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AMOCO 60546 TANKS (Continued)

1000891691

. Waste code: D001
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D018
 . Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005214099

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000891691
 Registry ID: 110005214099
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005214099>

C7
ENE
 < 1/8
 0.097 mi.
 513 ft.

CHURCH STREET BP
800 E BRAMBLETON AVE
NORFOLK, VA 23504

EDR Hist Auto 1022212419
N/A

Site 3 of 3 in cluster C

Relative:
Lower

EDR Hist Auto

Actual:
8 ft.

Year:	Name:	Type:
1994	PETRO PLUS INC	Gasoline Service Stations, NEC
2008	CHURCH STREET BP	Gasoline Service Stations, NEC
2009	CHURCH STREET BP	Gasoline Service Stations, NEC
2010	CHURCH STREET BP	Gasoline Service Stations, NEC
2011	CHURCH STREET BP	Gasoline Service Stations, NEC
2012	CHURCH STREET BP	Gasoline Service Stations, NEC
2013	CHURCH STREET BP	Gasoline Service Stations, NEC
2014	CHURCH STREET BP	Gasoline Service Stations, NEC

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

8
WNW
< 1/8
0.113 mi.
599 ft.

FIRST BAPTIST CHURCH
431 E BRAMBLETON AVE
NORFOLK, VA 23510

VA UST **U003917118**
N/A

Relative:
Lower
Actual:
9 ft.

Facility:
 Facility Id: 5003960
 Facility Type: OTHER
 CEDS Facility ID: 200000089867

Owner:
 Owner Id: 41359
 Owner Name: First Baptist Church - Downtown Norfolk
 Owner Address: 418 E Bute St
 Owner Address2: Not reported
 Owner City, State, Zip: Norfolk, VA 23510
 Owner Type: PRIVATE
 Number of Active AST: 0
 Number of Active UST: 0
 Number of Inactive AST: 0
 Number of Inactive UST: 2

Owner Id: 31150
 Owner Name: GOODWILL INDUSTRIES OF TIDEWATER
 Owner Address: 431 E. BRAMBLETON AVE.
 Owner Address2: Not reported
 Owner City, State, Zip: NORFOLK, VA 23510
 Owner Type: COMMERCIAL
 Number of Active AST: 0
 Number of Active UST: 0
 Number of Inactive AST: 0
 Number of Inactive UST: 2

UST:
 Facility ID: 5003960
 Federally Regulated: Yes

Tank Number: 1
 Tank Capacity: 500
 Tank Contents: GASOLINE
Tank Status: CLS IN GRD
 Tank Type: UST

Tank Material:
 Install Date: 4/18/1951
 Tank Materials: Bare Steel Yes
 Tank Materials: Cath Protect Steel No
 Tank Materials: Epoxy Steel No
 Tank Materials: Fiberglass No
 Tank Materials: Concrete No
 Tank Materials: Composite No
 Tank Materials: Double Walled No
 Tank Materials: Lined Interior No
 Tank Materials: Excav Liner No
 Tank Materials: Insulated Tank Jacket No
 Tank Materials: Repaired No
 Tank Materials: Unknown No
 Tank Materials: Other No
 Tank Materials: Other Note Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FIRST BAPTIST CHURCH (Continued)

U003917118

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type: UNKNOWN

Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID: 5003960

Federally Regulated: No

Tank Number: 2

Tank Capacity: 1000

Tank Contents: GASOLINE

Tank Status: CLS IN GRD

Tank Type: UST

Tank Material:

Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FIRST BAPTIST CHURCH (Continued)

U003917118

Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	No
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:	Not reported
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

D9
SE
 < 1/8
 0.116 mi.
 612 ft.

USPS NORFOLK P&DC/VMF
600 CHURCH STREET
NORFOLK, VA

PA MANIFEST **S109247890**
 N/A

Site 1 of 6 in cluster D

Relative:
Lower
Actual:
8 ft.

Manifest Details:
 Year: 2007
 Manifest Number: 001240210FLE
 Manifest Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS NORFOLK P&DC/VMF (Continued)

S109247890

Generator EPA Id: VA2180090027
Generator Date: 02/27/2007
Mailing Address: Not reported
Mailing City, St, Zip: Not reported
Contact Name: Not reported
Contact Phone: 757-629-2250
TSD EPA Id: PAD085690592
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D002
Container Number: 1
Container Type: Metal drums, barrels, kegs
Waste Quantity: 55
Unit: Gallons (liquids only)
Handling Code: Not reported
TSP EPA Id: Not reported
Date TSP Sig: Not reported

Year: 2007
Manifest Number: 001240210FLE
Manifest Type: Not reported
Generator EPA Id: VA2180090027
Generator Date: 02/27/2007
Mailing Address: Not reported
Mailing City, St, Zip: Not reported
Contact Name: Not reported
Contact Phone: 757-629-2250
TSD EPA Id: PAD085690592
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 3
Waste Number: D002
Container Number: 1
Container Type: Metal drums, barrels, kegs
Waste Quantity: 55
Unit: Gallons (liquids only)
Handling Code: Not reported
TSP EPA Id: Not reported
Date TSP Sig: Not reported

Year: 2007
Manifest Number: 001240210FLE
Manifest Type: Not reported
Generator EPA Id: VA2180090027
Generator Date: 02/27/2007
Mailing Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS NORFOLK P&DC/VMF (Continued)

S109247890

Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 757-629-2250
TSD EPA Id: PAD085690592
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 2
Waste Number: D002
Container Number: 1
Container Type: Metal drums, barrels, kegs
Waste Quantity: 55
Unit: Gallons (liquids only)
Handling Code: Not reported
TSP EPA Id: Not reported
Date TSP Sig: Not reported

Year: 2007
Manifest Number: 001240210FLE
Manifest Type: Not reported
Generator EPA Id: VA2180090027
Generator Date: 02/27/2007
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 757-629-2250
TSD EPA Id: PAD085690592
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 4
Waste Number: D001
Container Number: 1
Container Type: Metal drums, barrels, kegs
Waste Quantity: 30
Unit: Pounds
Handling Code: Not reported
TSP EPA Id: Not reported
Date TSP Sig: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10
SE
< 1/8
0.116 mi.
612 ft.

US POSTAL SERVICE - CHURCH STATION
600 CHURCH ST
NORFOLK, VA 23501

VA LUST S109609730
VA LTANKS N/A
VA SPILLS

Site 2 of 6 in cluster D

Relative:
Lower

LUST REG TD:

Actual:
8 ft.

Region: TD
Region Code: TRO
Facility ID: 200000067441
Facility Status: Closed
Completed Date: 02/07/2006
Pollution Complaint Num: 20065105
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000067441
Facility Status: Closed
Completed Date: 01/08/2008
Pollution Complaint Num: 20065105
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

Region: TD
Region Code: TRO
Facility ID: 200000067441
Facility Status: Closed
Completed Date: 02/09/1990
Pollution Complaint Num: 19901020
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: USTS FAILED TT TESTS IN 11/89! PRODUCT STILL IN USTS.

Region: TD
Region Code: TRO
Facility ID: 200000067441
Facility Status: Closed
Completed Date: 08/08/1994
Pollution Complaint Num: 19901020
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO
CEDS Facility Id: 200000067441
Case Status: Closed
Pollution Complaint #: 20065105
Reported: 02/07/2006
Case Closed Date: 01/08/2008
Program: RP Lead

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

US POSTAL SERVICE - CHURCH STATION (Continued)

S109609730

Federally Regulated UST (Y/N):	N
Regulated Petroleum UST (1):	N
Excluded UST (1):	N
Deferred UST (1):	N
Partially Deferred UST (1):	N
Exempt 1 UST (2):	N
Exempt 2 Heating Oil UST (2):	Y
Small Heating Oil AST (2):	N
Regulated AST (3):	N
Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	Category 3

SPILLS:

Fips City/County:	Norfolk City
Status:	Open
Reference Id:	151933
IR Number:	2019-T-0852
Associated IR:	Not reported
Incident Date:	08/25/2018
Call Received Date:	09/05/2018
Closure Comments:	Not reported
Threat To:	Not reported
Terrorism (Y/N):	N
Characterize Incident:	Unknown
Incident Type:	Waste
Incident Subtype:	Hazardous Waste * Waste
Materials:	Mercury (1-1 Gallons)
Effect To Receptor:	Not reported
Water Body:	Not reported
Low Quantity To Water:	Not reported
High Quantity To Water:	Not reported
Quantity Units:	Not reported
Other Receptors:	Not reported
RP Company:	Not reported
RP Name:	Not reported
Property Owner:	Not reported
Property Company:	Not reported
Duration Of Event (Hrs):	0
Impacts:	Not reported
Other Impacts:	Not reported
Steps Taken:	Not reported
Steps Taken Description:	Not reported
System Components:	Not reported
Other System Components:	Not reported
Cause Of Event:	Not reported
Corrective Action Taken:	Not reported
Weather Status:	N/A
Precipitation (Wet):	0
Discharge Type:	N/A
Discharge Volume:	0
Unknown Discharge (Y/N):	N
Site Name:	MERCURY AT POST OFFICE
Closure Date:	Not reported
Orig. Call Incident Description:	CHIEF SULLIVAN WITH NORFOLK FD REPORTED THAT AT A POST OFFICE AT 600

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

US POSTAL SERVICE - CHURCH STATION (Continued)

S109609730

Church St Norfolk, VA 23501 A BIG METAL CONTAINER WITH A HAZMAT PLACARD WAS MOVED VIA FORKLIFT WHEN IT SHOULD HAVE BEEN MOVED BY HAND WHICH CAUSED THE RELEASE OF LESS THAN ONE GALLON OF MERCURY FROM THE PACKAGE. CLEANUP AREA 20 x 20 AREA. EMPLOYEES EVACUATED FROM BUILDING. SITUATION SECURE AND CLEANUP CONTRACTOR WILL BE NOTIFIED. NO VDEM ASSISTANCE REQUESTED

Original Call Material Description: mercury
Original Call Location Description: 600 Church St Norfolk, VA 23501
Incident Ongoing at time of Call: Not reported
Agencies Notified (Y/N): Y
Other Agencies: VDEM, Norfolk Fire Dept
Permitted (Y/N): N
Call Reported By Company Name: Not reported
Call Property Owner Company Name: Not reported
Call Property Owner Name: Not reported
Site Summary: CHIEF SULLIVAN WITH NORFOLK FD REPORTED THAT AT A POST OFFICE AT 600 Church St Norfolk, VA 23501 A BIG METAL CONTAINER WITH A HAZMAT PLACARD WAS MOVED VIA FORKLIFT WHEN IT SHOULD HAVE BEEN MOVED BY HAND WHICH CAUSED THE RELEASE OF LESS THAN ONE GALLON OF MERCURY FROM THE PACKAGE. CLEANUP AREA 20 x 20 AREA. EMPLOYEES EVACUATED FROM BUILDING. SITUATION SECURE AND CLEANUP CONTRACTOR WILL BE NOTIFIED. NO VDEM ASSISTANCE REQUESTED

D11
SE
< 1/8
0.116 mi.
612 ft.

USPS-NORFOLK P&DC/VMF
600 CHURCH ST
NORFOLK, VA 23501
Site 3 of 6 in cluster D

RCRA-CESQG 1000128142
US AIRS VA5180000148

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 08/18/2005

Actual:
8 ft.

Facility name: USPS-NORFOLK P&DC/VMF
Facility address: 600 CHURCH ST
NORFOLK, VA 23501-9721

EPA ID: VA5180000148
Mailing address: CHURCH ST
NORFOLK, VA 23501-9721

Contact: ROBERT ROBINSON
Contact address: Not reported
Not reported

Contact country: US
Contact telephone: 757-629-2250
Contact email: Not reported

EPA Region: 03
Land type: Federal

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: USPS
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1983
Owner/Op end date: Not reported

Owner/operator name: USPS
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1983
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D009
. Waste name: MERCURY

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 04/21/2003
Site name: USPS-NORFOLK P&DC/VMF
Classification: Not a generator, verified

- . Waste code: D009
- . Waste name: MERCURY

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 02/12/2001
Site name: US POSTAL SERVICE VMF
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 12/29/1986
Site name: US POSTAL SERVICE VMF
Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D018
. Waste name: BENZENE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SR - 9 VAC 20-60-370 E.4.d.
Area of violation: Generators - Pre-transport
Date violation determined: 04/03/1997
Date achieved compliance: 04/21/1997
Violation lead agency: State
Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter
Enforcement action date: 04/08/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-370.E.3.a.(1)
Area of violation: Generators - Pre-transport
Date violation determined: 04/03/1997
Date achieved compliance: 04/21/1997
Violation lead agency: State
Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter
Enforcement action date: 04/08/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-370.E.4.e.(2)
Area of violation: Generators - Pre-transport
Date violation determined: 04/03/1997
Date achieved compliance: 04/21/1997
Violation lead agency: State
Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter
Enforcement action date: 04/08/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-600 E.
Area of violation: Generators - Pre-transport
Date violation determined: 04/03/1997
Date achieved compliance: 04/21/1997
Violation lead agency: State
Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter
Enforcement action date: 04/08/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/03/2005
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 08/03/2005
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/09/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 04/03/1997
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 04/21/1997
Evaluation lead agency: State

US AIRS (AFS):

Envid: 1000128142
Region Code: 03
County Code: VA710
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
D and B Number: Not reported
Facility Site Name: US POSTAL SERVICE - CHURCH STATION
Primary SIC Code: Not reported
NAICS Code: 491110
Default Air Classification Code: SMI
Facility Type of Ownership Code: FDF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS (AFS):

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2016-06-01 00:00:00
Activity Status Date: 2016-06-02 10:11:16
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Active

Region Code: 03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1983-02-07 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1988-07-14 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1991-07-15 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1993-08-10 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1994-06-21 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1995-02-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1996-01-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1997-03-12 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1998-02-02 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1998-12-29 00:00:00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2001-02-08 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-02-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-11-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2003-03-10 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-06-03 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-08-03 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-08-04 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2007-12-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2008-02-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2009-07-24 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2010-03-25 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2011-04-18 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2012-09-25 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2013-05-24 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1000128142

Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2014-02-28 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2014-03-21 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Stratospheric Ozone Protection
Activity Date: 2005-08-03 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 03
Programmatic ID: AIR VA0000005171000206
Facility Registry ID: 110005216051
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: Stratospheric Ozone Protection
Activity Date: 2005-08-04 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D12
SE
< 1/8
0.116 mi.
612 ft.

US POSTAL SERVICE - HRGMF
600 CHURCH ST
NORFOLK, VA 23501

VA LTANKS S113411895
N/A

Relative:
Lower

LTANKS:

Actual:
8 ft.

Region: TRO
CEDS Facility Id: 200000067441
Case Status: Closed
Pollution Complaint #: 19901020
Reported: 02/09/1990
Case Closed Date: 08/08/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

D13
SE
< 1/8
0.116 mi.
612 ft.

USPS-NORFOLK P&DC/VMF
600 CHURCH ST
NORFOLK, VA 23501

RCRA NonGen / NLR 1007116683
VA2180090027

Relative:
Lower

RCRA NonGen / NLR:

Actual:
8 ft.

Date form received by agency: 04/21/2003
Facility name: USPS-NORFOLK P&DC/VMF
Facility address: 600 CHURCH ST
NORFOLK, VA 23501
EPA ID: VA2180090027
Mailing address: CHURCH ST
NORFOLK, VA 23501
Contact: ROBERT ROBINSON
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: 757-629-2250
Contact email: Not reported
EPA Region: 03
Land type: Federal
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: USPS
Owner/operator address: Not reported
Not reported
Owner/operator country: US

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1007116683

Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1983
Owner/Op end date: Not reported

Owner/operator name: USPS
Owner/operator address: Not reported
Not reported

Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1983
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 02/12/2001
Site name: U S POSTAL SVC-HAMPTON ROADS VEH MNT FAC
Classification: Not a generator, verified

Date form received by agency: 11/23/1986
Site name: U S POSTAL SVC-HAMPTON ROADS VEH MNT FAC
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS-NORFOLK P&DC/VMF (Continued)

1007116683

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/03/2005
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/09/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/28/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

**D14
SE
< 1/8
0.116 mi.
612 ft.**

**USPS - NORFOLK VEHICLE MAINTENANCE FACILITY
600 CHURCH ST
NORFOLK, VA 23501**

**VA UST U003691178
VA Financial Assurance N/A**

Site 6 of 6 in cluster D

**Relative:
Lower
Actual:
8 ft.**

Facility:
Facility Id: 5014521
Facility Type: FEDERAL: NON-MILITARY
CEDs Facility ID: 200000067441

Owner:
Owner Id: 32232
Owner Name: United States Postal Service
Owner Address: Mid Atlantic Facilities Service Office
Owner Address2: 7027 Albert Pick Blvd Suite 300
Owner City, State, Zip: Greensboro, NC 27498
Owner Type: FEDERAL
Number of Active AST: 0
Number of Active UST: 7
Number of Inactive AST: 0
Number of Inactive UST: 11

UST:
Facility ID: 5014521
Federally Regulated: Yes

Tank Number: 1
Tank Capacity: 10000
Tank Contents: DIESEL
Tank Status: CURR IN USE
Tank Type: UST

Tank Material:
Install Date: 9/1/1991
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5014521
Federally Regulated:	Yes

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	DIESEL

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	9/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	9/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	4
Tank Capacity:	750
Tank Contents:	HYDRAULIC OIL
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	9/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Release Detection: Other Note	Overfill Automatic Shutoff
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	5
Tank Capacity:	1000
Tank Contents:	USED OIL
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	9/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Release Detection: Leak Deferred	Yes
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	6
Tank Capacity:	2500
Tank Contents:	MOTOR OIL
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	9/1/1991
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	No
Tank Number:	7
Tank Capacity:	1130
Tank Contents:	HYDRAULIC OIL
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	10/15/1980
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	Yes
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	Yes
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	No
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:	Not reported
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5014521
Federally Regulated:	Yes

Tank Number:	R1
Tank Capacity:	5000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST

Tank Material:

Install Date:	4/24/1982
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

Pipe Materials: Bare Steel	UNKNOWN
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5014521
Federally Regulated:	Yes

Tank Number:	R10
Tank Capacity:	500
Tank Contents:	USED OIL
Tank Status:	REM FROM GRD
Tank Type:	UST

Tank Material:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Install Date:	4/24/1982
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5014521
Federally Regulated:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Number:	R11
Tank Capacity:	500
Tank Contents:	USED OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R2
Tank Capacity:	5000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R3
Tank Capacity:	5000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R4
Tank Capacity:	5000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R5
Tank Capacity:	5000
Tank Contents:	DIESEL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R6
Tank Capacity:	5000
Tank Contents:	DIESEL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R7
Tank Capacity:	1000
Tank Contents:	LUBE OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5014521
Federally Regulated:	Yes

Tank Number:	R8
Tank Capacity:	550

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Contents:	MOTOR OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Materials: Other Note	Not reported
Facility ID:	5014521
Federally Regulated:	Yes
Tank Number:	R9
Tank Capacity:	550
Tank Contents:	MOTOR OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	4/24/1982
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

VA Financial Assurance 1:

Facility ID:	5014521
Owner Name:	United States Postal Service
ROF Own Id:	32232
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	US Postal Service - Church Station
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Facility ID:	5014521
Owner Name:	United States Postal Service
ROF Own Id:	32232
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	US Postal Service - Church Station
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Facility ID:	5014521
Owner Name:	United States Postal Service
ROF Own Id:	32232
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	US Postal Service - Church Station
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Facility ID: 5014521
Owner Name: United States Postal Service
ROF Own Id: 32232
Tank Type: UST
Mechanism: Not reported
Gallorage: Not reported
Per Occurrence: Not reported
Third Party: Not reported
Annual Aggregate: Not reported
In Compliance: Not reported
Total Capacity: 750
CEDS Facility Name: US Postal Service - Church Station
Tank Status: CURR IN USE
Active Federally Regualted UST: Y

Facility ID: 5014521
Owner Name: United States Postal Service
ROF Own Id: 32232
Tank Type: UST
Mechanism: Not reported
Gallorage: Not reported
Per Occurrence: Not reported
Third Party: Not reported
Annual Aggregate: Not reported
In Compliance: Not reported
Total Capacity: 1000
CEDS Facility Name: US Postal Service - Church Station
Tank Status: CURR IN USE
Active Federally Regualted UST: Y

Facility ID: 5014521
Owner Name: United States Postal Service
ROF Own Id: 32232
Tank Type: UST
Mechanism: Not reported
Gallorage: Not reported
Per Occurrence: Not reported
Third Party: Not reported
Annual Aggregate: Not reported
In Compliance: Not reported
Total Capacity: 2500
CEDS Facility Name: US Postal Service - Church Station
Tank Status: CURR IN USE
Active Federally Regualted UST: Y

Facility ID: 5014521
Owner Name: United States Postal Service
ROF Own Id: 32232
Tank Type: UST
Mechanism: Not reported
Gallorage: Not reported
Per Occurrence: Not reported
Third Party: Not reported
Annual Aggregate: Not reported
In Compliance: Not reported
Total Capacity: 1130
CEDS Facility Name: US Postal Service - Church Station

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

USPS - NORFOLK VEHICLE MAINTENANCE FACILITY (Continued)

U003691178

Tank Status: CURR IN USE
 Active Federally Regualted UST: Y

15
West
< 1/8
0.120 mi.
632 ft.

FIRST BAPTIST CHURCH
418 E BUTE ST
NORFOLK, VA 23510

VA LUST **S109252817**
VA LTANKS **N/A**

Relative:
Lower
Actual:
10 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000065159
Facility Status: Closed
 Completed Date: 05/21/1999
 Pollution Complaint Num: 19992389
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: H.O. FOUND IN BASEMENT OF CHURCH. POSSIBLY SEEPING THRU FLOOR.

Region: TD
 Region Code: TRO
 Facility ID: 200000065159
Facility Status: Closed
 Completed Date: 12/22/1999
 Pollution Complaint Num: 19992389
 Fed Regulated Tank: No
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: CASE CLOSED.

LTANKS:
 Region: TRO
 CEDS Facility Id: 200000065159
Case Status: Closed
 Pollution Complaint #: 19992389
 Reported: 05/21/1999
 Case Closed Date: 12/22/1999
 Program: RP Lead
 Federally Regulated UST (Y/N): N
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): Y
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Category 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B16
WSW
< 1/8
0.120 mi.
636 ft.

AMERICOMM DIRECT MARKETING VA INC
494 ST PAULS BLVD
NORFOLK, VA 23510

RCRA-SQG 1000837964
FINDS VAD988225090
ECHO

Site 2 of 2 in cluster B

Relative:
Lower

RCRA-SQG:

Actual:
10 ft.

Date form received by agency: 03/17/1993
Facility name: AMERICOMM DIRECT MARKETING VA INC
Facility address: 494 ST PAULS BLVD
NORFOLK, VA 23510
EPA ID: VAD988225090
Contact: BRAD STEWART
Contact address: 494 ST PAULS BLVD
NORFOLK, VA 23510
Contact country: US
Contact telephone: 804-622-2724
Contact email: Not reported
EPA Region: 03
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AMERICOMM DIRECT MARKETING
Owner/operator address: 5334 NATIONAL TURNPIKE
LOUISVILLE, KY 40214
Owner/operator country: Not reported
Owner/operator telephone: 502-367-6441
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Waste code: D001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICOMM DIRECT MARKETING VA INC (Continued)

1000837964

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D011
. Waste name: SILVER

. Waste code: D018
. Waste name: BENZENE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

FINDS:

Registry ID: 110005254633

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000837964
Registry ID: 110005254633
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005254633>

A17
NNE
< 1/8
0.121 mi.
641 ft.

LET US PRODUCE
620 E OLNEY RD
NORFOLK, VA 23510
Site 3 of 3 in cluster A

VA LUST **S107869792**
VA LTANKS **N/A**

Relative:
Higher
Actual:
11 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000224072
Facility Status: Closed
Completed Date: 05/02/2006
Pollution Complaint Num: 20065148
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LET US PRODUCE (Continued)

S107869792

Region: TD
Region Code: TRO
Facility ID: 200000224072
Facility Status: Closed
Completed Date: 06/16/2006
Pollution Complaint Num: 20065148
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO
CEDS Facility Id: 200000224072
Case Status: Closed
Pollution Complaint #: 20065148
Reported: 05/02/2006
Case Closed Date: 06/16/2006
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): Y
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: NFA

18
North
1/8-1/4
0.141 mi.
742 ft.

NORFOLK REDEV & HSG AUTHORITY
824 SMITH ST
NORFOLK, VA 23510

RCRA NonGen / NLR 1000920230
FINDS VA0000382093
ECHO

Relative:
Higher
Actual:
11 ft.

RCRA NonGen / NLR:
Date form received by agency: 10/19/1995
Facility name: NORFOLK REDEV & HSG AUTHORITY
Facility address: 824 SMITH ST
YOUNG TERRACE PUBLIC HOUSING
NORFOLK, VA 23501
EPA ID: VA0000382093
Mailing address: 201 GRANBY ST
NORFOLK, VA 23501
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 03
Land type: Municipal

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORFOLK REDEV & HSG AUTHORITY (Continued)

1000920230

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NORFOLK REDEV & HOUSING AUTHORITY
Owner/operator address: 201 GRANBY ST
NORFOLK, VA 23501
Owner/operator country: Not reported
Owner/operator telephone: 804-623-1111
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: NONE
. Waste name: None

Historical Generators:

Date form received by agency: 06/14/1994
Site name: NORFOLK REDEV & HSG AUTHORITY
Classification: Large Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 10/19/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NORFOLK REDEV & HSG AUTHORITY (Continued)

1000920230

Evaluation lead agency: State

FINDS:

Registry ID: 110005214455

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000920230
 Registry ID: 110005214455
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005214455>

E19
ESE
 1/8-1/4
 0.141 mi.
 745 ft.

ONE STOP FOOD MART #351
900 BRAMBLETON AVENUE
NORFOLK, VA 23504

VA LUST U003769912
VA LTANKS N/A
VA UST
VA Financial Assurance

Site 1 of 3 in cluster E

Relative:
Lower
Actual:
7 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000195743
Facility Status: Closed
 Completed Date: 05/12/2000
 Pollution Complaint Num: 20005220
 Fed Regulated Tank: Yes
 Phase Code: RR
 Event Description: Release Reported
 Comments: Not reported

Region: TD
 Region Code: TRO
 Facility ID: 200000195743
Facility Status: Closed
 Completed Date: 11/06/2001
 Pollution Complaint Num: 20005220
 Fed Regulated Tank: Yes
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: Case closed/letter sent

LTANKS:

Region: TRO
 CEDS Facility Id: 200000195743
Case Status: Closed
 Pollution Complaint #: 20005220

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE STOP FOOD MART #351 (Continued)

U003769912

Reported: 05/12/2000
Case Closed Date: 11/06/2001
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): Y
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:

Facility Id: 5037733
Facility Type: GAS STATION
CEDS Facility ID: 200000195743

Owner:

Owner Id: 26632
Owner Name: J&M Investments
Owner Address: 329 Office Square Lane #200
Owner Address2: Not reported
Owner City, State, Zip: Virginia Beach, VA 23462
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 2
Number of Inactive AST: 0
Number of Inactive UST: 2

UST:

Facility ID: 5037733
Federally Regulated: Yes

Tank Number: 1
Tank Capacity: 12000
Tank Contents: GASOLINE
Tank Status: CURR IN USE
Tank Type: UST

Tank Material:

Install Date: 4/1/2000
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass No
Tank Materials: Concrete No
Tank Materials: Composite Yes
Tank Materials: Double Walled No
Tank Materials: Lined Interior No
Tank Materials: Excav Liner No
Tank Materials: Insulated Tank Jacket No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ONE STOP FOOD MART #351 (Continued)

U003769912

Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	Yes
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	Yes
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	No
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	Yes
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5037733
Federally Regulated:	Yes

Tank Number:	2
Tank Capacity:	8000
Tank Contents:	GASOLINE
Tank Status:	CURR IN USE
Tank Type:	UST

Tank Material:	
Install Date:	4/1/2000
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ONE STOP FOOD MART #351 (Continued)

U003769912

Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	Yes
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	Yes
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	Yes
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	No
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

PRESSURE

Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	Yes
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5037733
Federally Regulated:	Yes

Tank Number:	R1
Tank Capacity:	1200

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE STOP FOOD MART #351 (Continued)

U003769912

Tank Contents:	OTHER
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE STOP FOOD MART #351 (Continued)

U003769912

Pipe Materials: Other Note	Not reported
Facility ID:	5037733
Federally Regulated:	Yes
Tank Number:	R2
Tank Capacity:	1000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ONE STOP FOOD MART #351 (Continued)

U003769912

Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

VA Financial Assurance 1:

Facility ID:	5037733
Owner Name:	J&M Investments
ROF Own Id:	26632
Tank Type:	UST
Mechanism:	Letter of Credit
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	12000
CEDS Facility Name:	One Stop Food Mart
Tank Status:	CURR IN USE
Active Federally Regulated UST:	Y

Facility ID:	5037733
Owner Name:	J&M Investments
ROF Own Id:	26632
Tank Type:	UST
Mechanism:	Letter of Credit
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	8000
CEDS Facility Name:	One Stop Food Mart
Tank Status:	CURR IN USE
Active Federally Regulated UST:	Y

F20
SW
 1/8-1/4
 0.152 mi.
 802 ft.

AMOCO #2033-TANKS
18 DOWNTOWN PLAZA
NORFOLK, VA 23510
 Site 1 of 4 in cluster F

RCRA-SQG 1000581186
FINDS VAD988199014
ECHO

Relative:
Higher
Actual:
 11 ft.

RCRA-SQG:
 Date form received by agency: 04/24/1991
 Facility name: AMOCO #2033-TANKS
 Facility address: 18 DOWNTOWN PLAZA
 NORFOLK, VA 23510
 EPA ID: VAD988199014
 Mailing address: STE 1500 ONE N CHARLES ST
 BALTIMORE, MD 21201
 Contact: TONI DOUGHERTY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMOCO #2033-TANKS (Continued)

1000581186

Contact address: 18 DOWNTOWN PLAZA
NORFOLK, VA 23510
Contact country: US
Contact telephone: 301-625-7858
Contact email: Not reported
EPA Region: 03
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AMOCO OIL COMPANY
Owner/operator address: STE 1500 ONE N CHARLES ST
BALTIMORE, MD 21201
Owner/operator country: Not reported
Owner/operator telephone: 301-625-7856
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: OPERNAME
Owner/operator address: OPERSTREET
OPERCITY, AK 99999
Owner/operator country: Not reported
Owner/operator telephone: 215-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMOCO #2033-TANKS (Continued)

1000581186

. Waste code: D001
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D018
. Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005244743

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000581186
Registry ID: 110005244743
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005244743>

F21
SW
1/8-1/4
0.152 mi.
802 ft.

DRY CLEANING OF VIRGINIA BEACH
#71 DOWNTOWN PLAZA 300 ST
NORFOLK, VA 23510

RCRA NonGen / NLR **1000837823**
VAD988223467

Site 2 of 4 in cluster F

Relative:
Higher
Actual:
11 ft.

RCRA NonGen / NLR:
Date form received by agency: 05/07/2013
Facility name: DRY CLEANING OF VIRGINIA BEACH
Facility address: #71 DOWNTOWN PLAZA 300 ST
PAULS BLVD
NORFOLK, VA 23510
EPA ID: VAD988223467
Contact: DANIEL MARTINI
Contact address: #71 DOWNTOWN PLAZA 300 ST PAULS BLVD
NORFOLK, VA 23510
Contact country: US
Contact telephone: 804-626-1316
Contact email: Not reported
EPA Region: 03
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DRY CLEANING OF VIRGINIA BEACH (Continued)

1000837823

Owner/Operator Summary:

Owner/operator name: DOWNTOWN PLAZA ASSOCIATES LP
Owner/operator address: PO BOX 9627
NORFOLK, VA 23505
Owner/operator country: Not reported
Owner/operator telephone: 804-484-5700
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 12/15/1992
Site name: DRY CLEANING OF VIRGINIA BEACH
Classification: Small Quantity Generator

- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DRY CLEANING OF VIRGINIA BEACH (Continued)

1000837823

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 04/25/2013
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: State

E22
East
1/8-1/4
0.156 mi.
824 ft.

TITUS SCHOOL
722 CHAPEL STREET
NORFOLK, VA 23504
Site 2 of 3 in cluster E

VA LUST U003692766
VA LTANKS N/A
VA UST

Relative:
Lower
Actual:
7 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000087589
Facility Status: Closed
 Completed Date: 06/02/1993
 Pollution Complaint Num: 19932421
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: SOIL & GROUNDWATER CONTAMINATION REPORTED IN AREA OF FORMER USTS.

Region: TD
 Region Code: TRO
 Facility ID: 200000087589
Facility Status: Closed
 Completed Date: 02/11/1994
 Pollution Complaint Num: 19932421
 Fed Regulated Tank: No
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO
 CEDS Facility Id: 200000087589
Case Status: Closed
 Pollution Complaint #: 19932421
 Reported: 06/02/1993
 Case Closed Date: 02/11/1994
 Program: RP Lead
 Federally Regulated UST (Y/N): N
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): N
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TITUS SCHOOL (Continued)

U003692766

Other Description: Not reported
Heating Oil Category: Not reported

Facility:
Facility Id: 5026770
Facility Type: COMMERCIAL
CEDS Facility ID: 200000087589

Owner:
Owner Id: 35126
Owner Name: NATIONSBANK
Owner Address: 1111 EAST MAIN STREET
Owner Address2: Not reported
Owner City, State, Zip: RICHMOND, VA 23219
Owner Type: PRIVATE
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 1

UST:
Facility ID: 5026770
Federally Regulated: No

Tank Number: 1
Tank Capacity: Not reported
Tank Contents: HEATING OIL
Tank Status: PERM OUT OF USE
Tank Type: UST

Tank Material:
Install Date: Not reported
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass No
Tank Materials: Concrete No
Tank Materials: Composite No
Tank Materials: Double Walled No
Tank Materials: Lined Interior No
Tank Materials: Excav Liner No
Tank Materials: Insulated Tank Jacket No
Tank Materials: Repaired No
Tank Materials: Unknown Yes
Tank Materials: Other No
Tank Materials: Other Note Not reported

Release Detection:
Tank Release Detection: Leak Deferred No
Tank Release Detection: Manual Gauge No
Tank Release Detection: Auto Gauge No
Tank Release Detection: Tank Tightness No
Tank Release Detection: Vapor Monitor No
Tank Release Detection: Inventory No
Tank Release Detection: Stat Invent Recon No
Tank Release Detection: Spill Install No
Tank Release Detection: Overfill Install No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

TITUS SCHOOL (Continued)

U003692766

Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

23
East
1/8-1/4
0.165 mi.
869 ft.

NRHA - CALVERT PARK VA6-11
748 CHAPEL STREET
NORFOLK, VA 23501

VA UST **U003692167**
N/A

Relative:
Lower
Actual:
8 ft.

Facility:	
Facility Id:	5022290
Facility Type:	LOCAL
CEDS Facility ID:	200000066373
Owner:	
Owner Id:	31444
Owner Name:	NORFOLK REDEVELOPMENT HOUSING AUTHORITY
Owner Address:	201 GRANBY MALL
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23501
Owner Type:	LOCAL
Number of Active AST:	0
Number of Active UST:	0
Number of Inactive AST:	0
Number of Inactive UST:	2
UST:	
Facility ID:	5022290
Federally Regulated:	No
Tank Number:	1
Tank Capacity:	10000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - CALVERT PARK VA6-11 (Continued)

U003692167

Tank Contents:	HEATING OIL
Tank Status:	PERM OUT OF USE
Tank Type:	UST
Tank Material:	
Install Date:	12/1/1990
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	Yes
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NRHA - CALVERT PARK VA6-11 (Continued)

U003692167

Pipe Materials: Other Note	Not reported
Facility ID:	5022290
Federally Regulated:	No
Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	HEATING OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	11/16/1965
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NRHA - CALVERT PARK VA6-11 (Continued)

U003692167

Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

24
NW
1/8-1/4
0.169 mi.
890 ft.

YOUNGS PARK ELEMENTARY SCHOOL
543 OLNEY EAST ROAD
NORFOLK, VA 23507

VA LUST
VA LTANKS
VA UST

U003692551
N/A

Relative:
Lower
Actual:
10 ft.

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000067833
Facility Status:	Closed
Completed Date:	06/15/1990
Pollution Complaint Num:	19901773
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	SOIL CONTAMINATION ASSOCIATED WITH UST REMOVALS.

Region:	TD
Region Code:	TRO
Facility ID:	200000067833
Facility Status:	Closed
Completed Date:	08/12/1994
Pollution Complaint Num:	19901773
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region:	TRO
CEDS Facility Id:	200000067833
Case Status:	Closed
Pollution Complaint #:	19901773
Reported:	06/15/1990
Case Closed Date:	08/12/1994
Program:	RP Lead
Federally Regulated UST (Y/N):	Y
Regulated Petroleum UST (1):	N
Excluded UST (1):	N
Deferred UST (1):	N
Partially Deferred UST (1):	N
Exempt 1 UST (2):	N
Exempt 2 Heating Oil UST (2):	N
Small Heating Oil AST (2):	N
Regulated AST (3):	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YOUNGS PARK ELEMENTARY SCHOOL (Continued)

U003692551

Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	Not reported
Facility:	
Facility Id:	5025013
Facility Type:	LOCAL
CEDS Facility ID:	200000067833
Owner:	
Owner Id:	31434
Owner Name:	Norfolk Public Schools
Owner Address:	966 Bellmore Ave
Owner Address2:	Not reported
Owner City, State, Zip:	Norfolk, VA 23504
Owner Type:	LOCAL
Number of Active AST:	0
Number of Active UST:	0
Number of Inactive AST:	0
Number of Inactive UST:	1
UST:	
Facility ID:	5025013
Federally Regulated:	Yes
Tank Number: 1	
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
Tank Status:	PERM OUT OF USE
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	Yes
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

YOUNGS PARK ELEMENTARY SCHOOL (Continued)

U003692551

Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

25
WSW
1/8-1/4
0.174 mi.
918 ft.

NORFOLK CITY - FIRE STATION 1
450 SAINT PAUL BLVD
NORFOLK, VA 23510

VA UST **U004066985**
VA Financial Assurance **N/A**

Relative:
Lower
Actual:
10 ft.

Facility:	
Facility Id:	5040187
Facility Type:	LOCAL
CEDS Facility ID:	200000224855
Owner:	
Owner Id:	27233
Owner Name:	City of Norfolk
Owner Address:	2840 Dana Street
Owner Address2:	Attn: William Clendenin
Owner City, State, Zip:	Norfolk, VA 23509
Owner Type:	LOCAL
Number of Active AST:	0
Number of Active UST:	1
Number of Inactive AST:	0
Number of Inactive UST:	0
UST:	
Facility ID:	5040187
Federally Regulated:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORFOLK CITY - FIRE STATION 1 (Continued)

U004066985

Tank Number:	1
Tank Capacity:	10000
Tank Contents:	DIESEL
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	1/1/2004
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Emergency Generator UST; ATG
Pipe Release Detection: Leak Deferred	Yes
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Overfill Automatic Shutoff; ATG
Pipe Type:	
Pipe Materials: Bare Steel	NO VALVE: SUCTION
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NORFOLK CITY - FIRE STATION 1 (Continued)

U004066985

Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

VA Financial Assurance 1:

Facility ID:	5040187
Owner Name:	City of Norfolk
ROF Own Id:	27233
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	10000
CEDS Facility Name:	Norfolk City - Fire Station 1
Tank Status:	CURR IN USE
Active Federally Regulated UST:	Y

E26
ESE
1/8-1/4
0.178 mi.
941 ft.

NORFOLK CITY - PLUM POINT PARK
1001 W BRAMBLETON AVE
NORFOLK, VA 23510

VA LUST S108514749
VA LTANKS N/A

Site 3 of 3 in cluster E

Relative:
Lower
Actual:
7 ft.

LUST REG TD:	
Region:	TD
Region Code:	TRO
Facility ID:	200000846463
Facility Status:	Closed
Completed Date:	04/06/2007
Pollution Complaint Num:	20075109
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported
Region:	TD
Region Code:	TRO
Facility ID:	200000846463
Facility Status:	Closed
Completed Date:	09/24/2007
Pollution Complaint Num:	20075109
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case closed, no further corrective action letter sent

LTANKS:

Region:	TRO
CEDS Facility Id:	200000846463
Case Status:	Closed
Pollution Complaint #:	20075109
Reported:	04/06/2007
Case Closed Date:	09/24/2007

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NORFOLK CITY - PLUM POINT PARK (Continued)

S108514749

Program:	RP Lead
Federally Regulated UST (Y/N):	N
Regulated Petroleum UST (1):	N
Excluded UST (1):	N
Deferred UST (1):	N
Partially Deferred UST (1):	N
Exempt 1 UST (2):	N
Exempt 2 Heating Oil UST (2):	N
Small Heating Oil AST (2):	N
Regulated AST (3):	Y
Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	Not reported

F27
SW
 1/8-1/4
 0.197 mi.
 1042 ft.

ST PAULS TEXACO
418 SAINT PAULS BOULEVARD
NORFOLK, VA 23501
Site 3 of 4 in cluster F

VA LUST **S102380628**
VA LTANKS **N/A**
VA SPILLS

Relative:
Lower
Actual:
10 ft.

LUST REG TD:	
Region:	TD
Region Code:	TRO
Facility ID:	200000063935
Facility Status:	Closed
Completed Date:	05/02/1986
Pollution Complaint Num:	19860715
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	LINE OR UST LEAK. APPROX. 2500 GALLONS LOST.
Region:	TD
Region Code:	TRO
Facility ID:	200000063935
Facility Status:	Closed
Completed Date:	08/11/1994
Pollution Complaint Num:	19860715
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED-NFA REQUIRED.
Region:	TD
Region Code:	TRO
Facility ID:	200000063935
Facility Status:	Closed
Completed Date:	09/24/2001
Pollution Complaint Num:	20025027
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported
Region:	TD
Region Code:	TRO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST PAULS TEXACO (Continued)

S102380628

Facility ID: 200000063935
Facility Status: **Closed**
Completed Date: 12/06/2001
Pollution Complaint Num: 20025027
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed/no further action letter sent

LTANKS:

Region: TRO
CEDS Facility Id: 200000063935
Case Status: **Closed**
Pollution Complaint #: 19860715
Reported: 05/02/1986
Case Closed Date: 08/11/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

SPILLS PC:

Region: Not reported
Facility ID: 86715
Fiscal Year: 86
PC Number: 715
Date Reported: 19860502
Incident Region: Tidewater Regional Office
Water Affected: GW
Spilled Material: Petroleum
Summary: gasoline leaked from lines at Dwontown Plaza Amoco, 18 St. Paul Blvd.;
product recovery ongoing
Amount Spilled: 2500.0000
Amount to Water: 2500.0000
Cleaned By: Handex
Personnel: 2
Project Type: Not reported
Release Status: Not reported
Tank Type: Not reported
Lat/Long: Not reported
Facility Status: **Not reported**
Date Closed: Not reported
Company: Not reported
USGS Quadrangle Map: Not reported
Date Complaint Received: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ST PAULS TEXACO (Continued)

S102380628

Responsible Party: Amoco
 Responsible Person: Not reported
 Topographic Quadrangle #: 35-D
 Complete report filed by VWCB: Yes, complete report on file
 Recovery letter for investigative cost: Letter written to recover investigative cost when applicable

**F28
 SW
 1/8-1/4
 0.197 mi.
 1042 ft.**

**HOLIDAY FOODS #405
 418 SAINT PAULS BOULEVARD
 NORFOLK, VA 23501**

**VA UST U003689441
 VA Financial Assurance N/A**

Site 4 of 4 in cluster F

**Relative:
 Lower**

Facility:

**Actual:
 10 ft.**

Facility Id: 5003737
 Facility Type: GAS STATION
 CEDS Facility ID: 200000063935

Owner:

Owner Id: 33990
 Owner Name: Amoco Oil Company
 Owner Address: 1 W Pennsylvania Ave Suite 900
 Owner Address2: Not reported
 Owner City, State, Zip: Towson, MD 21204
 Owner Type: COMMERCIAL
 Number of Active AST: 0
 Number of Active UST: 2
 Number of Inactive AST: 0
 Number of Inactive UST: 8

Owner Id: 34442
 Owner Name: Suffolk Oil Co Inc
 Owner Address: 724 North Main Street
 Owner Address2: PO Box 1218
 Owner City, State, Zip: SUFFOLK, VA 23434
 Owner Type: COMMERCIAL
 Number of Active AST: 0
 Number of Active UST: 2
 Number of Inactive AST: 0
 Number of Inactive UST: 8

Owner Id: 34753
 Owner Name: Supreme Petroleum Inc
 Owner Address: 1200 Progress Rd
 Owner Address2: Not reported
 Owner City, State, Zip: Suffolk, VA 23434
 Owner Type: COMMERCIAL
 Number of Active AST: 0
 Number of Active UST: 2
 Number of Inactive AST: 0
 Number of Inactive UST: 8

UST:

Facility ID: 5003737
 Federally Regulated: Yes

Tank Number: 1
 Tank Capacity: 12000
 Tank Contents: GASOLINE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	12/31/1996
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	STIP3
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	TLS-350R w/o CSLD
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Overfill Ball Float Valve
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Facility ID:	5003737
Federally Regulated:	Yes
Tank Number:	2
Tank Capacity:	8000
Tank Contents:	GASOLINE
Tank Status:	CURR IN USE
Tank Type:	UST
Tank Material:	
Install Date:	12/31/1996
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	STIP3
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	Yes
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	TLS-350R w/o CSLD
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Overfill Ball Float Valve
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5003737
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	8000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	3/12/1965
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5003737
Federally Regulated:	Yes
Tank Number:	R2
Tank Capacity:	6000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	3/12/1965
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5003737
Federally Regulated:	Yes
Tank Number:	R3
Tank Capacity:	6000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	3/12/1965
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5003737
Federally Regulated:	Yes
Tank Number:	R4
Tank Capacity:	550
Tank Contents:	USED OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	3/12/1965
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

UNKNOWN

Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:

5003737

Federally Regulated:

Yes

Tank Number:

RA1

Tank Capacity:

10000

Tank Contents:

GASOLINE

Tank Status:

REM FROM GRD

Tank Type:

UST

Tank Material:

Install Date:	7/1/1986
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	Yes
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	Yes
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

Pipe Materials: Bare Steel	NO
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5003737
Federally Regulated:	Yes

Tank Number:	RA2
Tank Capacity:	10000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST

Tank Material:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Install Date:	7/1/1986
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	Yes
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	Yes
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:	5003737
Federally Regulated:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Tank Number:	RA3
Tank Capacity:	10000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	7/1/1986
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	Yes
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	Yes
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	Yes
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5003737
Federally Regulated:	Yes
Tank Number:	RA4
Tank Capacity:	550
Tank Contents:	USED OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	7/1/1986
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	Yes
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	Yes
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	Yes
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	GRAVITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLIDAY FOODS #405 (Continued)

U003689441

Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

VA Financial Assurance 1:

Facility ID:	5003737
Owner Name:	Supreme Petroleum Inc
ROF Own Id:	34753
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	3433373
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	8000
CEDS Facility Name:	St Pauls Texaco
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

Facility ID:	5003737
Owner Name:	Supreme Petroleum Inc
ROF Own Id:	34753
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	3433373
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	12000
CEDS Facility Name:	St Pauls Texaco
Tank Status:	CURR IN USE
Active Federally Regualted UST:	Y

29
WSW
1/8-1/4
0.224 mi.
1184 ft.

HAMPTON ROADS CHAMBER OF COMMERCE
485 ST PAULS BLVD
NORFOLK, VA 23510

VA LUST S111023881
VA LTANKS N/A

Relative:
Lower
Actual:
9 ft.

LUST REG TD:	
Region:	TD
Region Code:	TRO
Facility ID:	200000065437
Facility Status:	Open
Completed Date:	11/07/2000
Pollution Complaint Num:	20015055

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAMPTON ROADS CHAMBER OF COMMERCE (Continued)

S111023881

Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000065437
Facility Status: Closed
Completed Date: 03/30/1998
Pollution Complaint Num: 19982353
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: H.O. TANK TAKING IN WATER.

Region: TD
Region Code: TRO
Facility ID: 200000065437
Facility Status: Closed
Completed Date: 06/09/1998
Pollution Complaint Num: 19982353
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED. NFAR.

LTANKS:

Region: TRO
CEDS Facility Id: 200000065437
Case Status: Closed
Pollution Complaint #: 20015055
Reported: 11/07/2000
Case Closed Date: 07/17/2018
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): Y
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Category 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

30
SE
1/4-1/2
0.252 mi.
1328 ft.

TIDEWATER PARK ELEMENTARY SCHOOL
1045 BRAMBLETON AVENUE
NORFOLK, VA 23504

VA LUST U003692731
VA LTANKS N/A
VA UST

Relative:
Lower
Actual:
6 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000067352
Facility Status: Closed
Completed Date: 12/22/1992
Pollution Complaint Num: 19931231
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: CONTAMINATED SOILS & FP FOUND NEAR USTS DURING SITE CHECK.

Region: TD
Region Code: TRO
Facility ID: 200000067352
Facility Status: Closed
Completed Date: 05/04/1995
Pollution Complaint Num: 19931231
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

LTANKS:
Region: TRO
CEDS Facility Id: 200000067352
Case Status: Closed
Pollution Complaint #: 19931231
Reported: 12/22/1992
Case Closed Date: 05/04/1995
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:
Facility Id: 5026610
Facility Type: LOCAL
CEDS Facility ID: 200000067352

Owner:
Owner Id: 31434

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TIDEWATER PARK ELEMENTARY SCHOOL (Continued)

U003692731

Owner Name: Norfolk Public Schools
Owner Address: 966 Bellmore Ave
Owner Address2: Not reported
Owner City, State, Zip: Norfolk, VA 23504
Owner Type: LOCAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 2

UST:

Facility ID: 5026610
Federally Regulated: No

Tank Number: G1
Tank Capacity: 2000
Tank Contents: KEROSENE
Tank Status: CLS IN GRD
Tank Type: UST

Tank Material:

Install Date: 1/2/1963
Tank Materials: Bare Steel Yes
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass No
Tank Materials: Concrete No
Tank Materials: Composite No
Tank Materials: Double Walled No
Tank Materials: Lined Interior No
Tank Materials: Excav Liner No
Tank Materials: Insulated Tank Jacket No
Tank Materials: Repaired No
Tank Materials: Unknown No
Tank Materials: Other No
Tank Materials: Other Note Not reported

Release Detection:

Tank Release Detection: Leak Deferred No
Tank Release Detection: Manual Gauge No
Tank Release Detection: Auto Gauge No
Tank Release Detection: Tank Tightness No
Tank Release Detection: Vapor Monitor No
Tank Release Detection: Inventory No
Tank Release Detection: Stat Invent Recon No
Tank Release Detection: Spill Install No
Tank Release Detection: Overfill Install No
Tank Release Detection: Groundwater No
Tank Release Detection: Int Sec Containment No
Tank Release Detection: Int Double Walled No
Tank Release Detection: Other Method No
Tank Release Detection: Other Note Not reported
Pipe Release Detection: Leak Deferred Not reported
Pipe Release Detection: Autoleak Not reported
Pipe Release Detection: Line Tightness No
Pipe Release Detection: Stat Invent Recon No
Pipe Release Detection: Groundwater No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TIDEWATER PARK ELEMENTARY SCHOOL (Continued)

U003692731

Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5026610
Federally Regulated:	No
Tank Number:	G2
Tank Capacity:	4000
Tank Contents:	KEROSENE
Tank Status:	CLS IN GRD
Tank Type:	UST
Tank Material:	
Install Date:	6/1/1973
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

TIDEWATER PARK ELEMENTARY SCHOOL (Continued)

U003692731

Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

31
 NNW
 1/4-1/2
 0.260 mi.
 1373 ft.

NRHA - YOUNG TERRACE VA6-10
816 WHITAKER LANE
NORFOLK, VA 23501

VA LUST
VA LTANKS
VA UST
VA AIRS

U003692166
N/A

Relative:
Lower

Actual:
10 ft.

LUST REG TD:	
Region:	TD
Region Code:	TRO
Facility ID:	200000066380
Facility Status:	Closed
Completed Date:	12/20/1990
Pollution Complaint Num:	19920697
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	GROUNDWATER IMPACTED
Region:	TD
Region Code:	TRO
Facility ID:	200000066380
Facility Status:	Closed
Completed Date:	08/17/1994
Pollution Complaint Num:	19920697
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED.

LTANKS:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Region: TRO
CEDS Facility Id: 200000066380
Case Status: **Closed**
Pollution Complaint #: 19920697
Reported: 12/20/1990
Case Closed Date: 08/17/1994
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:
Facility Id: 5022289
Facility Type: LOCAL
CEDS Facility ID: 200000066380

Owner:
Owner Id: 31444
Owner Name: NORFOLK REDEVELOPMENT HOUSING AUTHORITY
Owner Address: 201 GRANBY MALL
Owner Address2: Not reported
Owner City, State, Zip: NORFOLK, VA 23501
Owner Type: LOCAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 4

UST:
Facility ID: 5022289
Federally Regulated: No

Tank Number: 3
Tank Capacity: 10000
Tank Contents: HEATING OIL
Tank Status: **PERM OUT OF USE**
Tank Type: UST

Tank Material:
Install Date: 12/1/1990
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass Yes
Tank Materials: Concrete No
Tank Materials: Composite No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	Yes
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	Yes
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID: 5022289

Federally Regulated: No

Tank Number:	4
Tank Capacity:	10000
Tank Contents:	HEATING OIL
Tank Status:	PERM OUT OF USE
Tank Type:	UST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Tank Material:

Install Date:	12/1/1990
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	Yes
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	Yes
Tank Materials: Lined Interior	Yes
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	Yes
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	Yes
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	Yes
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Facility ID:	5022289
Federally Regulated:	No
Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	HEATING OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	11/16/1965
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	Yes
Pipe Materials: Other Note	COPPER
Facility ID:	5022289
Federally Regulated:	No
Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	HEATING OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	11/16/1965
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	Yes
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Pipe Release Detection: Other Note	Not reported
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	Yes
Pipe Materials: Other Note	COPPER

AIRS:

Region:	TRO
Registration Number:	60844
Contact First Name:	PAUL
Contact Last Name:	CRAMER
Contact Title:	Not reported
Contact Phone:	7573142002
Latitude:	Not reported
Longitude:	Not reported
Lat Deg/Min/Sec Lon Deg/Min/Sec:	Not reported
Mailing Address:	910 Ballentine Blvd
Mailing City:	Norfolk
Mailing State:	VA
Mailing Zip Code:	23504
Program Type:	Article 5 - SOP
Permit Type:	SIGAMEN-FED
Issued Date:	06/02/2010
Operating Status:	Operating
Contact Email:	pcramer@nrha.us
Owner ID:	5063
Owner Name:	Norfolk Redevelopment and Housing Authority
Owner Tele:	Not reported
Facility Full Name:	NRHA-Young Park 610
ICIS Federal ID:	VA0000005171000127
Currently Active (y/n):	Y
Primary Permit Type Desc:	Significant Amendment to a federally enforceable term/condition of a State Operating Permit
Permit Status:	Issued

AIRS:

Emission Year:	2016
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Nitrogen Oxide
Pollutant Short Name:	NOX
Value (tons/year):	1.62

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Emission Year: 2016
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter
Pollutant Short Name: PM
Value (tons/year): 0.12312

Emission Year: 2016
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Volatile Organic Compounds
Pollutant Short Name: VOC
Value (tons/year): 0.0891

Emission Year: 2016
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Sulfur Dioxide
Pollutant Short Name: SO2
Value (tons/year): 0.00972

Emission Year: 2016
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Carbon Monoxide
Pollutant Short Name: CO
Value (tons/year): 1.3608

Emission Year: 2016
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Lead
Pollutant Short Name: PB
Value (tons/year): 0

Emission Year: 2016
Latitude: 36.857064

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter 10
Pollutant Short Name: PM 10
Value (tons/year): 0.12312

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Nitrogen Oxide
Pollutant Short Name: NOX
Value (tons/year): 1.5600000000000001

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter
Pollutant Short Name: PM
Value (tons/year): 0.11856

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Volatile Organic Compounds
Pollutant Short Name: VOC
Value (tons/year): 8.5800000000000001E-2

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Sulfur Dioxide
Pollutant Short Name: SO2
Value (tons/year): 9.3600000000000003E-3

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Carbon Monoxide
Pollutant Short Name: CO
Value (tons/year): 1.3104

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Lead
Pollutant Short Name: PB
Value (tons/year): 0

Emission Year: 2017
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter 10
Pollutant Short Name: PM 10
Value (tons/year): 0.11856

Emission Year: 2015
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Nitrogen Oxide
Pollutant Short Name: NOX
Value (tons/year): 1.5604

Emission Year: 2015
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter
Pollutant Short Name: PM
Value (tons/year): 0.122186

Emission Year: 2015
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

City/County:	Norfolk City
Pollutant Name:	Volatile Organic Compounds
Pollutant Short Name:	VOC
Value (tons/year):	0.0842868
Emission Year:	2015
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Sulfur Dioxide
Pollutant Short Name:	SO2
Value (tons/year):	0.023462
Emission Year:	2015
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Carbon Monoxide
Pollutant Short Name:	CO
Value (tons/year):	1.2869
Emission Year:	2015
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Lead
Pollutant Short Name:	PB
Value (tons/year):	0
Emission Year:	2015
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Particulate Matter 10
Pollutant Short Name:	PM 10
Value (tons/year):	0.11754
Emission Year:	2014
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Nitrogen Oxide

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Pollutant Short Name:	NOX
Value (tons/year):	1.665
Emission Year:	2014
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Particulate Matter
Pollutant Short Name:	PM
Value (tons/year):	0.12654
Emission Year:	2014
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Volatile Organic Compounds
Pollutant Short Name:	VOC
Value (tons/year):	0.091575
Emission Year:	2014
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Sulfur Dioxide
Pollutant Short Name:	SO2
Value (tons/year):	0.00999
Emission Year:	2014
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Carbon Monoxide
Pollutant Short Name:	CO
Value (tons/year):	1.3986
Emission Year:	2014
Latitude:	36.857064
Longitude:	-76.283751
SIC Primary Code:	6513
SIC Primary Description:	OPERATORS OF APART BUILDINGS
FIPS Code:	710
City/County:	Norfolk City
Pollutant Name:	Lead
Pollutant Short Name:	PB
Value (tons/year):	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Emission Year: 2014
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter 10
Pollutant Short Name: PM 10
Value (tons/year): 0.12654

Emission Year: 2013
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Nitrogen Oxide
Pollutant Short Name: NOX
Value (tons/year): 1.465

Emission Year: 2013
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Particulate Matter
Pollutant Short Name: PM
Value (tons/year): 0.11134

Emission Year: 2013
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Volatile Organic Compounds
Pollutant Short Name: VOC
Value (tons/year): 0.080575

Emission Year: 2013
Latitude: 36.857064
Longitude: -76.283751
SIC Primary Code: 6513
SIC Primary Description: OPERATORS OF APART BUILDINGS
FIPS Code: 710
City/County: Norfolk City
Pollutant Name: Sulfur Dioxide
Pollutant Short Name: SO2
Value (tons/year): 0.00879

Emission Year: 2013
Latitude: 36.857064

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NRHA - YOUNG TERRACE VA6-10 (Continued)

U003692166

Longitude: -76.283751
 SIC Primary Code: 6513
 SIC Primary Description: OPERATORS OF APART BUILDINGS
 FIPS Code: 710
 City/County: Norfolk City
 Pollutant Name: Carbon Monoxide
 Pollutant Short Name: CO
 Value (tons/year): 1.2306

Emission Year: 2013
 Latitude: 36.857064
 Longitude: -76.283751
 SIC Primary Code: 6513
 SIC Primary Description: OPERATORS OF APART BUILDINGS
 FIPS Code: 710
 City/County: Norfolk City
 Pollutant Name: Lead
 Pollutant Short Name: PB
 Value (tons/year): 0

Emission Year: 2013
 Latitude: 36.857064
 Longitude: -76.283751
 SIC Primary Code: 6513
 SIC Primary Description: OPERATORS OF APART BUILDINGS
 FIPS Code: 710
 City/County: Norfolk City
 Pollutant Name: Particulate Matter 10
 Pollutant Short Name: PM 10
 Value (tons/year): 0.11134

32
WSW
1/4-1/2
0.295 mi.
1559 ft.

FREEMASON STREET BAPTIST CHURCH
400 E FREEMASON ST
NORFOLK, VA 23510

VA LUST S108921300
VA LTANKS N/A

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000847882
Facility Status: Closed
 Completed Date: 11/07/2007
 Pollution Complaint Num: 20085044
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: Release reported

Region: TD
 Region Code: TRO
 Facility ID: 200000847882
Facility Status: Closed
 Completed Date: 01/17/2012
 Pollution Complaint Num: 20085044
 Fed Regulated Tank: No
 Phase Code: CLOSURE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FREEMASON STREET BAPTIST CHURCH (Continued)

S108921300

Event Description: Case Closure Date - Letter Sent
Comments: Not reported

LTANKS:

Region: TRO
CEDS Facility Id: 200000847882
Case Status: Closed
Pollution Complaint #: 20085044
Reported: 11/07/2007
Case Closed Date: 01/17/2012
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): Y
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Category 3

33
East
1/4-1/2
0.314 mi.
1659 ft.

TIDEWATER DRIVE BUSINESS CENTER
850 TIDEWATER DR
NORFOLK, VA 23504

VA LTANKS S122310835
N/A

Relative:
Lower
Actual:
7 ft.

LTANKS:

Region: TRO
CEDS Facility Id: 200000886391
Case Status: Closed
Pollution Complaint #: 20185175
Reported: 02/06/2018
Case Closed Date: 02/08/2018
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): Y
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Category 3

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

34
SSE
1/4-1/2
0.324 mi.
1710 ft.

NRHA-TIDEWATER PARK 629
450 WALKE STREET
NORFOLK, VA 23501

VA LUST **S105984939**
VA LTANKS **N/A**

Relative:
Lower
Actual:
7 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000066379
Facility Status: Closed
 Completed Date: 10/10/1990
 Pollution Complaint Num: 19910528
 Fed Regulated Tank: Yes
 Phase Code: RR
 Event Description: Release Reported
 Comments: FREE PRODUCT IN SOILS DURING REMOVAL OF USTS.

Region: TD
 Region Code: TRO
 Facility ID: 200000066379
Facility Status: Closed
 Completed Date: 08/12/1994
 Pollution Complaint Num: 19910528
 Fed Regulated Tank: Yes
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: CASE CLOSED-NFA REQUIRED.

LTANKS:
 Region: TRO
 CEDS Facility Id: 200000066379
Case Status: Closed
 Pollution Complaint #: 19910528
 Reported: 10/10/1990
 Case Closed Date: 08/12/1994
 Program: RP Lead
 Federally Regulated UST (Y/N): Y
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): N
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

G35 **HUMAN SERVICES BUILDING**
WNW **741 MONTICELLO AVE**
1/4-1/2 **NORFOLK, VA 23510**
0.338 mi.
1786 ft. **Site 1 of 2 in cluster G**

VA LUST **S108106493**
VA LTANKS **N/A**

Relative:
Lower
Actual:
6 ft.

LUSTR REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000064145
Facility Status: Closed
Completed Date: 04/29/1991
Pollution Complaint Num: 19911589
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: CONTAMINATED SOIL AT UST CLOSURE

Region: TD
Region Code: TRO
Facility ID: 200000064145
Facility Status: Closed
Completed Date: 08/16/1994
Pollution Complaint Num: 19911589
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

LTANKS:
Region: TRO
CEDS Facility Id: 200000064145
Case Status: Closed
Pollution Complaint #: 19911589
Reported: 04/29/1991
Case Closed Date: 08/16/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

G36
NW
1/4-1/2
0.348 mi.
1837 ft.

PRECISION TUNE
751 MONTICELLO AVE
NORFOLK, VA 23510
Site 2 of 2 in cluster G

VA LUST **U003692287**
VA LTANKS **N/A**
VA UST

Relative:
Lower
Actual:
6 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000091559
Facility Status: Closed
Completed Date: 03/06/1991
Pollution Complaint Num: 19911351
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: SOIL AND GW CONTAMINATION FOUND DURING UST CLOSURE-DATA RCVD.

Region: TD
Region Code: TRO
Facility ID: 200000091559
Facility Status: Closed
Completed Date: 08/15/1994
Pollution Complaint Num: 19911351
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED-NFA REQUIRED.

LTANKS:
Region: TRO
CEDS Facility Id: 200000091559
Case Status: Closed
Pollution Complaint #: 19911351
Reported: 03/06/1991
Case Closed Date: 08/15/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:
Facility Id: 5023159
Facility Type: LOCAL
CEDS Facility ID: 200000091559

Owner:
Owner Id: 35623

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRECISION TUNE (Continued)

U003692287

Owner Name: JACK M GWALTNEY JR
Owner Address: ROUTE 1; BOX 280A
Owner Address2: Not reported
Owner City, State, Zip: FREE UNION, VA 22940
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 7

UST:

Facility ID: 5023159
Federally Regulated: Yes

Tank Number: 1
Tank Capacity: 4000
Tank Contents: GASOLINE
Tank Status: REM FROM GRD
Tank Type: UST

Tank Material:

Install Date: Not reported
Tank Materials: Bare Steel: Yes
Tank Materials: Cath Protect Steel: No
Tank Materials: Epoxy Steel: No
Tank Materials: Fiberglass: No
Tank Materials: Concrete: No
Tank Materials: Composite: No
Tank Materials: Double Walled: No
Tank Materials: Lined Interior: No
Tank Materials: Excav Liner: No
Tank Materials: Insulated Tank Jacket: No
Tank Materials: Repaired: No
Tank Materials: Unknown: No
Tank Materials: Other: No
Tank Materials: Other Note: Not reported

Release Detection:

Tank Release Detection: Leak Deferred: No
Tank Release Detection: Manual Gauge: No
Tank Release Detection: Auto Gauge: No
Tank Release Detection: Tank Tightness: No
Tank Release Detection: Vapor Monitor: No
Tank Release Detection: Inventory: No
Tank Release Detection: Stat Invent Recon: No
Tank Release Detection: Spill Install: No
Tank Release Detection: Overfill Install: No
Tank Release Detection: Groundwater: No
Tank Release Detection: Int Sec Containment: No
Tank Release Detection: Int Double Walled: No
Tank Release Detection: Other Method: No
Tank Release Detection: Other Note: Not reported
Pipe Release Detection: Leak Deferred: Not reported
Pipe Release Detection: Autoleak: Not reported
Pipe Release Detection: Line Tightness: No
Pipe Release Detection: Stat Invent Recon: No
Pipe Release Detection: Groundwater: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRECISION TUNE (Continued)

U003692287

Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5023159
Federally Regulated:	Yes
Tank Number:	2
Tank Capacity:	4000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRECISION TUNE (Continued)

U003692287

Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5023159
Federally Regulated:	Yes
Tank Number:	3
Tank Capacity:	4000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PRECISION TUNE (Continued)

U003692287

Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5023159
Federally Regulated:	Yes
Tank Number:	4
Tank Capacity:	4000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PRECISION TUNE (Continued)

U003692287

Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID:	5023159
Federally Regulated:	Yes
Tank Number:	5
Tank Capacity:	6000
Tank Contents:	GASOLINE
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PRECISION TUNE (Continued)

U003692287

Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Facility ID:

5023159

Federally Regulated:

Yes

Tank Number:

6

Tank Capacity:

550

Tank Contents:

USED OIL

Tank Status:

REM FROM GRD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRECISION TUNE (Continued)

U003692287

Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRECISION TUNE (Continued)

U003692287

Facility ID:	5023159
Federally Regulated:	Yes
Tank Number:	7
Tank Capacity:	550
Tank Contents:	USED OIL
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	Not reported
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Yes
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PRECISION TUNE (Continued)

U003692287

Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

37
SE
 1/4-1/2
 0.371 mi.
 1960 ft.

FAIRBANKS MORSE ENGINE
630 TIDEWATER DR
NORFOLK, VA 23504

VA LUST **S106444565**
VA LTANKS **N/A**

Relative:
Lower
Actual:
5 ft.

LUSTR REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000858334
Facility Status: Closed
 Completed Date: 10/11/2012
 Pollution Complaint Num: 20135037
 Fed Regulated Tank: Yes
 Phase Code: RR
 Event Description: Release Reported
 Comments: Release Reported

Region: TD
 Region Code: TRO
 Facility ID: 200000858334
Facility Status: Closed
 Completed Date: 10/22/2012
 Pollution Complaint Num: 20135037
 Fed Regulated Tank: Yes
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: Case Closed

Region: TD
 Region Code: TRO
 Facility ID: 200000215535
Facility Status: Closed
 Completed Date: 05/20/2004
 Pollution Complaint Num: 20045179
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: Release reported

Region: TD
 Region Code: TRO
 Facility ID: 200000215535
Facility Status: Closed
 Completed Date: 06/25/2004
 Pollution Complaint Num: 20045179
 Fed Regulated Tank: No
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: Case closed, no further corrective action letter sent

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FAIRBANKS MORSE ENGINE (Continued)

S106444565

LTANKS:

Region: TRO
 CEDS Facility Id: 200000858334
Case Status: Closed
 Pollution Complaint #: 20135037
 Reported: 10/11/2012
 Case Closed Date: 10/22/2012
 Program: RP Lead
 Federally Regulated UST (Y/N): Y
 Regulated Petroleum UST (1): Y
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): N
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Not reported

Region: TRO
 CEDS Facility Id: 200000215535
Case Status: Closed
 Pollution Complaint #: 20045179
 Reported: 05/20/2004
 Case Closed Date: 06/25/2004
 Program: RP Lead
 Federally Regulated UST (Y/N): N
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): Y
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Category 3

38
 SSE
 1/4-1/2
 0.386 mi.
 2036 ft.

NORFOLK CITY OF - RUFFNER MIDDLE SCHOOL
489 TIDEWATER DRIVE
NORFOLK, VA 23504

VA LUST S105987332
VA LTANKS N/A
VA SPILLS

Relative:
Lower
Actual:
5 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000066850
Facility Status: Closed
 Completed Date: 03/05/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORFOLK CITY OF - RUFFNER MIDDLE SCHOOL (Continued)

S105987332

Pollution Complaint Num: 19921528
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: HIGH SOIL TPH.

Region: TD
Region Code: TRO
Facility ID: 200000066850
Facility Status: Closed
Completed Date: 08/19/1994
Pollution Complaint Num: 19921528
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

Region: TD
Region Code: TRO
Facility ID: 200000066850
Facility Status: Closed
Completed Date: 03/05/1992
Pollution Complaint Num: 19921529
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: HIGH SOIL TPH .

Region: TD
Region Code: TRO
Facility ID: 200000066850
Facility Status: Closed
Completed Date: 08/19/1994
Pollution Complaint Num: 19921529
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

Region: TD
Region Code: TRO
Facility ID: 200000066850
Facility Status: Closed
Completed Date: 03/18/1992
Pollution Complaint Num: 19921669
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: OVERFILL OF FUEL OIL UST- SOIL CONTAM. FOUND

Region: TD
Region Code: TRO
Facility ID: 200000066850
Facility Status: Closed
Completed Date: 08/19/1994
Pollution Complaint Num: 19921669
Fed Regulated Tank: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORFOLK CITY OF - RUFFNER MIDDLE SCHOOL (Continued)

S105987332

Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

LTANKS:

Region: TRO
CEDS Facility Id: 200000066850
Case Status: Closed
Pollution Complaint #: 19921669
Reported: 03/18/1992
Case Closed Date: 08/19/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Region: TRO
CEDS Facility Id: 200000066850
Case Status: Closed
Pollution Complaint #: 19921529
Reported: 03/05/1992
Case Closed Date: 08/19/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Region: TRO
CEDS Facility Id: 200000066850
Case Status: Closed
Pollution Complaint #: 19921528
Reported: 03/05/1992
Case Closed Date: 08/19/1994
Program: RP Lead
Federally Regulated UST (Y/N): N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORFOLK CITY OF - RUFFNER MIDDLE SCHOOL (Continued)

S105987332

Regulated Petroleum UST (1):	N
Excluded UST (1):	N
Deferred UST (1):	N
Partially Deferred UST (1):	N
Exempt 1 UST (2):	N
Exempt 2 Heating Oil UST (2):	N
Small Heating Oil AST (2):	N
Regulated AST (3):	N
Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	Not reported

SPILLS TD:

Region:	TD
PC Number:	92-1947
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORFOLK CITY OF - RUFFNER MIDDLE SCHOOL (Continued)

S105987332

Response Receive: Not reported
Date Closed: **Not reported**
Dt Ref Air C/m: Not reported
Air Reg Permit #: Not reported
Date Ref Waste C/M: Not reported
Epa Ir/permit #: Not reported
Date Ref Water C/m: Not reported
Water Permit #: Not reported
Date Ref Remediation: Not reported
Remediation PC #: Not reported
Date Ref Enforcement: Not reported
NOV Number: Not reported
Date Received: 4/21/1992
Source: Not reported
Summary: Not reported
Comments: Not reported
Report Notes: HEATING OIL SPILL. TOTAL OF 3665 GALS HAVE BEEN RECOVERED BY CONTRACTOR AND USCG. BOOMS/PADS USED IN RECOVERY. WORKING W/SWCB AND NORFOLK SCHOOLS TO FIND SOURCE.

Reported By Company: Not reported
Reported By Address: Not reported
Reported By Street: Not reported
Reported By City,St,Zip: Not reported
Reported By Phone: Not reported
Report By Name: Not reported
PI Date: 4/18/1992
Incident Time: Not reported
Incident Type: PETROLEUM
Stream: Not reported
Spill Volume: 4000
Spill Unit: Not reported
Volume To State Water: 4000

H39
West
1/4-1/2
0.391 mi.
2063 ft.

SHOWCASE BUILDING
500 GRANBY STREET
NORFOLK, VA 23510
Site 1 of 3 in cluster H

VA LUST **S105094622**
VA LTANKS **N/A**

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000201732
Facility Status: **Closed**
Completed Date: 05/01/2001
Pollution Complaint Num: 20015139
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000201732
Facility Status: **Closed**
Completed Date: 07/06/2001
Pollution Complaint Num: 20015139
Fed Regulated Tank: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHOWCASE BUILDING (Continued)

S105094622

Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed/letter sent

LTANKS:

Region: TRO
CEDS Facility Id: 200000201732
Case Status: Closed
Pollution Complaint #: 20015139
Reported: 05/01/2001
Case Closed Date: 07/06/2001
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): Y
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): Y
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

H40
West
1/4-1/2
0.414 mi.
2185 ft.

MONTAGNA'S PROPERTIES LLC
437 GRANBY ST
NORFOLK, VA 23510
Site 2 of 3 in cluster H

VA LUST **S112154207**
VA LTANKS **N/A**

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000857775
Facility Status: Open
Completed Date: 07/18/2012
Pollution Complaint Num: 20135002
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release Reported

LTANKS:

Region: TRO
CEDS Facility Id: 200000857775
Case Status: Open
Pollution Complaint #: 20135002
Reported: 07/18/2012
Case Closed Date: Not reported
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MONTAGNA'S PROPERTIES LLC (Continued)

S112154207

Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): Y
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Category 3

H41
West
1/4-1/2
0.418 mi.
2206 ft.

TRAPANI PROPERTY
431 GRANBY ST
NORFOLK, VA 23510

Site 3 of 3 in cluster H

VA LUST **S112154208**
VA LTANKS **N/A**

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000857776
Facility Status: Open
 Completed Date: 07/18/2012
 Pollution Complaint Num: 20135003
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: Release Reported

LTANKS:

Region: TRO
 CEDS Facility Id: 200000857776
Case Status: Closed
 Pollution Complaint #: 20135003
 Reported: 07/18/2012
 Case Closed Date: 08/22/2018
 Program: RP Lead
 Federally Regulated UST (Y/N): N
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): Y
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Category 3

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

42
NNE
1/4-1/2
0.419 mi.
2213 ft.

**NR&HA RETENTION POND
NEAR ANNE & OUTTEN STREETS
NORFOLK, VA 23504**

**VA LUST S105118292
N/A**

**Relative:
Lower
Actual:
7 ft.**

LUSTR REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000066371
Facility Status: Closed
Completed Date: 07/21/1994
Pollution Complaint Num: 19952213
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: HOT SOILS (FROM OLD RESIDENTIAL AST?) DURING RETENTION POND CONSTR.

Region: TD
Region Code: TRO
Facility ID: 200000066371
Facility Status: Closed
Completed Date: 08/15/1994
Pollution Complaint Num: 19952213
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED-NFA REQUIRED.

43
SE
1/4-1/2
0.428 mi.
2258 ft.

**ALLSAFE SELF STORAGE
1213 EAST BRAMBLETON AVENUE
NORFOLK, VA 23510**

**VA LUST S105118282
VA LTANKS N/A**

**Relative:
Lower
Actual:
5 ft.**

LUSTR REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000063887
Facility Status: Closed
Completed Date: 06/15/1995
Pollution Complaint Num: 19952409
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: PETROLEUM & METALS FOUND IN SOIL & GW DURING ASSESSMENT.

Region: TD
Region Code: TRO
Facility ID: 200000063887
Facility Status: Closed
Completed Date: 06/19/2002
Pollution Complaint Num: 19952409
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - No Letter Sent
Comments: Not reported

LTANKS:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ALLSAFE SELF STORAGE (Continued)

S105118282

Region: TRO
 CEDS Facility Id: 200000063887
Case Status: **Closed**
 Pollution Complaint #: 19952409
 Reported: 06/15/1995
 Case Closed Date: 06/19/2002
 Program: RP Lead
 Federally Regulated UST (Y/N): N
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): N
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: Y
 Other Description: Not reported
 Heating Oil Category: Not reported

44
SW
1/4-1/2
0.428 mi.
2262 ft.

VIRGINIA POWER-FORMER GAS STATIO
539 OR 541 EAST CITY HALL AVENUE
NORFOLK, VA 23510

VA LUST **U003692889**
VA LTANKS **N/A**
VA UST

Relative:
Lower
Actual:
6 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000067595
Facility Status: **Closed**
 Completed Date: 08/15/1996
 Pollution Complaint Num: 19972235
 Fed Regulated Tank: Yes
 Phase Code: RR
 Event Description: Release Reported
 Comments: PETROL ODORS/STAINED SOILS FROM UNKNOWN UST.

Region: TD
 Region Code: TRO
 Facility ID: 200000067595
Facility Status: **Closed**
 Completed Date: 11/12/1996
 Pollution Complaint Num: 19972235
 Fed Regulated Tank: Yes
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: CASE CLOSED. NO FURTHER ACTION REQUIRED.

LTANKS:
 Region: TRO
 CEDS Facility Id: 200000067595
Case Status: **Closed**
 Pollution Complaint #: 19972235
 Reported: 08/15/1996

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VIRGINIA POWER-FORMER GAS STATIO (Continued)

U003692889

Case Closed Date: 11/12/1996
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:

Facility Id: 5027786
Facility Type: UTILITY
CEDS Facility ID: 200000067595

Owner:

Owner Id: 31021
Owner Name: Virginia Electric and Power Company
Owner Address: 5000 Dominion Blvd
Owner Address2: Not reported
Owner City, State, Zip: Glen Allen, VA 23060
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 1

UST:

Facility ID: 5027786
Federally Regulated: Yes

Tank Number: ABAN-1
Tank Capacity: Not reported
Tank Contents: GASOLINE
Tank Status: PERM OUT OF USE
Tank Type: UST

Tank Material:

Install Date: Not reported
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass No
Tank Materials: Concrete No
Tank Materials: Composite No
Tank Materials: Double Walled No
Tank Materials: Lined Interior No
Tank Materials: Excav Liner No
Tank Materials: Insulated Tank Jacket No
Tank Materials: Repaired No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

VIRGINIA POWER-FORMER GAS STATIO (Continued)

U003692889

Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

I45
West
1/4-1/2
0.431 mi.
2275 ft.

THREE HAPPINESS CHINESE RESTAURANT
411 GRANBY STREET
NORFOLK, VA 23510
Site 1 of 2 in cluster I

VA LUST **U003799202**
VA LTANKS **N/A**
VA UST

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000191269
Facility Status: Closed
 Completed Date: 07/02/1999
 Pollution Complaint Num: 20005002
 Fed Regulated Tank: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THREE HAPPINESS CHINESE RESTAURANT (Continued)

U003799202

Phase Code: RR
Event Description: Release Reported
Comments: CONTAM NOTED.

Region: TD
Region Code: TRO
Facility ID: 200000191269
Facility Status: Closed
Completed Date: 08/04/1999
Pollution Complaint Num: 20005002
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

LTANKS:

Region: TRO
CEDS Facility Id: 200000191269
Case Status: Closed
Pollution Complaint #: 20005002
Reported: 07/02/1999
Case Closed Date: 08/04/1999
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:

Facility Id: 5028926
Facility Type: COMMERCIAL
CEDS Facility ID: 200000191269

Owner:

Owner Id: 39941
Owner Name: Wenson Ge
Owner Address: China Business Center
Owner Address2: 416 Boush St
Owner City, State, Zip: Norfolk, VA 23510
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 1

UST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THREE HAPPINESS CHINESE RESTAURANT (Continued)

U003799202

Facility ID:	5028926
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	550
Tank Contents:	Not reported
Tank Status:	REM FROM GRD
Tank Type:	UST
Tank Material:	
Install Date:	1/1/1970
Tank Materials: Bare Steel	Yes
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	No
Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

THREE HAPPINESS CHINESE RESTAURANT (Continued)

U003799202

Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

I46
West
1/4-1/2
0.431 mi.
2278 ft.

GROWING NORFOLK, LLC
429 GRANBY ST
NORFOLK, VA 23517
Site 2 of 2 in cluster I

VA LUST **S111684519**
VA LTANKS **N/A**

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000856726
Facility Status: Open
 Completed Date: 01/19/2012
 Pollution Complaint Num: 20125089
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: Release Reported

LTANKS:

Region:	TRO
CEDS Facility Id:	200000856726
Case Status:	Closed
Pollution Complaint #:	20125089
Reported:	01/19/2012
Case Closed Date:	08/22/2018
Program:	RP Lead
Federally Regulated UST (Y/N):	N
Regulated Petroleum UST (1):	N
Excluded UST (1):	N
Deferred UST (1):	N
Partially Deferred UST (1):	N
Exempt 1 UST (2):	N
Exempt 2 Heating Oil UST (2):	Y
Small Heating Oil AST (2):	N
Regulated AST (3):	N
Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	Category 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

47
ENE
1/4-1/2
0.442 mi.
2332 ft.

MAGAZINE & BOOK DIVISION
1108 TIDEWATER DRIVE
NORFOLK, VA 23504

VA LUST
VA LTANKS
VA UST

U003688928
N/A

Relative:
Lower
Actual:
7 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000066025
Facility Status: Closed
Completed Date: 10/21/1993
Pollution Complaint Num: 19940681
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: UST REMOVED WITH PIPING, EXCAVATED SOILS HAVE HIGH TPH.

Region: TD
Region Code: TRO
Facility ID: 200000066025
Facility Status: Closed
Completed Date: 01/04/1994
Pollution Complaint Num: 19940681
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:
Region: TRO
CEDS Facility Id: 200000066025
Case Status: Closed
Pollution Complaint #: 19940681
Reported: 10/21/1993
Case Closed Date: 01/04/1994
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Facility:
Facility Id: 5000794
Facility Type: TRUCKING/TRANSPORT
CEDS Facility ID: 200000066025

Owner:
Owner Id: 35034

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAGAZINE & BOOK DIVISION (Continued)

U003688928

Owner Name: ARA SERVICES INC
Owner Address: 1108 TIDEWATER DRIVE
Owner Address2: Not reported
Owner City, State, Zip: NORFOLK, VA 23504
Owner Type: COMMERCIAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 1

UST:

Facility ID: 5000794
Federally Regulated: Yes

Tank Number: R1
Tank Capacity: 2000
Tank Contents: GASOLINE
Tank Status: REM FROM GRD
Tank Type: UST

Tank Material:

Install Date: 3/10/1980
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass Yes
Tank Materials: Concrete No
Tank Materials: Composite No
Tank Materials: Double Walled No
Tank Materials: Lined Interior Yes
Tank Materials: Excav Liner No
Tank Materials: Insulated Tank Jacket No
Tank Materials: Repaired No
Tank Materials: Unknown No
Tank Materials: Other No
Tank Materials: Other Note Not reported

Release Detection:

Tank Release Detection: Leak Deferred No
Tank Release Detection: Manual Gauge No
Tank Release Detection: Auto Gauge No
Tank Release Detection: Tank Tightness No
Tank Release Detection: Vapor Monitor No
Tank Release Detection: Inventory No
Tank Release Detection: Stat Invent Recon No
Tank Release Detection: Spill Install No
Tank Release Detection: Overfill Install No
Tank Release Detection: Groundwater No
Tank Release Detection: Int Sec Containment No
Tank Release Detection: Int Double Walled No
Tank Release Detection: Other Method No
Tank Release Detection: Other Note Not reported
Pipe Release Detection: Leak Deferred Not reported
Pipe Release Detection: Autoleak Not reported
Pipe Release Detection: Line Tightness No
Pipe Release Detection: Stat Invent Recon No
Pipe Release Detection: Groundwater No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MAGAZINE & BOOK DIVISION (Continued)

U003688928

Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	Yes
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	No
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

J48
West
 1/4-1/2
 0.460 mi.
 2428 ft.

EAGLETONS
430 BOUSH STREET
NORFOLK, VA 23507

VA LUST **S104742311**
VA LTANKS **N/A**

Site 1 of 2 in cluster J

Relative:
Lower
Actual:
9 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000194463
Facility Status: Closed
 Completed Date: 01/21/2000
 Pollution Complaint Num: 20005157
 Fed Regulated Tank: No
 Phase Code: RR
 Event Description: Release Reported
 Comments: Release Reported

Region: TD
 Region Code: TRO
 Facility ID: 200000194463
Facility Status: Closed
 Completed Date: 05/12/2006
 Pollution Complaint Num: 20005157
 Fed Regulated Tank: No
 Phase Code: CLOSURE
 Event Description: Case Closure Date - No Letter Sent
 Comments: Case Closed

LTANKS:
 Region: TRO
 CEDS Facility Id: 200000194463
Case Status: Closed
 Pollution Complaint #: 20005157
 Reported: 01/21/2000
 Case Closed Date: 05/12/2006
 Program: RP Lead
 Federally Regulated UST (Y/N): N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

EAGLETONS (Continued)

S104742311

Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N
 Exempt 2 Heating Oil UST (2): Y
 Small Heating Oil AST (2): N
 Regulated AST (3): N
 Unregulated AST (3): N
 Other Y/N: N
 Unknown Y/N: N
 Other Description: Not reported
 Heating Oil Category: Category 3

49
WNW
1/4-1/2
0.461 mi.
2436 ft.

VIRGINIA PILOT AND THE LEDGER STAR OLNEY ROAD
150 W BRAMBLETON AVE
NORFOLK, VA 23501

VA LUST **S112153919**
VA LTANKS **N/A**
VA TIER 2

Relative:
Lower
Actual:
6 ft.

LUST REG TD:
 Region: TD
 Region Code: TRO
 Facility ID: 200000067591
Facility Status: Closed
 Completed Date: 08/11/1989
 Pollution Complaint Num: 19900518
 Fed Regulated Tank: Yes
 Phase Code: RR
 Event Description: Release Reported
 Comments: HIGH SOIL TPH DURING UST CLOSURE.

Region: TD
 Region Code: TRO
 Facility ID: 200000067591
Facility Status: Closed
 Completed Date: 08/15/1991
 Pollution Complaint Num: 19900518
 Fed Regulated Tank: Yes
 Phase Code: CLOSURE
 Event Description: Case Closure Date - Letter Sent
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:
 Region: TRO
 CEDS Facility Id: 200000067591
Case Status: Closed
 Pollution Complaint #: 19900518
 Reported: 08/11/1989
 Case Closed Date: 08/15/1991
 Program: RP Lead
 Federally Regulated UST (Y/N): Y
 Regulated Petroleum UST (1): N
 Excluded UST (1): N
 Deferred UST (1): N
 Partially Deferred UST (1): N
 Exempt 1 UST (2): N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

VIRGINIA PILOT AND THE LEDGER STAR OLNEY ROAD (Continued)

S112153919

Exempt 2 Heating Oil UST (2):	N
Small Heating Oil AST (2):	N
Regulated AST (3):	N
Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	Not reported

TIER 2:

Facility ID:	5421680
CAS Number:	Not reported
SIC Code:	Not reported
NAICS:	Not reported
Entered Chemical Name:	Diesel Fuel
Average Amt Code:	29000
Owner Name:	Not reported
Owner Phone:	Not reported
Contact Type:	Not reported

J50
West
1/4-1/2
0.468 mi.
2471 ft.

FIVE ASSOCIATES LLC PROPERTY
436 BOUSCH ST AND 450 BOUSCH ST
NORFOLK, VA 23510

VA LTANKS **S117368638**
N/A

Site 2 of 2 in cluster J

Relative:
Lower
Actual:
9 ft.

LTANKS:	
Region:	TRO
CEDS Facility Id:	200000878857
Case Status:	Closed
Pollution Complaint #:	20155044
Reported:	08/28/2014
Case Closed Date:	09/02/2014
Program:	RP Lead
Federally Regulated UST (Y/N):	N
Regulated Petroleum UST (1):	N
Excluded UST (1):	N
Deferred UST (1):	N
Partially Deferred UST (1):	N
Exempt 1 UST (2):	N
Exempt 2 Heating Oil UST (2):	Y
Small Heating Oil AST (2):	N
Regulated AST (3):	N
Unregulated AST (3):	N
Other Y/N:	N
Unknown Y/N:	N
Other Description:	Not reported
Heating Oil Category:	NFA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

51
SSW
1/4-1/2
0.471 mi.
2485 ft.

NORFOLK CITY OF - POLICE DEPT 1ST PATROL DIVISION
811 E. CITY HALL
NORFOLK, VA 23501

VA LUST S105985571
VA LTANKS N/A

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000066604
Facility Status: Closed
Completed Date: 03/28/1994
Pollution Complaint Num: 19943124
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: FREE PRODUCT IN MONITORING WELL NEAR 2/10,000-GALLON H.O. USTS.

Region: TD
Region Code: TRO
Facility ID: 200000066604
Facility Status: Closed
Completed Date: 02/16/2000
Pollution Complaint Num: 19943124
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED

LTANKS:
Region: TRO
CEDS Facility Id: 200000066604
Case Status: Closed
Pollution Complaint #: 19943124
Reported: 03/28/1994
Case Closed Date: 02/16/2000
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

52 CITY OF NORFOLK - PLUME ST AND SAINT PAULS BLVD
SSW PLUME ST AND SAINT PAULS BLVD
1/4-1/2 NORFOLK, VA 23510
0.472 mi.
2494 ft.

VA LUST S110145341
VA LTANKS N/A

Relative:
Lower
Actual:
8 ft.

LUST REG TD:
Region: TD
Region Code: TRO
Facility ID: 200000852933
Facility Status: Closed
Completed Date: 02/02/2010
Pollution Complaint Num: 20105119
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release Reported

Region: TD
Region Code: TRO
Facility ID: 200000852933
Facility Status: Closed
Completed Date: 03/17/2011
Pollution Complaint Num: 20105119
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - No Letter Sent
Comments: Case Closed

LTANKS:
Region: TRO
CEDS Facility Id: 200000852933
Case Status: Closed
Pollution Complaint #: 20105119
Reported: 02/02/2010
Case Closed Date: 03/17/2011
Program: RP Lead
Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: Y
Other Description: Not reported
Heating Oil Category: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

53
ESE
1/4-1/2
0.481 mi.
2538 ft.

CITY OF NORFOLK MAINTENANCE SHOP
736 CECELIA ST
NORFOLK, VA 23504

VA LUST U003977075
VA LTANKS N/A
VA UST

Relative:
Lower

LUST REG TD:

Actual:
7 ft.

Region: TD
Region Code: TRO
Facility ID: 200000066031
Facility Status: Closed
Completed Date: 03/07/2007
Pollution Complaint Num: 20075089
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000066031
Facility Status: Closed
Completed Date: 02/29/2008
Pollution Complaint Num: 20075089
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

Region: TD
Region Code: TRO
Facility ID: 200000066031
Facility Status: Closed
Completed Date: 08/18/1999
Pollution Complaint Num: 20005028
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: PETROL CONTAM NOTED DURING UST CLS ASSESSMENT.

Region: TD
Region Code: TRO
Facility ID: 200000066031
Facility Status: Closed
Completed Date: 02/01/2005
Pollution Complaint Num: 20005028
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO
CEDS Facility Id: 200000066031
Case Status: Closed
Pollution Complaint #: 20075089
Reported: 03/07/2007
Case Closed Date: 02/29/2008
Program: RP Lead

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF NORFOLK MAINTENANCE SHOP (Continued)

U003977075

Federally Regulated UST (Y/N): N
Regulated Petroleum UST (1): N
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): Y
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N
Other Y/N: N
Unknown Y/N: N
Other Description: Not reported
Heating Oil Category: Category 3

Facility:

Facility Id: 5022537
Facility Type: LOCAL
CEDS Facility ID: 200000066031

Owner:

Owner Id: 27233
Owner Name: City of Norfolk
Owner Address: 2840 Dana Street
Owner Address2: Attn: William Clendenin
Owner City, State, Zip: Norfolk, VA 23509
Owner Type: LOCAL
Number of Active AST: 0
Number of Active UST: 0
Number of Inactive AST: 0
Number of Inactive UST: 2

UST:

Facility ID: 5022537
Federally Regulated: Yes

Tank Number: R1
Tank Capacity: 5000
Tank Contents: GASOLINE
Tank Status: REM FROM GRD
Tank Type: UST

Tank Material:

Install Date: 8/1/1980
Tank Materials: Bare Steel No
Tank Materials: Cath Protect Steel No
Tank Materials: Epoxy Steel No
Tank Materials: Fiberglass Yes
Tank Materials: Concrete No
Tank Materials: Composite No
Tank Materials: Double Walled No
Tank Materials: Lined Interior No
Tank Materials: Excav Liner No
Tank Materials: Insulated Tank Jacket No
Tank Materials: Repaired No
Tank Materials: Unknown No
Tank Materials: Other No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CITY OF NORFOLK MAINTENANCE SHOP (Continued)

U003977075

Tank Materials: Other Note	Not reported
Release Detection:	
Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported
Pipe Type: UNKNOWN	
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported
Facility ID: 5022537	
Federally Regulated: Yes	
Tank Number: R2	
Tank Capacity: 5000	
Tank Contents: GASOLINE	
Tank Status: REM FROM GRD	
Tank Type: UST	
Tank Material:	
Install Date:	8/1/1981
Tank Materials: Bare Steel	No
Tank Materials: Cath Protect Steel	No
Tank Materials: Epoxy Steel	No
Tank Materials: Fiberglass	No
Tank Materials: Concrete	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF NORFOLK MAINTENANCE SHOP (Continued)

U003977075

Tank Materials: Composite	No
Tank Materials: Double Walled	No
Tank Materials: Lined Interior	No
Tank Materials: Excav Liner	No
Tank Materials: Insulated Tank Jacket	No
Tank Materials: Repaired	No
Tank Materials: Unknown	No
Tank Materials: Other	No
Tank Materials: Other Note	Not reported

Release Detection:

Tank Release Detection: Leak Deferred	No
Tank Release Detection: Manual Gauge	No
Tank Release Detection: Auto Gauge	No
Tank Release Detection: Tank Tightness	No
Tank Release Detection: Vapor Monitor	No
Tank Release Detection: Inventory	No
Tank Release Detection: Stat Invent Recon	No
Tank Release Detection: Spill Install	No
Tank Release Detection: Overfill Install	No
Tank Release Detection: Groundwater	No
Tank Release Detection: Int Sec Containment	No
Tank Release Detection: Int Double Walled	No
Tank Release Detection: Other Method	No
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Not reported
Pipe Release Detection: Line Tightness	No
Pipe Release Detection: Stat Invent Recon	No
Pipe Release Detection: Groundwater	No
Pipe Release Detection: Int Sec Containment	No
Pipe Release Det: Interior Double Walled	No
Pipe Release Detection: Other Method	No
Pipe Release Detection: Other Note	Not reported

Pipe Type:

Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	No
Pipe Materials: Galvanized Steel	No
Pipe Materials: Copper	No
Pipe Materials: Fiberglass	No
Pipe Materials: Cath Protect	No
Pipe Materials: Double Walled	No
Pipe Materials: Sec Containment	No
Pipe Materials: Repaired	No
Pipe Materials: Unknown	Yes
Pipe Materials: Other	No
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

54 **NORFOLK TOWN GAS**
NNW **MONTICELLO AND VA BEACH RD**
1/2-1 **NORFOLK, VA 23504**
0.503 mi.
2656 ft.

EDR MGP **1008408679**
 N/A

Relative:
Lower
Actual:
6 ft.

Manufactured Gas Plants:

Alternate Name: CITY GAS OF NORFOLK; VIRGINIA ELECTRIC AND POWER CO; NORFOLK GAS PLANT. Former coal gas plant site-new sewer line. Corrective Actions began 8/91. Active Site. Virginia Power also an RP (Mike Kadlubowski, Water Qual. Dept, VA Power, 5000 Dominion Blvd, Glen Allen, VA 23060 (804/273-2991). Princess Anne & Virginia Beach Blvd.

Count: 16 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NORFOLK	S107632278	CENTURY BREWERY (FORMER)	708,710, AND 732 WASHINGTON AV	23504	VA ENG CONTROLS, VA INST CONTROL, VA VCP
NORFOLK	U003966638	FIRST AMERICAN BANK	CHARLOTTE AND BOUSCH STS	23510	VA LUST, VA UST
NORFOLK	S105118399	NORFOLK CITY OF - DEVELOPMENT DEPT	CITY HALL AVENUE & COURT STREE	23510	VA LUST, VA LTANKS
NORFOLK	S111684520	SUBURBAN PARK SHOPPING CENTER	SE CORNER OF GRANBY ST AND LIT		VA LUST, VA LTANKS
NORFOLK	U003977440	NORFOLK CITY - BOUSH STREET PARKIN	CORNER OF BOUSH ST AND FREEMAS	23510	VA LUST, VA LTANKS, VA UST
NORFOLK	S109122153	ESSO - BANK STREET AND CHARLOTTE S	NW CORNER BANK ST AND E CHARLO	23510	VA LUST, VA LTANKS
NORFOLK	S108992351	RESIDENCE INN - FUTURE	SE CORNER W BRAMBLETON AVE AND	23510	VA LUST, VA LTANKS
NORFOLK	S109609718	CHEVRON ASPHALT PLANT	3439 EARLS COURT AVE	23510	VA LUST, VA LTANKS
NORFOLK	S110787912	GREEN AT GHENT (FORMERLY BRISTOL A	MONTICELL AVENUE AND GRANBY ST	23517	VA VCP
NORFOLK	1015737118	NORFOLK TOWN GAS	MONTICELLO & VA BEACH RD	23501	SEMS-ARCHIVE
NORFOLK	S108999161	BRISTOL AT GHENT PHASE II PROPERTY	MONTICELLO AVE AND GRANBY ST	23517	VA LUST, VA LTANKS
NORFOLK	S109599440	HAMPTON ROADS TRANSIT AUTHORITY-AB	SW OF BRAMBLETON AVE AT SMITH	23510	VA LTANKS
NORFOLK	S109526241	HAMPTON ROADS TRANSIT AUTHORITY-NL	SW OF BRAMBLETON AVE AT SMITH	23510	VA LUST, VA LTANKS
NORFOLK	1003866913	F & C CAROLINA	SOUTH OF & ADJACENT TO 2628 TI	23501	SEMS-ARCHIVE
NORFOLK	S103820120	NORFOLK GAS PLANT	PRINCESS ANNE AND VIRGINIA BEA		VA VCP
NORFOLK	S111684523	HRSD SOUTH TRUNK SEWER CORRIDOR	ROAD ROWS -ARMISTEAD BRIDGE RD	23517	VA LUST, VA LTANKS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/12/2018	Source: EPA
Date Data Arrived at EDR: 12/28/2018	Telephone: N/A
Date Made Active in Reports: 01/11/2019	Last EDR Contact: 02/15/2019
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/15/2019
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/12/2018	Source: EPA
Date Data Arrived at EDR: 12/28/2018	Telephone: N/A
Date Made Active in Reports: 01/11/2019	Last EDR Contact: 02/15/2019
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/15/2019
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/12/2018
Date Data Arrived at EDR: 12/28/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 14

Source: EPA
Telephone: N/A
Last EDR Contact: 02/15/2019
Next Scheduled EDR Contact: 04/15/2019
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016
Date Data Arrived at EDR: 01/05/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 92

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 01/04/2019
Next Scheduled EDR Contact: 04/15/2019
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/12/2018
Date Data Arrived at EDR: 12/28/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 14

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 02/15/2019
Next Scheduled EDR Contact: 04/29/2019
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 12/13/2018	Source: EPA
Date Data Arrived at EDR: 12/28/2018	Telephone: 800-424-9346
Date Made Active in Reports: 01/11/2019	Last EDR Contact: 02/15/2019
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/29/2019
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/01/2018	Source: EPA
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 12/03/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-438-2474
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 12/03/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-438-2474
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 12/03/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-438-2474
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 12/03/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-438-2474
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 12/03/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 10/17/2018	Source: Department of the Navy
Date Data Arrived at EDR: 10/25/2018	Telephone: 843-820-7326
Date Made Active in Reports: 12/07/2018	Last EDR Contact: 02/07/2019
Number of Days to Update: 43	Next Scheduled EDR Contact: 05/27/2019
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/31/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/04/2019	Telephone: 703-603-0695
Date Made Active in Reports: 03/08/2019	Last EDR Contact: 02/04/2019
Number of Days to Update: 32	Next Scheduled EDR Contact: 06/10/2019
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/31/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/04/2019	Telephone: 703-603-0695
Date Made Active in Reports: 03/08/2019	Last EDR Contact: 02/04/2019
Number of Days to Update: 32	Next Scheduled EDR Contact: 06/10/2019
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 02/04/2019

Date Data Arrived at EDR: 02/08/2019

Date Made Active in Reports: 03/08/2019

Number of Days to Update: 28

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180

Last EDR Contact: 02/08/2019

Next Scheduled EDR Contact: 04/08/2019

Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A

Date Data Arrived at EDR: N/A

Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: Department of Environmental Quality

Telephone: 804-698-4236

Last EDR Contact: 12/14/2018

Next Scheduled EDR Contact: 04/01/2019

Data Release Frequency: N/A

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Management Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/03/2018

Date Data Arrived at EDR: 12/04/2018

Date Made Active in Reports: 01/30/2019

Number of Days to Update: 57

Source: Department of Environmental Quality

Telephone: 804-698-4238

Last EDR Contact: 03/04/2019

Next Scheduled EDR Contact: 06/17/2019

Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LUST REG WC: Leaking Underground Storage Tank List

Leaking underground storage tank site locations. Includes: counties of Alleghany, Bedford, Botetourt, Craig, Floyd, Franklin, Giles, Henry, Montgomery, Patrick, Pulaski, Roanoke; cities of Bedford, Clifton Forge, Covington, Martinsville, Radford, Roanoke, Salem.

Date of Government Version: 06/04/2015

Date Data Arrived at EDR: 06/05/2015

Date Made Active in Reports: 07/07/2015

Number of Days to Update: 32

Source: Department of Environmental Quality West Central Regional Office

Telephone: 540-562-6700

Last EDR Contact: 08/29/2016

Next Scheduled EDR Contact: 12/12/2016

Data Release Frequency: No Update Planned

LUST REG NO: Leaking Underground Storage Tank Tracking Database

Leaking underground storage tank site locations. Includes: counties of Arlington, Caroline, Culpeper, Fairfax, Fauquier, King George, Loudoun, Louisa, Madison, Orange, Prince William, Rappahannock, Spotsylvania, Stafford; cities of Alexandria, Fairfax, Falls Church, Fredericksburg, Manassas, Manassas Park.

Date of Government Version: 05/18/2004

Date Data Arrived at EDR: 05/22/2004

Date Made Active in Reports: 07/09/2004

Number of Days to Update: 48

Source: Department of Environmental Quality Northern Regional Office

Telephone: 703-583-3800

Last EDR Contact: 09/06/2011

Next Scheduled EDR Contact: 12/19/2011

Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG VA: Leaking Underground Storage Tank List

Leaking underground storage tank site locations. Includes: counties of Albemarle, Augusta, Bath, Clarke, Fluvanna, Frederick, Greene, Highland, Nelson, Page, Rockbridge, Rockingham, Shenandoah, Warren; cities of Buena Vista, Charlottesville, Harrisonburg, Lexington, Staunton, Waynesboro, Winchester.

Date of Government Version: 12/06/2011	Source: Department of Environmental Quality Valley Regional Office
Date Data Arrived at EDR: 12/08/2011	Telephone: 540-574-7800
Date Made Active in Reports: 01/16/2012	Last EDR Contact: 08/29/2016
Number of Days to Update: 39	Next Scheduled EDR Contact: 12/12/2016
	Data Release Frequency: No Update Planned

LUST REG TD: Leaking Underground Storage Tank Sites

Leaking underground storage tank site locations. Includes: counties of Accomack, Isle of Wight, James City, Northampton, Southampton, York; cities of Chesapeake, Franklin, Hampton, Newport News, Norfolk, Poquoson, Portsmouth, Suffolk, Virginia Beach, Williamsburg.

Date of Government Version: 06/30/2013	Source: Department of Environmental Quality Tidewater Regional Office
Date Data Arrived at EDR: 07/05/2013	Telephone: trofoia@deq.vir
Date Made Active in Reports: 09/16/2013	Last EDR Contact: 09/26/2016
Number of Days to Update: 73	Next Scheduled EDR Contact: 01/09/2017
	Data Release Frequency: Quarterly

LUST REG SW: Leaking Underground Storage Tank Database

Leaking underground storage tank site locations. Includes: counties of Bland, Buchanan, Carroll, Dickenson, Grayson, Lee, Russell, Scott, Smyth, Tazewell, Washington, Wise, Wythe; cities of Bristol, Galax, Norton.

Date of Government Version: 07/15/2013	Source: Department of Environmental Quality Southwest Regional Office
Date Data Arrived at EDR: 07/18/2013	Telephone: 276-676-4800
Date Made Active in Reports: 09/16/2013	Last EDR Contact: 10/11/2016
Number of Days to Update: 60	Next Scheduled EDR Contact: 01/23/2017
	Data Release Frequency: No Update Planned

LUST REG SC: Leaking Underground Storage Tanks

Leaking underground storage tank site locations. Includes: counties of Amherst, Appomattox, Buckingham, Campbell, Charlotte, Cumberland, Halifax, Lunenburg, Mecklenburg, Nottoway, Pittsylvania, Prince Deward; cities of Danville, Lynchburg.

Date of Government Version: 09/06/2013	Source: Department of Environmental Quality, South Central Region
Date Data Arrived at EDR: 09/06/2013	Telephone: 434-582-5120
Date Made Active in Reports: 09/17/2013	Last EDR Contact: 08/29/2016
Number of Days to Update: 11	Next Scheduled EDR Contact: 12/12/2016
	Data Release Frequency: Semi-Annually

LUST REG PD: Leaking Underground Storage Tank Sites

Leaking underground storage tank site locations. Includes: counties of Amelia, Brunswick, Charles City, Chesterfield, Dinwiddie, Essex, Gloucester, Goochland, Greenville, Hanover, Henrico, King and Queen, King William, Lancaster, Mathews, Middlesex, New Kent, Northumberland, Powhatan, Prince George, Richmond, Surry, Sussex, Westmoreland; cities of Colonial Heights, Emporia, Hopewell, Petersburg.

Date of Government Version: 12/02/2014	Source: Department of Environmental Quality Piedmont Regional Office
Date Data Arrived at EDR: 12/04/2014	Telephone: 804-527-5020
Date Made Active in Reports: 01/16/2015	Last EDR Contact: 08/29/2016
Number of Days to Update: 43	Next Scheduled EDR Contact: 12/12/2016
	Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/12/2018	Source: EPA Region 10
Date Data Arrived at EDR: 05/18/2018	Telephone: 206-553-2857
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/10/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/18/2018	Telephone: 415-972-3372
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/13/2018	Source: EPA Region 1
Date Data Arrived at EDR: 05/18/2018	Telephone: 617-918-1313
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/12/2018	Source: EPA, Region 5
Date Data Arrived at EDR: 05/18/2018	Telephone: 312-886-7439
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/25/2018	Source: EPA Region 8
Date Data Arrived at EDR: 05/18/2018	Telephone: 303-312-6271
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/24/2018	Source: EPA Region 7
Date Data Arrived at EDR: 05/18/2018	Telephone: 913-551-7003
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/08/2018	Source: EPA Region 4
Date Data Arrived at EDR: 05/18/2018	Telephone: 404-562-8677
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/05/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/01/2018	Source: EPA Region 6
Date Data Arrived at EDR: 05/18/2018	Telephone: 214-665-6597
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LTANKS: Leaking Petroleum Storage Tanks

Includes releases of petroleum from underground storage tanks and aboveground storage tanks.

Date of Government Version: 10/02/2018
Date Data Arrived at EDR: 11/29/2018
Date Made Active in Reports: 01/30/2019
Number of Days to Update: 62

Source: Department of Environmental Quality
Telephone: 804-698-4010
Last EDR Contact: 02/28/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Quarterly

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017
Date Data Arrived at EDR: 05/30/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 136

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 01/08/2019
Next Scheduled EDR Contact: 04/22/2019
Data Release Frequency: Varies

UST: Registered Petroleum Storage Tanks

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 10/30/2018
Date Data Arrived at EDR: 11/29/2018
Date Made Active in Reports: 01/29/2019
Number of Days to Update: 61

Source: Department of Environmental Quality
Telephone: 804-698-4010
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Quarterly

AST: Registered Petroleum Storage Tanks

Registered Aboveground Storage Tanks.

Date of Government Version: 10/30/2018
Date Data Arrived at EDR: 11/29/2018
Date Made Active in Reports: 01/29/2019
Number of Days to Update: 61

Source: Department of Environmental Quality
Telephone: 804-698-4010
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/12/2018
Date Data Arrived at EDR: 05/18/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 63

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 03/07/2019
Next Scheduled EDR Contact: 05/06/2019
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/10/2018
Date Data Arrived at EDR: 05/18/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 63

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 03/07/2019
Next Scheduled EDR Contact: 05/06/2019
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/25/2018	Source: EPA Region 8
Date Data Arrived at EDR: 05/18/2018	Telephone: 303-312-6137
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/24/2018	Source: EPA Region 7
Date Data Arrived at EDR: 05/18/2018	Telephone: 913-551-7003
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/01/2018	Source: EPA Region 6
Date Data Arrived at EDR: 05/18/2018	Telephone: 214-665-7591
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/12/2018	Source: EPA Region 5
Date Data Arrived at EDR: 05/18/2018	Telephone: 312-886-6136
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations).

Date of Government Version: 05/08/2018	Source: EPA Region 4
Date Data Arrived at EDR: 05/18/2018	Telephone: 404-562-9424
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/05/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/13/2018	Source: EPA, Region 1
Date Data Arrived at EDR: 05/18/2018	Telephone: 617-918-1313
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 03/07/2019
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal institutional control / engineering control registries

ENG CONTROLS: Engineering Controls Sites Listing

A listing of sites with Engineering Controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/07/2019	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/08/2019	Telephone: 804-698-4228
Date Made Active in Reports: 02/25/2019	Last EDR Contact: 01/07/2019
Number of Days to Update: 48	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Quarterly

INST CONTROL: Voluntary Remediation Program Database

Sites included in the Voluntary Remediation Program database that have deed restrictions.

Date of Government Version: 01/07/2019	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/08/2019	Telephone: 804-698-4228
Date Made Active in Reports: 02/25/2019	Last EDR Contact: 01/07/2019
Number of Days to Update: 48	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

VRP: Voluntary Remediation Program

The Voluntary Cleanup Program encourages owners of elected contaminated sites to take the initiative and conduct voluntary cleanups that meet state environmental standards.

Date of Government Version: 01/07/2019	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/08/2019	Telephone: 804-698-4228
Date Made Active in Reports: 02/25/2019	Last EDR Contact: 01/07/2019
Number of Days to Update: 48	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Quarterly

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 12/19/2018
Number of Days to Update: 142	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site Specific Assessments

To qualify for Brownfields Assessment, the site must meet the Federal definition of a Brownfields and should have contaminant issues that need to be addressed and a redevelopment plan supported by the local government and community. Virginia's Department of Environmental Quality performs brownfields assessments under a cooperative agreement with the U.S. Environmental Protection Agency at no cost to communities, property owners or, prospective purchasers. The assessment is an evaluation of environmental impacts caused by previous site uses similar to a Phase II Environmental Assessment.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/23/2019
Date Data Arrived at EDR: 01/24/2019
Date Made Active in Reports: 02/22/2019
Number of Days to Update: 29

Source: Department of Environmental Quality
Telephone: 804-698-4207
Last EDR Contact: 01/24/2019
Next Scheduled EDR Contact: 05/06/2019
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/17/2018
Date Data Arrived at EDR: 12/18/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 24

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 12/18/2018
Next Scheduled EDR Contact: 04/01/2019
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 01/29/2019
Next Scheduled EDR Contact: 05/13/2019
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/17/2019
Next Scheduled EDR Contact: 05/06/2019
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 02/01/2019
Next Scheduled EDR Contact: 05/13/2019
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 09/21/2018
Date Data Arrived at EDR: 09/21/2018
Date Made Active in Reports: 11/09/2018
Number of Days to Update: 49

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/21/2018
Date Data Arrived at EDR: 09/21/2018
Date Made Active in Reports: 11/09/2018
Number of Days to Update: 49

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Quarterly

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 12/12/2018
Date Data Arrived at EDR: 12/28/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 14

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 02/15/2019
Next Scheduled EDR Contact: 05/06/2019
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/26/2018
Date Data Arrived at EDR: 03/27/2018
Date Made Active in Reports: 06/08/2018
Number of Days to Update: 73

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 02/08/2019
Next Scheduled EDR Contact: 04/08/2019
Data Release Frequency: Quarterly

SPILLS PC: Pollution Complaint Database

Pollution Complaints Database. The pollution reports contained in the PC database include the initial release reporting of Leaking Underground Storage Tanks and all other releases of petroleum to the environment as well as releases to state waters. The database is current through 12/1/93. Since that time, all spill and pollution reporting information has been collected and tracked through the DEQ regional offices.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/01/1996
Date Data Arrived at EDR: 10/22/1996
Date Made Active in Reports: 11/21/1996
Number of Days to Update: 30

Source: Department of Environmental Quality
Telephone: 804-698-4287
Last EDR Contact: 03/08/2010
Next Scheduled EDR Contact: 06/21/2010
Data Release Frequency: No Update Planned

SPILLS WC: Prep Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/21/2009
Date Data Arrived at EDR: 09/29/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 31

Source: Department of Environmental Quality, West Central Region
Telephone: 540-562-6700
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

SPILLS: Prep/Spills Database Listing

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment. PREP staff often work to assist local emergency responders, other state agencies, federal agencies, and responsible parties, as may be needed, to manage pollution incidents. Oil spills, fish kills, and hazardous materials spills are examples of incidents that may involve the DEQ's PREP Program.

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 11/29/2018
Date Made Active in Reports: 01/30/2019
Number of Days to Update: 62

Source: Department of Environmental Quality
Telephone: 804-698-4287
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Quarterly

SPILLS NO: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/23/2009
Date Data Arrived at EDR: 09/29/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 31

Source: Department of Environmental Quality, Northern Region
Telephone: 703-583-3864
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

SPILLS VA: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 08/08/2012
Date Data Arrived at EDR: 08/09/2012
Date Made Active in Reports: 10/05/2012
Number of Days to Update: 57

Source: Department of Environmental Quality, Valley Regional Office
Telephone: 540-574-7800
Last EDR Contact: 05/06/2013
Next Scheduled EDR Contact: 08/19/2013
Data Release Frequency: Quarterly

SPILLS TD: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/17/2009
Date Data Arrived at EDR: 09/23/2009
Date Made Active in Reports: 10/06/2009
Number of Days to Update: 13

Source: Department of Environmental Quality, Tidewater Region
Telephone: trofoia@deq.vir
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SPILLS SW: Reportable Spills

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 01/21/2010	Source: Department of Environmental Quality, Southwest Region
Date Data Arrived at EDR: 01/22/2010	Telephone: 276-676-4839
Date Made Active in Reports: 02/16/2010	Last EDR Contact: 07/13/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 10/29/2012
	Data Release Frequency: No Update Planned

SPILLS PD: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 10/20/2009	Source: Department of Environmental Quality, Piedmont Region
Date Data Arrived at EDR: 10/29/2009	Telephone: 804-527-5020
Date Made Active in Reports: 12/03/2009	Last EDR Contact: 02/06/2012
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/21/2012
	Data Release Frequency: Quarterly

SPILLS BRL: Prep/Spills Database Listing

A listing of spills locations located in the Blue Ridge Regional area, Lynchburg.

Date of Government Version: 09/18/2009	Source: DEQ, Blue Ridge Regional Office
Date Data Arrived at EDR: 09/18/2009	Telephone: 434-582-6218
Date Made Active in Reports: 10/06/2009	Last EDR Contact: 11/28/2011
Number of Days to Update: 18	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Varies

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 09/01/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/15/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 43	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-438-2474
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 12/03/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 04/08/2019
	Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/31/2015
Date Data Arrived at EDR: 07/08/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 02/22/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 01/11/2019
Next Scheduled EDR Contact: 04/22/2019
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 01/11/2019
Next Scheduled EDR Contact: 04/22/2019
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/15/2019
Next Scheduled EDR Contact: 05/27/2019
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 01/31/2019
Date Data Arrived at EDR: 02/04/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 02/04/2019
Next Scheduled EDR Contact: 04/08/2019
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 02/08/2019
Next Scheduled EDR Contact: 05/20/2019
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/08/2019
Next Scheduled EDR Contact: 05/20/2019
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/21/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 198

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 12/21/2018
Next Scheduled EDR Contact: 04/01/2019
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 01/10/2018
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 2

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/20/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/25/2019
Next Scheduled EDR Contact: 05/06/2019
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/12/2018
Date Data Arrived at EDR: 12/28/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 14

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 03/08/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 10/26/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2018	Telephone: 202-564-8600
Date Made Active in Reports: 01/11/2019	Last EDR Contact: 01/22/2019
Number of Days to Update: 66	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 08/13/2018	Source: EPA
Date Data Arrived at EDR: 10/04/2018	Telephone: 202-564-6023
Date Made Active in Reports: 11/09/2018	Last EDR Contact: 02/15/2019
Number of Days to Update: 36	Next Scheduled EDR Contact: 05/20/2019
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/14/2018	Source: EPA
Date Data Arrived at EDR: 10/11/2018	Telephone: 202-566-0500
Date Made Active in Reports: 12/07/2018	Last EDR Contact: 01/11/2019
Number of Days to Update: 57	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 01/07/2019
Number of Days to Update: 79	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 09/08/2016	Telephone: 301-415-7169
Date Made Active in Reports: 10/21/2016	Last EDR Contact: 01/22/2019
Number of Days to Update: 43	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 03/07/2019
Number of Days to Update: 76	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 03/05/2019
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/30/2017	Telephone: 202-566-0517
Date Made Active in Reports: 12/15/2017	Last EDR Contact: 01/25/2019
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/06/2019
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/02/2018
Date Data Arrived at EDR: 10/03/2018
Date Made Active in Reports: 11/09/2018
Number of Days to Update: 37

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 01/03/2019
Next Scheduled EDR Contact: 04/15/2019
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 10/01/2018
Date Data Arrived at EDR: 10/30/2018
Date Made Active in Reports: 01/18/2019
Number of Days to Update: 80

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 01/29/2019
Next Scheduled EDR Contact: 05/11/2019
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2018
Date Data Arrived at EDR: 10/12/2018
Date Made Active in Reports: 12/07/2018
Number of Days to Update: 56

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 01/07/2019
Next Scheduled EDR Contact: 04/22/2019
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 09/28/2017
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/13/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014	Source: USGS
Date Data Arrived at EDR: 07/14/2015	Telephone: 202-208-3710
Date Made Active in Reports: 01/10/2017	Last EDR Contact: 01/07/2019
Number of Days to Update: 546	Next Scheduled EDR Contact: 04/22/2019
	Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017	Source: Department of Energy
Date Data Arrived at EDR: 09/11/2018	Telephone: 202-586-3559
Date Made Active in Reports: 09/14/2018	Last EDR Contact: 01/31/2019
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/20/2019
	Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017	Source: Department of Energy
Date Data Arrived at EDR: 10/11/2017	Telephone: 505-845-0011
Date Made Active in Reports: 11/03/2017	Last EDR Contact: 02/22/2019
Number of Days to Update: 23	Next Scheduled EDR Contact: 06/03/2019
	Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 12/12/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/28/2018	Telephone: 703-603-8787
Date Made Active in Reports: 01/11/2019	Last EDR Contact: 02/15/2019
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/15/2019
	Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001	Source: American Journal of Public Health
Date Data Arrived at EDR: 10/27/2010	Telephone: 703-305-6451
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/02/2009
Number of Days to Update: 36	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/01/2018
Date Data Arrived at EDR: 08/29/2018
Date Made Active in Reports: 10/05/2018
Number of Days to Update: 37

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/01/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/01/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/10/2018
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 03/11/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/15/2018	Source: EPA
Date Data Arrived at EDR: 12/05/2018	Telephone: (215) 814-5000
Date Made Active in Reports: 01/11/2019	Last EDR Contact: 03/05/2019
Number of Days to Update: 37	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/30/2017	Source: Department of Defense
Date Data Arrived at EDR: 06/19/2018	Telephone: 703-704-1564
Date Made Active in Reports: 09/14/2018	Last EDR Contact: 01/14/2019
Number of Days to Update: 87	Next Scheduled EDR Contact: 04/29/2019
	Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/02/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/05/2018	Telephone: 202-564-2280
Date Made Active in Reports: 09/14/2018	Last EDR Contact: 03/05/2019
Number of Days to Update: 9	Next Scheduled EDR Contact: 06/17/2019
	Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/26/2018	Telephone: 202-564-0527
Date Made Active in Reports: 10/05/2018	Last EDR Contact: 03/01/2019
Number of Days to Update: 71	Next Scheduled EDR Contact: 06/10/2019
	Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/22/2018	Source: EPA
Date Data Arrived at EDR: 08/22/2018	Telephone: 800-385-6164
Date Made Active in Reports: 10/05/2018	Last EDR Contact: 02/21/2019
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/03/2019
	Data Release Frequency: Quarterly

AIRS: Permitted Airs Facility List

A listing of permitted Airs facilities.

Date of Government Version: 09/21/2018	Source: Department of Environmental Quality
Date Data Arrived at EDR: 11/01/2018	Telephone: 804-698-4000
Date Made Active in Reports: 12/26/2018	Last EDR Contact: 01/14/2019
Number of Days to Update: 55	Next Scheduled EDR Contact: 04/01/2019
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CEDS: Comprehensive Environmental Data System

Virginia Water Protection Permits, Virginia Pollution Discharge System (point discharge) permits and Virginia Pollution Abatement (no point discharge) permits.

Date of Government Version: 12/18/2018
Date Data Arrived at EDR: 12/19/2018
Date Made Active in Reports: 01/29/2019
Number of Days to Update: 41

Source: Department of Environmental Quality
Telephone: 804-698-4077
Last EDR Contact: 03/04/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Quarterly

COAL ASH: Coal Ash Disposal Sites

A listing of facilities with coal ash impoundments.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/12/2018
Date Made Active in Reports: 01/30/2019
Number of Days to Update: 49

Source: Department of Environmental Protection
Telephone: 804-698-4285
Last EDR Contact: 03/04/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner List

A listing of registered drycleaners.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 11/01/2018
Date Made Active in Reports: 12/26/2018
Number of Days to Update: 55

Source: Department of Environmental Quality
Telephone: 804-698-4407
Last EDR Contact: 01/07/2019
Next Scheduled EDR Contact: 04/22/2019
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Actions Data

A listing of enforcement actions.

Date of Government Version: 06/01/2018
Date Data Arrived at EDR: 06/06/2018
Date Made Active in Reports: 07/05/2018
Number of Days to Update: 29

Source: Department of Environmental Quality
Telephone: 804-698-4031
Last EDR Contact: 01/02/2019
Next Scheduled EDR Contact: 04/15/2019
Data Release Frequency: Quarterly

Financial Assurance 1: Financial Assurance Information Listing

A listing of financial assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 01/30/2019
Date Data Arrived at EDR: 01/31/2019
Date Made Active in Reports: 02/22/2019
Number of Days to Update: 22

Source: Department of Environmental Quality
Telephone: 804-698-4205
Last EDR Contact: 01/28/2019
Next Scheduled EDR Contact: 05/11/2019
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information listing

Solid waste financial assurance information.

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 11/06/2018
Date Made Active in Reports: 12/27/2018
Number of Days to Update: 51

Source: Department of Environmental Quality
Telephone: 804-698-4123
Last EDR Contact: 01/28/2019
Next Scheduled EDR Contact: 05/11/2019
Data Release Frequency: Varies

TIER 2: Tier 2 Information Listing

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 01/20/2017
Date Made Active in Reports: 02/14/2017
Number of Days to Update: 25

Source: Department of Environmental Quality
Telephone: 804-698-4159
Last EDR Contact: 12/14/2018
Next Scheduled EDR Contact: 04/01/2019
Data Release Frequency: Annually

UIC: Underground Injection Control Wells
A listing of underground injection controls wells.

Date of Government Version: 01/29/2019
Date Data Arrived at EDR: 01/30/2019
Date Made Active in Reports: 02/25/2019
Number of Days to Update: 26

Source: Department of Mines, Minerals and Energy
Telephone: 276-415-9700
Last EDR Contact: 01/30/2019
Next Scheduled EDR Contact: 05/11/2019
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Virginia.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/20/2014
Number of Days to Update: 203

Source: Department of Environmental Quality
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Virginia and at the Regional VA Levels.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/15/2014
Number of Days to Update: 198

Source: Department of Environmental Quality
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 02/11/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/04/2019
Number of Days to Update: 20

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/12/2019
Next Scheduled EDR Contact: 05/27/2019
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 07/13/2018
Date Made Active in Reports: 08/01/2018
Number of Days to Update: 19

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/07/2019
Next Scheduled EDR Contact: 04/22/2019
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 01/30/2019
Date Made Active in Reports: 02/14/2019
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 01/30/2019
Next Scheduled EDR Contact: 05/11/2019
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 10/23/2018
Date Made Active in Reports: 11/27/2018
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/11/2019
Next Scheduled EDR Contact: 04/29/2019
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 02/23/2018
Date Made Active in Reports: 04/09/2018
Number of Days to Update: 45

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/19/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/15/2018
Date Made Active in Reports: 07/09/2018
Number of Days to Update: 24

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/11/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 804-692-1900

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

645 CHURCH STREET SITE
645 CHURCH STREET
NORFOLK, VA 23510

TARGET PROPERTY COORDINATES

Latitude (North):	36.85269 - 36° 51' 9.68"
Longitude (West):	76.281348 - 76° 16' 52.85"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	385765.7
UTM Y (Meters):	4079094.5
Elevation:	11 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5950979 NORFOLK SOUTH, VA
Version Date:	2013

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
5101040130G	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
5101040135F	FEMA FIRM Flood data
5101040160F	FEMA FIRM Flood data
5101040165F	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
NORFOLK SOUTH	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era: Cenozoic
System: Quaternary
Series: Pleistocene
Code: Qp (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 5588325.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
Norfolk VA 23510
LAT/LONG: 36.85269 / 76.281348

CLIENT: SCS Engineers
CONTACT: Alexis Holcomb
INQUIRY #: 5588325.2s
DATE: March 13, 2019 12:40 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Urban land

Soil Surface Texture: material

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 150 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	78 inches	material	Not reported	Not reported	Max: 0 Min: 0	Max: Min:

Soil Map ID: 2

Soil Component Name: Udorthents

Soil Surface Texture: material

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 3

Soil Component Name: Tomotley

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Poorly drained

Hydric Status: All hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 1.4	Max: 6 Min: 3.6
2	7 inches	50 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 1.4	Max: 6 Min: 3.6
3	50 inches	68 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 1.4	Max: 6 Min: 3.6

Soil Map ID: 4

Soil Component Name: Altavista

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	12 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 3.6
2	12 inches	53 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 3.6
3	53 inches	64 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 3.6

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS40001201609	1/2 - 1 Mile ENE
A2	USGS40001201594	1/2 - 1 Mile SW
A3	USGS40001201591	1/2 - 1 Mile SW
A4	USGS40001201592	1/2 - 1 Mile SW
A5	USGS40001201593	1/2 - 1 Mile SW
6	USGS40001201602	1/2 - 1 Mile WSW
7	USGS40001201607	1/2 - 1 Mile East

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 5588325.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: 645 Church Street Site
 ADDRESS: 645 Church Street
 Norfolk VA 23510
 LAT/LONG: 36.85269 / 76.281348

CLIENT: SCS Engineers
 CONTACT: Alexis Holcomb
 INQUIRY #: 5588325.2s
 DATE: March 13, 2019 12:39 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
ENE
1/2 - 1 Mile
Lower

FED USGS USGS40001201609

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 14	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	830	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	1	Level reading date:	1971-12-08
Feet below surface:	14.17	Feet to sea level:	Not Reported
Note:	Not Reported		

A2
SW
1/2 - 1 Mile
Lower

FED USGS USGS40001201594

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 4	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	773	Well Depth Units:	ft
Well Hole Depth:	783	Well Hole Depth Units:	ft

A3
SW
1/2 - 1 Mile
Lower

FED USGS USGS40001201591

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 1	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	764	Well Depth Units:	ft
Well Hole Depth:	780	Well Hole Depth Units:	ft

Ground water levels,Number of Measurements:	1	Level reading date:	1968-07-18
Feet below surface:	27.00	Feet to sea level:	Not Reported
Note:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A4
SW
1/2 - 1 Mile
Lower

FED USGS USGS40001201592

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 2	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Upper Cretaceous Series
Aquifer Type:	Confined single aquifer	Construction Date:	Not Reported
Well Depth:	763	Well Depth Units:	ft
Well Hole Depth:	763	Well Hole Depth Units:	ft

Ground water levels, Number of Measurements:	1	Level reading date:	1968-06-01
Feet below surface:	28.00	Feet to sea level:	Not Reported
Note:	Not Reported		

A5
SW
1/2 - 1 Mile
Lower

FED USGS USGS40001201593

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 3	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Upper Cretaceous Series
Aquifer Type:	Confined single aquifer	Construction Date:	Not Reported
Well Depth:	822	Well Depth Units:	ft
Well Hole Depth:	822	Well Hole Depth Units:	ft

Ground water levels, Number of Measurements:	1	Level reading date:	1968-07-01
Feet below surface:	26.00	Feet to sea level:	Not Reported
Note:	Not Reported		

6
WSW
1/2 - 1 Mile
Lower

FED USGS USGS40001201602

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 5	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Potomac Group
Aquifer Type:	Confined single aquifer	Construction Date:	Not Reported
Well Depth:	765	Well Depth Units:	ft
Well Hole Depth:	765	Well Hole Depth Units:	ft

Ground water levels, Number of Measurements:	1	Level reading date:	1968-01-23
Feet below surface:	8.00	Feet to sea level:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Note: Not Reported

7

**East
1/2 - 1 Mile
Lower**

FED USGS USGS40001201607

Organization ID:	USGS-VA	Organization Name:	USGS Virginia Water Science Center
Monitor Location:	60C 11	Type:	Well
Description:	Not Reported	HUC:	02080208
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	108	Well Depth Units:	ft
Well Hole Depth:	108	Well Hole Depth Units:	ft

Ground water levels,Number of Measurements:	1
Feet below surface:	18.00
Note:	Not Reported

Level reading date:	1971-07-23
Feet to sea level:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

EPA Region 3 Statistical Summary Readings for Zip Code: 23510

Number of sites tested: 3.

Maximum Radon Level: 2.2 pCi/L.

Minimum Radon Level: 0.9 pCi/L.

pCi/L <4	pCi/L 4-10	pCi/L 10-20	pCi/L 20-50	pCi/L 50-100	pCi/L >100
3 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

Federal EPA Radon Zone for NORFOLK CITY County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Virginia Public Water Supplies

Source: Department of Health, Office of Water Programs

Telephone: 804-786-1756

OTHER STATE DATABASE INFORMATION

Virginia Oil and Gas Wells

Source: Department of Mines, Minerals and Energy

Telephone: 804-692-3200

A listing of oil and gas well locations.

RADON

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

EPA Region 3 Statistical Summary Readings

Source: Region 3 EPA

Telephone: 215-814-2082

Radon readings for Delaware, D.C., Maryland, Pennsylvania, Virginia and West Virginia.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix D Historical Site Use Information

Print Date 2/27/2019

Property Address 645 Church St

Account Number 72819348

GPIN 1437270517

Property Detail

Parent Account

Owner Name 645 Church Street, Llc

Neighborhood 200690

Property Use Commercial

Plate 0753

Mailing Address 999 Waterside Dr Ste 1400
Norfolk VA 23510-3330

Parcel Approximate Area
(Sq Ft) 68,987

Parcel Approximate
Acreage 1.5838

House Plate Number 8

Legal Description 103-B 1.5427 Ac



Print Date 2/27/2019
Property Address 645 Church St
Account Number 72819348
GPIN 1437270517



Sales/Assessments

<u>Owner</u>	<u>Transfer Date</u>	<u>Sales Price</u>	<u>Type</u>	<u>Deed Reference</u>
645 Church Street, Llc	8/2/2017	\$2,000,000	Single	170019170
Willis Broadcasting Corporation	6/19/1987	\$2,500,000		2024 / 385
Eighth Commerce Properties Corp	5/30/1986	\$1,300,000		1909 / 501

<u>Effective Date</u>	<u>Land Value</u>	<u>Improvement Value</u>	<u>Total Value</u>
07/01/2018	\$430,500	\$1,502,200	\$1,932,700
07/01/2017	\$413,900	\$1,518,800	\$1,932,700
07/01/2016	\$413,900	\$1,518,800	\$1,932,700
07/01/2015	\$413,900	\$1,518,800	\$1,932,700
07/01/2014	\$413,900	\$2,613,500	\$3,027,400

Print Date 2/27/2019
Property Address 645 Church St
Account Number 72819348
GPIN 1437270517



Building Description

Year Built 1988
Construction Quality Average
Number of Floors 4
Total Building Area (Sq Ft.) 53,507
HVAC Warmed and Cooled Air
Framing
Framing Class Fire Resistant
Sprinkler Full Sprinkler System
Paving No
Paving (Sq Ft.)

Print Date 2/27/2019
Property Address 645 Church St
Account Number 72819348
GPIN 1437270517

Zoning

Historic District Name NA
Historic District Type NA
Character District Downtown
Chesapeake Bay Resource Protection Area No
Chesapeake Bay Intensely Developed Area No

Zoning

Overlay Districts

Conditional Zones

Special Exceptions

C-C



Print Date 2/27/2019
Property Address 645 Church St
Account Number 72819348
GPIN 1437270517



Flood Zones

Flood Panel 5101040056H

Flood Quad 36076-G3

Flood Zone **Base Elevation**

X (Low to Moderate)

Print Date 2/27/2019
Property Address 645 Church St
Account Number 72819348
GPIN 1437270517



Building Permits

*only up to the 20 most recent permits are provided

ACTIVE PERMITS

Permit Number Date


HISTORIC PERMITS

<u>Permit Number</u>	<u>Date</u>
F17-00390	10/6/2017
S17-00239	11/7/2017

Print Date 2/27/2019
Property Address 645 Church St
Account Number 72819348
GPIN 1437270517



Photo/Sketch





645 Church Street Site

645 Church Street

Norfolk, VA 23510

Inquiry Number: 5588325.8

March 13, 2019

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

03/13/19

Site Name:

645 Church Street Site
645 Church Street
Norfolk, VA 23510
EDR Inquiry # 5588325.8

Client Name:

SCS Engineers
11260 Roger Bacon Drive
Reston, VA 20190
Contact: Alexis Holcomb



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
2000	1"=750'	Flight Date: March 26, 2000	USGS
1994	1"=500'	Acquisition Date: March 22, 1994	USGS/DOQQ
1990	1"=750'	Flight Date: April 09, 1990	USGS
1982	1"=500'	Flight Date: April 01, 1982	USDA
1973	1"=500'	Flight Date: April 01, 1973	USGS
1970	1"=500'	Flight Date: September 24, 1970	USGS
1963	1"=500'	Flight Date: March 30, 1963	USGS
1961	1"=500'	Flight Date: September 21, 1961	USGS
1954	1"=500'	Flight Date: October 11, 1954	USDA


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.




INQUIRY #: 5588325.8

YEAR: 2016

— = 500'





INQUIRY #: 5588325.8

YEAR: 2012

— = 500'






INQUIRY #: 5588325.8

YEAR: 2009

— = 500'





INQUIRY #: 5588325.8

YEAR: 2005

— = 500'





INQUIRY #: 5588325.8

YEAR: 2000

— = 750'



Subject boundary not shown because it exceeds image extent or image is not georeferenced.



INQUIRY #: 5588325.8

YEAR: 1994

— = 500'





INQUIRY #: 5588325.8

YEAR: 1990

— = 750'



Subject boundary not shown because it exceeds image extent or image is not georeferenced.




INQUIRY #: 5588325.8

YEAR: 1982

— = 500'





INQUIRY #: 5588325.8

YEAR: 1973

— = 500'





INQUIRY #: 5588325.8

YEAR: 1970

— = 500'





INQUIRY #: 5588325.8

YEAR: 1963

— = 500'



Subject boundary not shown because it exceeds image extent or image is not georeferenced.



INQUIRY #: 5588325.8

YEAR: 1961

— = 500'





INQUIRY #: 5588325.8

YEAR: 1954

— = 500'



645 Church Street Site

645 Church Street

Norfolk, VA 23510

Inquiry Number: 5588325.4

March 13, 2019

EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

03/13/19

Site Name:

645 Church Street Site
645 Church Street
Norfolk, VA 23510
EDR Inquiry # 5588325.4

Client Name:

SCS Engineers
11260 Roger Bacon Drive
Reston, VA 20190
Contact: Alexis Holcomb



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by SCS Engineers were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

Coordinates:

P.O.#	02-RE03535-21	Latitude:	36.85269 36° 51' 10" North
Project:	645 Church Street Site	Longitude:	-76.281348 -76° 16' 53" West
		UTM Zone:	Zone 18 North
		UTM X Meters:	385768.44
		UTM Y Meters:	4079297.16
		Elevation:	11.00' above sea level

Maps Provided:

2013	1948
1994	1944
1986	1921
1980	1907
1973	1902
1970	
1965	
1955	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2013 Source Sheets



Norfolk South
2013
7.5-minute, 24000



Norfolk North
2013
7.5-minute, 24000

1994 Source Sheets




Norfolk South
1994
7.5-minute, 24000
Aerial Photo Revised 1994

1986 Source Sheets



Norfolk North
1986
7.5-minute, 24000
Aerial Photo Revised 1981



Norfolk South
1986
7.5-minute, 24000
Aerial Photo Revised 1982

1980 Source Sheets



Norfolk South
1980
7.5-minute, 24000
Aerial Photo Revised 1978



Norfolk North
1980
7.5-minute, 24000
Aerial Photo Revised 1978

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1973 Source Sheets



Norfolk South
1973
7.5-minute, 24000
Aerial Photo Revised 1970




Norfolk North
1973
7.5-minute, 24000
Aerial Photo Revised 1973

1970 Source Sheets



Norfolk North
1970
7.5-minute, 24000
Aerial Photo Revised 1970




Norfolk South
1970
7.5-minute, 24000
Aerial Photo Revised 1970

1965 Source Sheets




Norfolk North
1965
7.5-minute, 24000
Aerial Photo Revised 1963



Norfolk South
1965
7.5-minute, 24000
Aerial Photo Revised 1963

1955 Source Sheets



Norfolk South
1955
7.5-minute, 24000
Aerial Photo Revised 1952



Norfolk North
1955
7.5-minute, 24000
Aerial Photo Revised 1952

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1948 Source Sheets




Norfolk North
1948
7.5-minute, 24000
Aerial Photo Revised 1942



Norfolk South
1948
7.5-minute, 24000
Aerial Photo Revised 1942

1944 Source Sheets



NORFOLK NORTH
1944
7.5-minute, 25000



Norfolk South
1944
7.5-minute, 25000
Aerial Photo Revised 1942

1921 Source Sheets



Newport News
1921
15-minute, 62500

1907 Source Sheets



Norfolk
1907
30-minute, 125000


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.


1902 Source Sheets



Norfolk
1902
30-minute, 125000




This report includes information from the following map sheet(s).




TP, Norfolk South, 2013, 7.5-minute
 N, Norfolk North, 2013, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1994, 7.5-minute

SITE NAME: 645 Church Street Site
 ADDRESS: 645 Church Street
 Norfolk, VA 23510
 CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1986, 7.5-minute
 N, Norfolk North, 1986, 7.5-minute

SITE NAME: 645 Church Street Site
 ADDRESS: 645 Church Street
 Norfolk, VA 23510
 CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1980, 7.5-minute
 N, Norfolk North, 1980, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1973, 7.5-minute
 N, Norfolk North, 1973, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1970, 7.5-minute
N, Norfolk North, 1970, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
Norfolk, VA 23510
CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1965, 7.5-minute
 N, Norfolk North, 1965, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1955, 7.5-minute
 N, Norfolk North, 1955, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers






This report includes information from the following map sheet(s).




TP, Norfolk South, 1948, 7.5-minute
 N, Norfolk North, 1948, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers





This report includes information from the following map sheet(s).





TP, Norfolk South, 1944, 7.5-minute
 N, NORFOLK NORTH, 1944, 7.5-minute

SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
 Norfolk, VA 23510
CLIENT: SCS Engineers





This report includes information from the following map sheet(s).




TP, Newport News, 1921, 15-minute

SITE NAME: 645 Church Street Site
 ADDRESS: 645 Church Street
 Norfolk, VA 23510
 CLIENT: SCS Engineers





This report includes information from the following map sheet(s).




SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
Norfolk, VA 23510
CLIENT: SCS Engineers





This report includes information from the following map sheet(s).



SITE NAME: 645 Church Street Site
ADDRESS: 645 Church Street
Norfolk, VA 23510
CLIENT: SCS Engineers



645 Church Street Site

645 Church Street

Norfolk, VA 23510

Inquiry Number: 5588325.3

March 13, 2019

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

03/13/19

Site Name:

645 Church Street Site
645 Church Street
Norfolk, VA 23510
EDR Inquiry # 5588325.3

Client Name:

SCS Engineers
11260 Roger Bacon Drive
Reston, VA 20190
Contact: Alexis Holcomb



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by SCS Engineers were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 6A91-4641-B17F
PO # 02-RE03535-21
Project 645 Church Street Site

Maps Provided:

1970
1950
1928
1910
1898
1887



Sanborn® Library search results

Certification #: 6A91-4641-B17F

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

SCS Engineers (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1970 Source Sheets



Volume 1, Sheet 31
1970



Volume 1, Sheet 32
1970



Volume 1, Sheet 33
1970



Volume 1, Sheet 40
1970



Volume 1, Sheet 43
1970

1950 Source Sheets



Volume 1, Sheet 21
1950



Volume 1, Sheet 32
1950



Volume 1, Sheet 33
1950



Volume 1, Sheet 43
1950



Volume 1, Sheet 44
1950



Volume 1, Sheet xxxx
1950

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1928 Source Sheets




Volume 1, Sheet xxxx
1928



Volume 1, Sheet 21
1928



Volume 1, Sheet 32
1928



Volume 1, Sheet 33
1928



Volume 1, Sheet 43
1928

1910 Source Sheets



Volume 2, Sheet 129
1910



Volume 2, Sheet 130
1910



Volume 1, Sheet 18
1910



Volume 1, Sheet 19
1910

1898 Source Sheets



Volume 1, Sheet 14
1898



Volume 1, Sheet 15
1898



Volume 1, Sheet 16
1898



Volume 1, Sheet 18
1898

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1887 Source Sheets



Volume 1, Sheet 16
1887





The certified Sanborn Library search results in this report can be authorized by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 6A91-4641-B17F

Site Name: 645 Church Street Site
 Address: 645 Church Street
 City, ST, ZIP: Norfolk, VA 23510
 Client: SCS Engineers
 EDR Inquiry: 5588325.3
 Order Date: 03/13/2019
 Certification #: 6A91-4641-B17F
 Copyright: 1970




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 43
- Volume 1, Sheet 40
- Volume 1, Sheet 33
- Volume 1, Sheet 32
- Volume 1, Sheet 31






Site Name: 645 Church Street Site
 Address: 645 Church Street
 City, ST, ZIP: Norfolk, VA 23510
 Client: SCS Engineers
 EDR Inquiry: 5588325.3
 Order Date: 03/13/2019
 Certification # 6A91-4641-B17F
 Copyright 1950




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet xxxx
- Volume 1, Sheet 44
- Volume 1, Sheet 43
- Volume 1, Sheet 33
- Volume 1, Sheet 32
- Volume 1, Sheet 21







The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 6A91-4641-B17F

Site Name: 645 Church Street Site
 Address: 645 Church Street
 City, ST, ZIP: Norfolk, VA 23510
 Client: SCS Engineers
 EDR Inquiry: 5588325.3
 Order Date: 03/13/2019
 Certification # 6A91-4641-B17F
 Copyright 1928




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 43
- Volume 1, Sheet 33
- Volume 1, Sheet 32
- Volume 1, Sheet 21
- Volume 1, Sheet xxxx







Site Name: 645 Church Street Site
 Address: 645 Church Street
 City, ST, ZIP: Norfolk, VA 23510
 Client: SCS Engineers
 EDR Inquiry: 5588325.3
 Order Date: 03/13/2019
 Certification # 6A91-4641-B17F
 Copyright 1910




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 19
 Volume 1, Sheet 18
 Volume 2, Sheet 130
 Volume 2, Sheet 129







The certified Sanborn Library search results in this report can be authenticated by visiting www.edrinc.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 6A91-4641-B17F

Site Name: 645 Church Street Site
 Address: 645 Church Street
 City, ST, ZIP: Norfolk, VA 23510
 Client: SCS Engineers
 EDR Inquiry: 5588325.3
 Order Date: 03/13/2019
 Certification # 6A91-4641-B17F
 Copyright 1898




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 18
 Volume 1, Sheet 16
 Volume 1, Sheet 15
 Volume 1, Sheet 14







The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 6A91-4641-B17F

Site Name: 645 Church Street Site
 Address: 645 Church Street
 City, ST, ZIP: Norfolk, VA 23510
 Client: SCS Engineers
 EDR Inquiry: 5588325.3
 Order Date: 03/13/2019
 Certification # 6A91-4641-B17F
 Copyright 1887



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 16



645 Church Street Site

645 Church Street
Norfolk, VA 23510

Inquiry Number: 5588325.5
March 15, 2019

The EDR-City Directory Image Report

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by

infoUSA[®]

Copyright©2008
All Rights Reserved

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2014	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EDR Digital Archive
2010	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EDR Digital Archive
2005	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EDR Digital Archive
2000	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EDR Digital Archive
1995	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EDR Digital Archive
1992	<input checked="" type="checkbox"/>	<input type="checkbox"/>	EDR Digital Archive
1987	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1983	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1978	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Hill's City Directory
1974	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Hill's City Directory
1969	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Hill's City Directory
1964	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Hill's City Directory

FINDINGS

TARGET PROPERTY STREET

645 Church Street
Norfolk, VA 23510

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
-------------	-----------------	---------------

CHURCH ST

2014	pg A1	EDR Digital Archive
2010	pg A2	EDR Digital Archive
2005	pg A3	EDR Digital Archive
2000	pg A4	EDR Digital Archive
1995	pg A5	EDR Digital Archive
1992	pg A6	EDR Digital Archive
1987	pg A7	Polk's City Directory
1987	pg A8	Polk's City Directory
1983	pg A10	Polk's City Directory
1983	pg A9	Polk's City Directory
1978	pg A11	Hill's City Directory
1978	pg A12	Hill's City Directory
1974	pg A13	Hill's City Directory
1974	pg A14	Hill's City Directory
1969	pg A15	Hill's City Directory
1969	pg A16	Hill's City Directory
1964	pg A17	Hill's City Directory
1964	pg A18	Hill's City Directory
1964	pg A19	Hill's City Directory

FINDINGS

CROSS STREETS

No Cross Streets Identified

City Directory Images

CHURCH ST 2014

600 NORFOLK VA POSTAL CREDIT UNION
UNITED STATES POSTAL SERVICE

645 ANDERCEY INVESTMENTS INC
ASA CONSULTING
BALD TRANSPORTATION
BRIGGS HOME HEALTH AGENCY
C & L BUILDERS LLC
C & L LTD LIABILITY COMPANY
CHRISTIAN BROADCASTING CORP
DRESS FOR SUCCESS NORFOLK
GRIFTON RADIO INC
HORTENSES BARBER SALON
INTERNATIONAL GREEN BLDG GROUP
INTERNTNAL BLACK WNS INTIATIVE
INTERNTONAL BLACK WNS CONGRESS
KEM ENTERPRISES INC
LATE NIGHT CATERING INC
LENARD MYERS CPA
LPJ ENTERPRISE LLC
MONEY SERVICES VIRGINIA INC
NORFOLK SEMINARY AND COLL
PATRIOT PROTECTIVE SERVICES
RIDDICK FUNERAL SERVICE
SAFN INC
SBC BRAIDING & NATURAL HAIR
STANLEY GROUP INC
TEAR FACTOR LLC
TIDEWATER GRAPHICS AND SIGNS
UNIVERSAL ADVG GROUP INC
WILLIS BROADCASTING CORP
WLM INVESTMENTS LLC
WSCC LLC

711 NAUSETPOINT CORPORATION

CHURCH ST 2010

600 COMPASS GROUP USA INC
 NORFOLK VA POSTAL CREDIT UNION
 UNITED STATES POSTAL SERVICE

645 ACCESS UNLIMITED 2 INC
 ASA CONSULTING
 CHRISTIAN BROADCASTING CORP
 DRESS FOR SUCCESS NORFOLK
 GLOBAL EXPEDITE LOGISTICS
 GOOD NEWS FAMILY WORSHIP CTR
 GRIFTON RADIO INC
 HAMPTON RADS PROMOTIONAL GROUP
 HEALING SHOP
 HORTENSES BARBER SALON
 INTERNTNAL BLACK WNS INTIATIVE
 INTERNTONAL BLACK WNS CONGRESS
 L WARD AUTOMOTIVE CENTER INC
 LA JATA BRIDAL
 LATE NIGHT CATERING INC
 MARITECH GROUP INCORPORATED
 MCFADDEN GROUP ACCOUNTING INC
 MONEY SERVICES VIRGINIA INC
 NBCA INC
 PANDA PRODUCTIONS INC
 PATRIOT PROTECTIVE SERVICES
 PAUL R RIDDICK CAMPAIGN
 PORT XPRESS TRUCKING LLC
 ROYAL INVSTGATION SEC SVCS INC
 SBC BRAIDING & NATURAL HAIR
 STANLEY GROUP INC
 SUBSIDIARIES A CORP
 TIDEWATER GRAPHICS AND SIGNS
 U HAUL MOVING & STORAGE
 UNIVERSAL ADVG GROUP INC
 WBXB-FM AND WBXB- FM
 WILLIS BROADCASTING CORP
 WLM INVESTMENTS LLC
 WMXS INC
 WSCC LLC
 WSRC

711 NAUSETPOINT CORPORATION

CHURCH ST 2005

600	COMPASS GROUP USA INC NORFOLK VA POSTAL CREDIT UNION UNITED STATES POSTAL SERVICE
645	20TH CENTURY INVESTMENT CORP ACCESS UNLIMITED 2 INC ARKANSAS RADIO CORP BUSINESS INFINITY GROUP INC FAVAH INC HARD WORKING MAN PRODUCTION SC JOB READINESS TRAINING INC LAW OFFICES JENNIFER LACEY PC MONTGOMERY CHRISTIAN RADIO NEW LIFE OF TIDEWATER SBC BRAIDING & NATURAL HAIR TIDEWATER GRAPHICS AND SIGNS W D D T WGSP INC WILLIS & SONS INC WILLIS BROADCASTING CORP WINSTON SALEM RADIO CORP WKSV INC
695	BUSINESS INFINITY GROUP INC
711	GOLDBERG S R CO INC

CHURCH ST 2000

600	COMPASS GROUP USA INC NORFOLK VA POSTAL CREDIT UNION UNITED STATES POSTAL SERVICE
645	METRO COMMUNICATIONS INC WILLIS BROADCASTING CORP
711	GOLDBERG S R CO INC

CHURCH ST 1995

600	UNITED STATES POSTAL SERVICE
645	103 JAMZ
	FRANK HASSELL AND ASSOCIATES
	GOP TACTIVITY CENTER
	METRO COMMUNICATIONS INC
	MONTGOMERY CHRISTIAN RADIO
	TIDEWATER RADIO SHOW INC
	TWILIGHT FUNERAL HOME INC
	W S V E FM 93
	WILLIS BROADCASTING CORP
711	GOLDBERG S R CO INC

CHURCH ST 1992

600 UNITED STATES POSTAL SERVICE
645 ALLIED EDUCATION CORPORATION
FRANK HASSELL AND ASSOCIATES
METRO COMMUNICATIONS INC
MONTGOMERY CHRISTIAN RADIO
RAGAN HENRY NAT RDO PARTNR
TIDEWATER LEGAL AID SOCIETY
TIDEWATER RADIO SHOW INC
TWILIGHT FUNERAL HOME INC
W S V E FM 93
711 WILLIS BROADCASTING CORP
GOLDBERG S R & CO INC

CHURCH ST 1987**8****CHURCH ST -FROM 615 BUTE ST
NORTH 2 EAST OF ST PAUL'S BLVD**

ZIP CODE 23510

- 600 Post Office Building
 - Lobby U S P O (Passports) 629-2249
 - Lobby U S P O (Customer Serv) 629-2248
 - Rooms
 - 111 U S P O (Finance Div) 629-2177
 - 112 U S P O (Emp & Labor Relations)
629-2221
 - 124 U S P O (Permit Acceptance Unit)
629-2196
- 600 U S P O (Distribution) 629-2228
 - 137b U S P O (Mail Process Opns)
629-2119
 - 143 U S P O (Quality Control) 629-2107
 - 179 U S P O (Data Techns) 629-2188
 - 196 U S P O (Mtce Controll) 629-2160
 - 196 U S P O (Mtce Rm) 629-2160
 - 200 U S P O (Stockrm Mtce) 629-2163
 - 202 U S P O (Custodians Rm) 629-2153
 - 202 U S P O (Mtce Supt) 629-2152
 - 202 U S P O (Bldg & Equip) 629-2156
 - 206 U S P O (Plant & Equip Eng)
629-2150
 - 207 U S P O (Mtce Shop)
 - 208 U S P O (Safety) 629-2218
 - 219 U S P O (Training) 629-2212
 - 228 U S P O (Emp & Labor Relations)
629-2201
 - 233 U S P O (Industrial Eng) 629-2104
 - 236 U S P O (Mail Processing) 629-2116
 - 246 U S Postal Credit Union 622-7772
 - 250 U S P O (Mail Classification)
629-2192
 - 250 U S P O (Claims & Inquiry) 629-2195
 - 250 U S P O (Mail & Requirements)
629-2193
 - 250 U S P O (Postal Information)
629-2194
 - 250 U S P O (Postal Info) 629-2198
 - 269 U S P O (Satellite Shop)

CHURCH ST 1987

314 U S P O (Boiler Rm)
 113 U S P O (E E O Counselor) 629-2220
 113 U S Postal Service 629-2224
 318 U S P O (Postal Sys Exam) 629-2103
 325 U S P O (E D P Sys Admn)
 629-2141
 333 U S P O (Postal Inspectors) 629-2261
 338 U S P O 629-2246
 346 U S P O (Retail Sales & Services)
 629-2242
 339 U S P O (Address Info) 629-2237
 339 U S P O (Address Info) 629-2240
 340 U S P O (Mail Rm) 629-2172
 346 U S P O (Customer Servs Div)
 629-2231
 346 U S P O (Sta's & Branches) 629-2236
 346 U S P O (Del & Colln) 629-2234
 356 U S P O (Postmaster) 629-2101
 359 U S P O (Acct & Reporting Sys)
 629-2174
 364 U S P O (Finance Div) 629-2166
 364 U S P O (Budget & Cost Analysis)
 629-2168
 412 U S P O (Veh Mtce-Disprs) 629-2276
 414 U S P O (Veh Mtce Supvrs) 629-2257
 417 U S P O (Veh Mtce Sups) 629-2253
 424 U S P O (Veh Mtce Genl Ofc)
 629-2255
 425 U S P O (Veh Mtce-Fleet Oprn)
 629-2250
 426 U S P O (Veh Mtce-Oprns) 629-2252
 Rear U S P O (Vehicle Oprns Div)
 Rear U S P O (Mtce Garage)

16

412 Tidewater Legal Aid Society 627-5423
 645 Tidwater Legal Aid Society 627-5423
 E BRAMBLETON AV
 INTERSECTS
 711 Goldberg Hardware 622-5364
 755 Stanley's Home Furnishings Inc 640-1651
 E OLNEY RD INTERSECTS
 NICHOLSON ENDS
 VIRGINIA BEACH BLVD INTERSECTS
 1010 Stark & Legum Inc pawnbrokers
 627-1018

CHURCH ST 1983

8

**CHURCH ST —FROM 615 BUTE ST
NORTH 2 EAST OF ST PAUL'S BLVD**

ZIP CODE 23510

600 Post Office Building

Lobby U S P O (Passports) 629-2249

Lobby U S P O (Customer Serv) 629-2248

Rooms

111 U S P O (Finance Div) 629-2177

112 U S P O (Emp & Labor Relations)
629-2221124 U S P O (Permit Acceptance Unit)
629-2196

137a Vacant

137b U S P O (Attendance Time & Leave)

143 U S P O (Quality Control) 629-2107

179 U S P O (Data Techns) 629-2188

196 U S P O (Mtce Controll) 629-2160

197 U S P O (Mtce Rm)

200 U S P O (Stockrm Mtce) 629-2163

201 U S P O (Custodians Rm)

202 U S P O (Mtce Supt)

203 U S P O (Bldg & Equip) 629-2156

206 U S P O (Plant Mtce) 629-2105

207 U S P O (Mtce Shop)

208 U S P O (Safety) 629-2218

219 U S P O (Training) 629-2212

228 U S P O (Emp & Labor Relations)
629-2201

233 U S P O (Industrial Eng) 629-2104

236 U S P O (Mail Processing) 629-2116

246 U S Postal Credit Union 622-7772

250 U S P O (Mailing Classification)
629-2192

250 U S P O (Claims & Inquiry) 629-2195

250 U S P O (Mail & Requirements)
629-2193

250 U S P O (Postal Information) 629-2194

250 U S P O (Zip Code Info) 629-2198

269 U S P O (Satellite Shop)

314 U S P O (Boiler Rm)

318 U S P O (E E O Counselor) 629-2220

320 U S P S (E E O Reg Investigator)
629-2224

323 U S P O (Postal Sys Exam) 629-2103

333 U S P O (Postal Inspectors) 629-2261

338 U S P O (Customer Serv Reps)
629-2246

338 U S P O (Exp Mail Coord) 629-2244

339 U S P O (Address Info) 629-2237

CHURCH ST 1983

339 U S P O (Del & Colln) 629-2240
 340 U S P O (Mail Rm)
 346 U S P O (Customer Servs Div)
 629-2231
 346 U S P O (Retail Sls & Serv) 629-2242
 346 U S P O (Sta's & Branches) 629-2236
 346 U S P O (Del & Colln) 629-2234
 356 U S P O (Postmaster) 629-2101
 359 U S P O (Acctg) 629-2174
 364 U S P O (Finance Div) 629-2166
 364 U S P O (Budget & Cost Analysis)
 629-2168
 412 U S P O (Veh Mtce-Dispr) 629-2254
 414 U S P O (Veh Mtce Supvrs) 629-2257
 417 U S P O (Veh Mtce Sups) 629-2253
 424 U S P O (Veh Mtce Genl Ofc)
 629-2255
 425 U S P O (Veh Mtce-Fleet Oprn)
 629-2250
 426 U S P O (Veh Mtce-Oprns) 629-2252
 Rear U S P O (Vehicle Oprns Div)
 Rear U S P O (Mtce Garage)

16

 E BRAMBLETON AV
 INTERSECTS

711 Goldberg Hardware 622-5364
 728 Quality Furniture Co 627-4523
 755 Levitin D & Son Inc furn 622-7913
 E OLNEY RD INTERSECTS
 816 Mark Four Lounge restr 625-9403
 818 Mark IV Production & Unisex Salon
 625-9766
 823 Lester's Shoeshine & Novelty Shop
 824 Vacant
 825 Vacant
 828 Vacant
 830 Vacant
 831 Uptown Peanut Shop
 832 Vacant
 833 Vacant
 834 Vacant
 835 Veterans Pool Parlor
 837 L & M Beauty Nook 625-8072
 838 Vacant
 839 Crab House restr
 840 Seymour's Sanitary Barber Shop 625-9275
 841 Bill's Market
 842 Vacant
 848 Vacant
 Rear Vacant
 NICHOLSON ENDS
 914 Seymour's Beauty & Barber Supply
 622-3258

CHURCH ST 1978

8

**CHURCH ST —FROM 615 BUTE ST
NORTH 2 EAST OF ST PAUL'S BLVD**

ZIP CODE 23510

- 600 Robbins A Furniture Corp 622-4869
- 601 Tidewater Funeral Service 622-4184
- 603 House Of Faith Apostolic Church
- 613 Vacant
- 614 Home Furniture Co 625-5349
- 615 Frosty's Wig Boutique 625-1520
- 617 Norfolk Church Of The Apostolic Faith
622-1108
- 623 Vacant
- 624 Terry Thos R Realty Corp 625-3360
- 625 Bress Loans Inc pawn broker 625-4228
- 626 Eureka Lodge Home 622-9597
Eureka Lodge Auxiliary
Eureka Lodge Of Norfolk Virginia Inc
- 630 Brickhouse Valerie J
- 631 Pride Men's Shop clo 625-3145
Orlean Inc men's clo 625-3145
- 632 Dixie Hatters
- 635 Tastee Bar B Q 625-8431
- 636 Adler Furniture Co 627-8975
- 637 Brown Willie D 623-4718
- 639 Vacant
- 641 Cooper's Inc jwlrs 622-4691
Cooper Mervin optom 622-4691
- 642 La Mode Shoe Shop
- 643 Vacant

CHURCH ST 1978

644 Young Men Shoe Shine & Music Parlor
 646 Vacant
 648 Wong Charlie Restaurant 627-5894
 650 Crusaders For Christ Deliverance Mission
 (used clo)
 656 Bond Southern Furniture Inc 622-2986
 660 Dunbar Theatre 625-3563
 662 Goody Goody Barber Shop 625-9176
 664 Riddick Benj L
 666 Vacant

16

E BRAMBLETON AV
 INTERSECTS
 700 Metropolitan Bank & Trust Co Building
 Metropolitan Cut Rate cut rate drug
 622-1765
 Metro Lunch
 Rooms
 202 Vacant
 204 Gilbert's Dental Laboratory 622-4926
 206 Grand Temple Daughters Of Elks org-
 benevolent 622-3047
 207 Selden John S Jr phys 622-1950
 301 Vacant
 Labors International Union Local 649
 627-4755
 703 Wadley Lynwood W 623-0898
 704 Vacant
 705 Nimrod's Shoe Shine Parlor
 706 Brass Brothers Theatres (Ofc) 627-2561
 Lenox Theatre 627-2561
 707 Nimrods Enterprises Inc booking agcy
 627-0895
 Job's Shiptown Recording Co & Studios
 625-0815
 709 Good Buddy Sam Jewelry Inc 627-2303
 710 Vacant
 711 Goldberg Hardware 622-5364
 714 Vacant
 718 Jones Used Furniture
 720 New China Restaurant 623-4166
 721 Vacant
 722 Vacant
 723 Vacant
 724 Ever-Ready Barber Shop 623-2162
 *Harris John
 725 Vacant
 726 United Christian Front For Brotherhood
 726 1/2 *Williams John
 727 Vacant
 728 Quality Furniture Co 627-4523
 733 Vacant
 747 Warehouse Shoes Ltd 625-0722
 755 Levitin D & Son Inc furn 622-7913
 757 Vacant
 759 Vacant
 761 Southern Loan Office pawnbrokers
 625-2994
 E OLNEY RD INTERSECTS
 800 Vacant
 802 Vacant
 804 Klean Kleeners 627-4922
 808 New Lincoln Restaurant 625-9868
 810 *Curtis Julius 622-2798
 812 Wynn's Beauty Salon 625-9224
 813 Arthur's Drug Store Inc 625-7807
 814 Vacant
 815 Gem Building
 Rooms
 202 Vacant
 203 Archer Edw R phys 627-3790
 204 Hodges Eug M dentist 627-5293
 816 Mark Four Lounge 625-9403
 817 Vacant
 818 Vacant
 820 Whit. Grace L 625-2406
 823 Lester's Shoeshine & Novelty Shop
 625-8066
 824 Cliff The Hatter cins
 825 Vacant
 826 Brooks & Grant Barber Shop 625-8546
 828 Vacant
 830 Vacant
 831 Uptown Peanut Shop
 832 Vacant
 833 Shing Peng Cafe 622-1410
 834 Vacant
 835 Veterans Pool Parlor billiard rms 625-9707
 837 L & M Beauty Nook 625-8072
 838 Vacant
 839 Vacant

CHURCH ST 1974

CHURCH ST —FROM 615 BUTE ST
NORTH 2 EAST OF ST PAUL'S
BLVD

ZIP CODE 23510

600 Robbins A Furniture Corp 622-4869
601 Tidewater Funeral Service 622-4184
603 Johnson Interior int dec 625-5247
605 Vacant
613 Tony's Shoe Stores 622-4972
614 Home Furniture Co 625-5349
615 Mallick Herman optom 622-9837
617 Bress Loan Office (Lawrence E Bress)
625-4228
623 New Dixie Loan Office pawn brokers
622-3003
624 Robinson & Johnson bkpg serv
627-0538
625 Liberal Loan Co pawnbrokers
625-7193
Pride Men's Shop 625-7193
Orloan Inc pawn brokers 625-7193
626 Eureka Lodge Home 622-9597
Eureka Lodge Auxiliary
Eureka Lodge Of Norfolk Virginia inc
630★Brickhouse Valerie J 627-1602
631 Vacant
632 Dixie Hatters
635 Tastee Bar B Q 625-8431
636 Family Furniture Co 627-8975
637 Brown Willie D 623-4718
639 Orleans Leon clo
641 Cooper's jwlr 622-4691
642 La Mode Shoe Shop
643 George's Department Store Inc
627-5751
644 Young Men Shoe Shine & Music
Parlor
646 No Return
648 Wong Charlie Restaurant 627-5894
650 Vacant
656 Bond Southern Furniture & Appliance
Inc 622-2986
660 Dunbar Theatre 625-3563
662 Goody Goody Barber Shop 625-9176
664b Riddick Benj L
666 Seaman's Club The
668 Vacant

16

E BRAMBLETON AV
INTERSECTS

700 Metropolitan Bank & Trust Co
Building
Metropolitan Cut Rate cut rate drug
622-1765
Metro Lunch restr
Rooms
202 Coppage Saml F 627-7821
204 Gilbert's Dental Laboratory
622-4926
206 Daughters Of Elks
207 Selden John S Jr phys 622-1951
301 Vacant
Federal Public Service Employees
District Council 625-5052
701 Queen Confectionery Inc 622-9467
703 Esquire Record & Afro Shop 622-9144
Wadley Lynwood W 623-0898
704 Modern Arts Studio photogs 622-7941
705 Nimrod's Shoe Shine Parlor
706 Bress Brothers Theatres (Ofc)
627-2561
Lenox Theatre 627-2561
707 Arthur's Men's Shop 622-1158
709 Good Buddy Sam Jewelry Inc
627-2303
710 Vacant
711 Goldberg Hardware 622-5364
714 Vacant
718 Soultape records 623-0691
719 Vacant
720 New China Restaurant
721 Jordan Willie C
722 Nimrod's Booking Agency
723 Powell Dennis
724 Ever-Ready Barber Shop 625-9054
725 Vacant
726 Shabazz Steak House
728 Quality Furniture Co 627-4523
733 Gayle's Dept Store wns & children clo
622-9471
734 Dixie Clothes 625-3450
736 Vacant
737 Gayle's Dept Store (Overflow)
738 Strong Furniture Co 627-5941
742 Virginia Carolina Barber Shop

CHURCH ST 1974

744 Booker T Pharmacy 627-2634
 747 Coleman's Shoes 623-0155
 755 Levitin D & Son Inc furn 622-7913
 757 Birdland Record Shop 622-9865
 759 Faine Nathl
 761 Southern Loan Office pawnbrokers
 625-2994
 E OLNEY RD INTERSECTS
 800 Vacant (3 Bldgs 800-04)
 806 R E Shoe Shine Shop
 808 Lincoln Restaurant 625-9272
 810 Soulville Record Shop 623-0691
 812 Wynn's Beauty Salon 625-9224
 813 Arthur's Drug Store Inc 625-7807
 814 Harrison Blanche C 623-3746
 815 Gem Building
 Rooms
 202 Carter Russell H phys 622-8545
 203 Archer Edw R phys 627-3790
 204 Archer Lozena phys 623-0095
 816 Mark IV Lounge 625-9403
 817 Vacant
 818 Vacant (818-19)
 820 White Grace L
 821 Vacant
 823 Ray's Barber Shop 625-8881
 824 Cliff The Hatter clns
 825 Carver Theatre 622-5916
 826 Brooks & Grant Barber Shop 625-8546
 828 Regal Beauty Nook 625-9416
 830 Regal Theatre 622-5237
 831 Uptown Peanut Shop
 832 Vacant
 833 Shing Peng Cafe 622-1410
 834 Siegel's Clothing Store
 835 Veterans Pool Parlor 625-9707
 836 Vacant
 837 Draper's Alice Beauty Nook 625-8072

CHURCH ST 1969

CHURCH ST -FROM 615 BUTE ST
NORTH 2 EAST OF ST PAUL'S
BLVD

---ZIP CODE 23510

---E BUTE ENDS

600 ROBBINS A FURNITURE CORP
622-4869

601 O K OUTFITTERS INC 622-2119

605 HOME FURNITURE CO ANNEX

607 VACANT (607-611)

613 TONY'S SHOE STORES INC
622-4972

614 HOME FURNITURE CO 625-5349

615 MALLICK HERMAN OPTOM
622-9837

617 BRESS LOAN OFFICE (LAWRENCE
E BRESS) 625-2425

623 NEW DIXIE LOAN OFFICE PAWN
BROKERS 622-3003

624 WALKER STERLING W LWYR
622-5444

ROBINSON & JOHNSON BKPG
SERV 627-0538

625 LIBERAL LOAN CO PAWNBROKERS
625-7193

626 EUREKA LODGE HOME 622-9597

EUREKA JUVENILES

EUREKA LODGE AUXILIARY

EUREKA LODGE OF NORFOLK

VIRGINIA INC

LANCASTER'S SOCIAL &

BENEFICIAL CLUB

629½ VACANT

630 WILSON LENA C MRS 627-8800

CHURCH ST 1969

631 DIXIE FURNITURE CO 622-1537	742 VIRGINIA CAROLINA BARBER SHOP
632 DIXIE HATTERS	744 BOOKER T PHARMACY 627-1420
635 TASTEE BAR B Q 625-8431	747 COLEMAN'S SHOES 627-9793
636 FAMILY FURNITURE CO 627-8975	755 LEVITIN D & SON INC FURN 622-7913
637 JONES JOHN H	757 BIRDLAND RECORD SHOP 622-9865
639 LONDON SHOE REBUILDING	759 FAINE NATHL
641 COOPER'S JWELRS 622-4691	761 SOUTHERN LOAN OFFICE PAWNBROKERS 625-2994
642 LA MODE SHOE SHOP	---E OLNEY RD INTERSECTS
643 GEORGE'S DEPARTMENT STORE INC 627-5751	800 MARVELOUS MAYFIELD'S HOUSE OF PROCESS BARBER SHOP 625-8794
644 VACANT	802 MARTEL BUILDING OFC & PUB SAVOY MEN'S SHOP
646 VACANT	804 HOWARD CLEANERS (BR)
648 WONG CHARLIE RESTAURANT 627-5894	806 VACANT
650 VACANT	808 LINCOLN RESTAURANT 625-9272 SMALL FRANK
656 BOND SOUTHERN FURNITURE & APPLIANCE STORES INC 622-9531	810 VACANT
660 DUNBAR THEATRE 625-3563	812 WYNN'S BEAUTY SALON 625-8228
662 GOODY GOODY BARBER SHOP 625-9176	813 ARTHUR'S DRUG STORE INC 625-7807
664 RIDDICK BENJ L 625-0423	814 COTTON BLANCHE
ADAMS JAMES	815 GEM BUILDING ROOMS
666 PALACE RESTAURANT 625-8729	201 CARTER RUSSELL H PHYS 622-8545
668 BARON'S MENS SHOP 622-1301	203 ARCHER EDW R PHYS 627-3790
	204 LEWIS JAMES R DENTIST 622-8191
	816 ARCHIE'S DINNER LOUNGE 625-9403
16	817 VACANT
---E BRAMBLETON AV	818 MANSALLE'S BEAUTY SALON 625-9766
---INTERSECTS	819 VACANT
700 METROPOLITAN BANK & TRUST CO BUILDING	820 KLEAN KLEANERS CLO CLNS 625-9828
METRO LUNCH CUT RATE DRUG 622-1765	821 VACANT
ROOMS	823 RAY'S BARBER SHOP 625-8881
202 COPPAGE SAML F 627-7821	824 FROSTY'S WIG CENTER
204 GILBERT'S DENTAL LABORATORY 622-4926	825 CARVER THEATRE 622-5916
206 VACANT	826 BROOKS & GRANT BARBER SHOP 625-8546
207 SELDEN JOHN S JR PHYS 622-1951	828 REGAL BEAUTY NOOK 625-9416
301 PROFESSIONAL BUSINESS SERVICE BKPG SERV 622-1220	830 REGAL THEATRE 622-5237
303 PROJECT OUTREACH (TIDEWATER AREA BUSINESS LEAGUE) 623-2455	831 UPTOWN PEANUT SHOP
306 VACANT	832 REGAL SHOE SHOP REPRS MC CLAIN JACK
307 VACANT	833 SHING PENG CAFE 622-1410
308 VACANT	834 SIEGEL'S CLOTHING STORE 622-7239
310 LIVAS HENRY L AIA ARCHTS & ASSOCIATES ARCHTS & ENGS 627-0896	835 VETERANS POOL PARLOR 625-9896
314A LABORER'S INTERNATIONAL UNION OF NORTH AMERICA 625-5052	VACANT
FEDERAL PUBLIC SERVICE EMPLOYEES DISTRICT COUNCIL 625-5052	836 TILLET AMOS 623-2112
701 QUEEN CONFECTIONERY INC 622-9467	837 VACANT
703 ESQUIRE RECORD SHOP NO 2 WADLEY LINWOOD W 623-0898	838 VACANT
704 MODERN ARTS STUDIO PHOTOGS 622-7941	839 MILES CAFE 625-8044
705 NIMROD'S SHOE SHINE PARLOR	840 SEYMOUR'S SANITARY BARBER SHOP 625-9275
706 BRESS BROS THEATRES (OFC) 627-2561	841 HIGH'S ICE CREAM CORP BR 625-9389
LENOX THEATRE 627-2501	842 WRIGHT JUNIOR 623-7583
707 LORD'S SHOES INC SHOES RET 622-5582	844 PEACOCK LOUNGE 625-9443
709 VACANT	846 EVER READY BEAUTY SALON 625-8991
710 N & K JEWELRY CORP 622-8291	848 HOLLEY RUFUS JR FLORIST 627-9766
ROGERS JEWELRY CO 622-8291	REAR VACANT
711 ARTHUR'S MEN SHOP INC CLO 622-1158	850 KROLL J MAURY LOCKSMITH 627-3861
714 ENTERPRISE LOUNGE 627-6307	---NICHOLSON ENDS
718 LEVINE STANLEY J OPTOM 627-5872	900 VACANT
UNIVERSAL LIFE INSURANCE CO 622-4217	901 BERGER'S PATENT MED 625-1898
719 VACANT	902 MOUNT VERNON OFFICE BUILDING HAMLIN JEFF SCOTT JOHNNIE G 623-9642
720 NEW CHINA RESTAURANT OWENS JUNG	904 VACANT
721 JORDAN WILLIE C	905 SORDKO BROS GROS 622-5209
722 VACANT	908 HORTENSE BARBER SHOP 625-8761
723 POWELL DENNIS	909 VACANT
724 EVER-READY BARBER SHOP 625-9054	910 BRYANT'S POOL PARLOR
725 VACANT	911 CARTER A C & SON PLMB & HTG 627-1307
726 NIMROD'S BOOKING AGENCY 627-0895	911 BLOUNT HAZEL 623-2885
727 JEWEL BOX THE JWELRY 622-9088	913 BUTLER FLOSSIE E 622-0945
LARONDA INC TIA THE JEWEL BOX JWELRS 622-9088	914 RUSSELL'S SCHOOL OF BEAUTY CULTURE 622-0522
728 QUALITY FURNITURE CO INC 627-4523	915 VACANT
733 GAYLE'S JR DEPT STORE WNS & CHILDREN CLO 622-9471	916 AMERICAN LEGION HALL HALL AMERICAN LEGION ATHLETIC CLUB INC POST NO 5 625-9146
734 DIXIE CLOTHES 625-3450	ATTUCKS POST NO 5 AMERICAN LEGION
736 PEARLMAN'S CLO 625-3450	917 VACANT
737 GOLDBERG HARDWARE 622-5364	919 REGAL PEANUT SHOP 625-9312
738 STRONG FURNITURE CO 627-5941	921 VACANT
	923 VACANT

CHURCH ST 1964

CHURCH ST

8

---E BUTE ENDS
 600 ROBBINS A FURNITURE CORP
 MA2-4869
 601 O K OUTFITTERS INC MA2-2119
 605 HOME FURNITURE COMPANY ANNEX
 607 NATIONAL SHOE STORE
 609 HODGE MADIE MRS
 611 MARIAN'S BEAUTY SALON MA5-4164
 613 TONY'S SHOE STORES INC MA2-4972
 614 HOME FURNITURE CO MA5-5349
 615 MALLICK HERMAN OPTOM MA2-9837
 617 ESQUIRE SHOE SHINE
 617½ VACANT
 619 VIRGINIA-CAROLINA BARBER SHOP
 623 NEW DIXIE LOAN OFFICE PAWN
 BROKERS MA2-3003
 624 LEGUM A J INC EXEC OFC MA5-5349
 WALKER STERLING W LWYR 622-5444
 625 LIBERAL LOAN OFFICE PAWNBROKERS
 625-7193
 626 EUREKA LODGE HOME MA5-9878
 EUREKA JUVENILES
 EUREKA LODGE AUXILIARY
 EUREKA LODGE OF NORFOLK
 VIRGINIA INC
 INVINCIBLE COURT OF CALANTHA
 LODGE
 LANCASTER'S SOCIAL & BENEFICIAL
 CLUB
 SUPPLY CENTER STEVEDORES NO 297
 629½ BRESS LEWIS FURN ROOMS
 NO RETURN
 630 VACANT
 631 DIXIE FURNITURE CO MA2-1537
 632 DIXIE HATTERS
 635 TASTEE BAR B Q RESTR MA5-8431
 636 FAMILY FURNITURE CO 627-8975
 637 SYDNOR JOHN T PHYS 625-1271
 JONES LEROY
 SPIGHT LEE
 639 LONDON SHOE REBUILDING
 641 COOPER'S INC JWLRs MA2-4691
 642 LA MODE SHOE REPAIRING SHOP
 643 BASSIL D L OFC BLDG
 GEORGE'S DEPARTMENT STORE INC
 MA7-5751
 644 HOLLYWOOD STUDIO THE PHOTOGS
 LEONARD JESSE E
 646 VACANT
 648 WONG CHARLIE RESTAURANT
 MA7-3307
 650 GRAND FURNITURE CO INC RET FURN
 MA2-2533
 JERRY'S INC FURN MA2-2533

CHURCH ST 1964

656 SOUTHERN FURNITURE & APPLIANCE
 STORES INC 672-9531
 660 DUNBAR THEATRE MA5-3563
 662 GOODY GOODY BARBER SHOP
 MA5-9176
 664 RIDDICK BENJ L MA2-2829
 666 PALACE RESTAURANT MA5-8729
 668 BARR BROS INC BR MA5-6938

16

---E BRAMBLETON AV
 ---INTERSECTS
 700 METROPOLITAN BANK & TRUST CO
 BUILDING
 METRO LUNCH CUT RATE DRUG
 MA2-1765
 ROOMS
 202 BAILEY WELTMAN D DENTIST
 MA2-3137
 204 GILBERT'S DENTAL LABORATORY
 MA2-4926
 206 VACANT
 207 SELDEN JOHN S JR PHYS
 MA2-1951
 301 BROOKS J C & CO INC REAL
 EST MA2-2198
 303 VACANT
 304 COPPAGE SAML F DENTIST
 MA7-7821
 306 JACKIE'S BEAUTY SALON
 MA2-9415
 308 VACANT
 309 VACANT
 311 AMERICAN FEDERATION OF
 MUSICIANS LOCAL NO 702
 MA7-7673
 314A VACANT
 STREET CONTINUED
 701 QUEEN CONFECTIONERY INC
 MA2-9467
 701½ WADLEY LINWOOD W
 703 ROSENFELD BABY SHOP INC
 625-6057
 704 MODERN ARTS STUDIO PHOTOGS
 MA2-7941
 705 NIMROD'S SHOE SHINE PARLOR
 706 BRESS BROS THEATRES (DFC)
 MA7-2561
 LENOX THEATRE MA7-2561
 707 JACOBS F & BROTHERS PAWN
 BROKERS MA2-5850
 709 WOOLWORTH F W & CO (BR)
 MA7-1662
 710 ROYAL JEWELERS LTD 625-6753
 714 ENTERPRISE LOUNGE MA5-9125
 718 LEVINE STANLEY J OPTOM MA7-587
 RICHMOND BENEFICIAL INSURANCE
 CO MA2-4217
 719 STAR SHOE STORE MA5-6826
 720 NEW CHINA RESTAURANT MA5-3537
 LEN WONG • MA5-3537
 721 VACANT
 722 WONG WING LAUNDRY MA5-2696
 723 VACANT
 724 EVER-READY BARBER SHOP MA5-905
 725 LENOX MEN'S SHOP MA2-4230
 726 VACANT
 727 JEWEL BOX THE JWLRY MA2-9088
 LARONDA INC JWLRY MA2-9088
 728 QUALITY FURNITURE CO INC
 MA7-4523
 729 KRUG DAVID FURN ROOMS
 733 GAYLE'S STYLE SHOP WNS &
 CHILDREN CLO MA2-9471
 734 DIXIE CLOTHES MA5-3450
 735 MEYERS & TABAKIN INC (BR) RET
 FURN MA5-6610
 736 PEARLMAN'S CLO MA5-3450
 737 GOLDBERG S R CO INC HDW
 MA2-5364
 738 STRONG FURNITURE CO MA7-5941
 742 MARK'S SHOE STORE MA5-6922
 MAURICE SHOE CORP MA5-6922
 743 BEST CREDIT CLOTHIERS 625-1051
 744 BOOKER T PHARMACY MA7-1420
 747 ARTHUR'S MEN'S SHOP INC MEN'S
 CLO MA2-1158
 755 LEVITIN D & SON INC FURN
 MA2-7913

CHURCH ST 1964

CHURCH ST--CONTD

757 COLEMAN'S SHOES SHOES RET
627-9793
 759 FAINE NATHL
 761 SOUTHERN LOAN OFFICE
PAWNBROKERS 625-2994
 ---E OLNEY RD INTERSECTS
 800 HOUSE OF PROCESS 625-8741
 802 MARTEL BUILDING OFC & PUB
KING JOHN W PHYS MA5-3174
NEWBY JAMES E JR PHYS MA7-1510
SAVOY MERIS SHOP CLO MA2-0921
WILLIE JAMES O PHYS MA5-3174
 804 HOWARD CLEANERS (BR)
 806 P F SHOE SHINE PARLOR
 808 LINCOLN RESTAURANT MA5-9272
 810 VACANT
 812 BASNIGHT'S HAIR STYLING SALON
625-8675
 813 ARTHUR'S DRUG STORE INC
MA5-7807
D & J LUNCH 625-8050
 814 ALSTON GEO T PHYS MA7-9028
 815 GEM BUILDING
ROOMS
 201 ARCHER EDWARD R PHYS
627-3790
PROFESSIONAL BUSINESS
SERVICE 622-7881
 203 COBBS WILSON N UROLOGIST
MA5-7125
 204 LEWIS JAMES R DENTIST
MA2-8191
 STREET CONTINUED
 816 NO RETURN
 817 FRANKIE'S BIRDLAND RECORD SHOP
MA2-9865
 818 MAMSELL'S BEAUTY SALON MA2-0848
 819 UNDER CONSTN
 820 UNDER CONSTN
 821 UNDER CONSTN
 820 KLEAN KLEANERS CLO CLNS
 822 VACANT
 823 RAY'S BARBER SHOP
 824 RICE'S FAMILY SHOE STORE
MA5-9435
 825 CARVER THEATRE MA2-5916
 826 BROOKS & GRANT BARBER SHOP
 828 REGAL BEAUTY NOOK 625-9416
 829 UPTOWN PEANUT SHOP CONFY
 830 REGAL THEATRE MA2-5237
 832 REGAL SHOE SHOP REBBS

Appendix E Agency File Records

Holcomb, Alexis

From: Washington, Sean <Sean.Washington@norfolk.gov>
Sent: Tuesday, March 19, 2019 2:42 PM
To: Holcomb, Alexis
Subject: FW: 645 Church Street Questions

Alexis - See Below.

Sean Washington
Senior Business Development Manager



Department of Economic Development
999 Waterside Drive, Suite 2430
Norfolk, VA 23510
Office: 757-664-4333
Cell: 757-985-6925

Connect with us:

www.norfolk.gov

www.norfolkdevelopment.com

From: Chalk, Jared
Sent: Tuesday, March 19, 2019 2:20 PM
To: Washington, Sean <Sean.Washington@norfolk.gov>
Subject: RE: 645 Church Street Questions

I can answer. All of those uses were just offices in the office building. They weren't stand alone businesses.

From: Washington, Sean
Sent: Tuesday, March 19, 2019 1:53 PM
To: Chalk, Jared <Jared.Chalk@norfolk.gov>
Subject: FW: 645 Church Street Questions

Jared – Can this be forwarded to Ned as well?

Sean Washington
Senior Business Development Manager



Department of Economic Development
999 Waterside Drive, Suite 2430
Norfolk, VA 23510
Office: 757-664-4333

Cell: 757-985-6925

Connect with us:

www.norfolk.gov

www.norfolkdevelopment.com

From: Holcomb, Alexis <AHolcomb@scsengineers.com>

Sent: Tuesday, March 19, 2019 11:40 AM

To: Washington, Sean <Sean.Washington@norfolk.gov>

Subject: 645 Church Street Questions

***** This is an EXTERNAL email. Please exercise caution. *****

Good morning Sean,

During the historic research of the property, there are a few previous businesses that raise a couple flags regarding their potential to have impacted the site. I wanted to see if you had additional information or knew of someone (the current owner/previous owner) who may have more specific knowledge of the property or these entities?

601 Church Street – Tidewater Funeral Service present on-site in 1974 – 1978

645 Church Street (unknown suite) – Twilight Funeral Home Inc. present on-site in 1992 – 1995

645 Church Street (unknown suite) – Riddick Funeral Service present on-site in 2014

645 Church Street (unknown suite) – Tidewater Graphics and Signs present on-site in 2005 – 2014

645 Church Street (unknown suite) – L Ward Automotive Center Inc. present on-site in 2010

The graphics/signs and automotive businesses I mainly wanted to try and confirm they were used for office purposes and not actual printing and vehicle maintenance services.

Thanks,

Alexis Holcomb
Project Professional



2877 Guardian Lane
Suite 1-F
Virginia Beach, Virginia 23452
Direct: (757) 201-9264
Office: (757) 466-3361
aholcomb@scsengineers.com
www.scsengineers.com

FREEDOM OF INFORMATION ACT (FOIA)
REQUEST FOR PUBLIC RECORDS
Section 2.2-3700, Code of Virginia

1. DATE OF REQUEST: MARCH 15, 2019
2. INDIVIDUAL REQUESTING INFORMATION
- Full Name: ALEXIS HOLCOMB
- Company (if applicable): SCS ENGINEERS INC.
- Address: 2877 GUARDIAN LN, STE 1-F
- City: VB State: VA ZIP: 23452
- Email Address: AHOLCOMB@SCSENGINEERS.COM
- Telephone: (Home) N/A (Work) 757 201 9264

3. RECORDS REQUESTED (Provide as much detail as available):

Date(s) / Time(s) of record(s) (Ex. 01/01/2004 at 3:45 p.m.) _____

Detailed Description of Request: 645 Church Street, Norfolk, VA 23510
Any former Ph.I ESA / Ph.II ESA reports
Any environmental related information (ie: hazardous
wastes, substances ; underground / aboveground tanks ; etc.)

4. PURSUANT TO VIRGINIA CODE §2.2-3704(F), IT WILL BE NECESSARY FOR YOU TO REIMBURSE THE CITY FOR ALL COSTS INCURRED IN THE PRODUCTION OF THESE RECORDS.

SIGNATURE OF REQUESTER: Alexis Holcomb

You can mail the completed form back to:
City of Norfolk Communications Division
810 Union Street, Ste. 409
Norfolk, VA 23510

You can also fax it to (757) 664-4006 or email it to FOIARequest@norfolk.gov
Call (757) 664-4266 with any questions

Holcomb, Alexis

From: Bethea, Adara J <Adara.Bethea@norfolk.gov>
Sent: Monday, March 25, 2019 2:52 PM
To: Holcomb, Alexis
Cc: Washington, Michelle
Subject: FOIA 2019-0368 Alexis Holcomb
Attachments: 0368 SIGNED Response.pdf; FOIA- Summary (002).doc

Good Afternoon,

Please see the attached FOIA information regarding your request.

Thank you,

Adara Bethea
Public Information Specialist I


Marketing and Communications
810 Union Street, Suite 409
Norfolk, VA 23510
757-823-1167

Connect with us:
www.norfolk.gov



March 25, 2019

Alexis Holcomb
SCS Engineers
2877 Guardian Lane Suite 1-F
Virginia Beach, VA 23452

Re: Freedom of Information Act Request by Alexis Holcomb for a copy of the following any information regarding the registration or removal/abandonment of underground/aboveground storage tanks or any spills/releases associated with the tanks at this property. Our file number is 2019-0368.

Dear Ms. Holcomb:

We have received your request for records made in accordance with the Virginia Freedom of Information Act (§ 2.2-3700 et seq.). The City has no records responsive to your request.

Thank you for contacting this office.

Sincerely,



Michelle Washington
Public Relations Manager

Holcomb, Alexis

From: Holcomb, Alexis
Sent: Friday, March 15, 2019 2:39 PM
To: 'questions@vdh.virginia.gov'
Subject: Information Request: 645 Church Street, Norfolk, VA
Attachments: Church St.pdf

Good afternoon Mr. Hilbert,

I am conducting an assessment of the property located at 645 Church Street in Norfolk, VA 23510 (see attached site map). I am requesting any records you may have on file of underground/aboveground storage tanks, hazardous materials, spills, on-site wells and/or septic systems, and any indication of regional health issues for this property.

Thanks and have a great weekend.

Alexis Holcomb
Project Professional



2877 Guardian Lane
Suite 1-F
Virginia Beach, Virginia 23452
Direct: (757) 201-9264
Office: (757) 466-3361
aholcomb@scsengineers.com
www.scsengineers.com

Holcomb, Alexis

From: cathy.peppers@vdh.virginia.gov on behalf of Questions, rr
<questions@vdh.virginia.gov>
Sent: Monday, March 18, 2019 10:38 AM
To: Holcomb, Alexis
Subject: Re: Information Request: 645 Church Street, Norfolk, VA

Good morning, Ms. Holcomb,

On behalf of Joe Hilbert, your inquiry has been sent to the Norfolk Health Department and someone from that office will be in contact with you concerning this matter.

Thank you for contacting the Virginia Department of Health.

Cathy Peppers
Administrative Staff Assistant
State Health Commissioner's Office

On Fri, Mar 15, 2019 at 2:38 PM Holcomb, Alexis <AHolcomb@scsengineers.com> wrote:

Good afternoon Mr. Hilbert,

I am conducting an assessment of the property located at 645 Church Street in Norfolk, VA 23510 (see attached site map). I am requesting any records you may have on file of underground/aboveground storage tanks, hazardous materials, spills, on-site wells and/or septic systems, and any indication of regional health issues for this property.

Thanks and have a great weekend.

Alexis Holcomb

Project Professional

SCS ENGINEERS

2877 Guardian Lane

Suite 1-F

Virginia Beach, Virginia 23452

Direct: (757) 201-9264

Office: (757) 466-3361

aholcomb@scsengineers.com

www.scsengineers.com

Holcomb, Alexis

From: Holcomb, Alexis
Sent: Friday, March 15, 2019 2:34 PM
To: 'firechief@norfolk.gov'
Subject: Information Request: 645 Church Street
Attachments: Church St.pdf

Good afternoon,

I am conducting an assessment of the property located at 645 Church Street in Norfolk, VA. I am requesting any information regarding the registration or removal/abandonment of underground/aboveground storage tanks or any spills/releases associated with the tanks at this property.

I have attached a site map for reference. If you have any questions, please let me know.

Thanks and have a great weekend!

Alexis Holcomb
Project Professional

SCS ENGINEERS

2877 Guardian Lane
Suite 1-F
Virginia Beach, Virginia 23452
Direct: (757) 201-9264
Office: (757) 466-3361
aholcomb@scsengineers.com
www.scsengineers.com



Department of Environmental Quality

Freedom of Information Act Request Form

Did you know the information you are looking for may already be online? We have compiled a list of the most frequently requested FOIA items. Please take a moment to review this resource prior to submitting a request.

[Online FOIA Resources](#)

Requestor Information

Name <input type="text" value="Alexis Holcomb"/>	Company <input type="text" value="SCS Engineers Inc"/>		
Complete Address:			
Street <input type="text" value="2877 Guardian Lane, Suite 1-F"/>	City <input type="text" value="Virginia Beach"/>	State <input type="text" value="VA"/>	Zip Code <input type="text" value="23452"/>
Office Phone <input type="text" value="+1 (757) 201-9264"/>	Cell Phone <input type="text"/>		
E-mail Address <input type="text" value="aholcomb@scsengineers.com"/>			

Requested Site Information

Facility Name (if applicable) <input type="text"/>	Former Name/Owner (if applicable) <input type="text"/>
---	---

Complete Address:

*Please Note: DEQ is unable to search latitude/longitude, parcel or tax ids, radii, or adjacent properties without an address. To add **multiple addresses**, please use the plus (+) and minus (-) buttons below.*

Street (Required)	City	Zip Code	
645 Church Street	Norfolk	23510	+ -
800 E Brambleton Ave	Norfolk	23510	+ -
600 Church Street	Norfolk	23510	+ -
712 W Church Street	Norfolk	23510	+ -
731 E Brambleton	Norfolk	23510	+ -
620 E Olney Road	Norfolk	23510	+ -

Additional Information: List each property individually and include the PC#, IR#, Facility ID, Permit #, EPA ID#, or adjacent properties if known.

800 E Brambleton Ave: UST 5024425; LUST/LTANK PC 20015131
 600 Church Street: UST 5014521; LUST/LTANK PC 19901020 and 20065105; SPILLS 2019-T-0852
 712 W Church Street: LTANKS PC 19911578

431 E Brambleton Ave: UST 5003960
620 E Olney Road: LUST/LTANK PC 20065148

What Date Range is this request for?

Last 12 Months Last 5 years 1990 to 2019

Requested Information

Please be specific as possible in describing the information you are requesting.

UST registration/notification documentation, closure reports, site characterizations/remedial actions
LUST/LTANKs closure letters, remedial action reports
SPILLS incident documentation, remedial actions, closure letter/documentation

Please provide past history and current usage of property. Any information is helpful. (Example: private residence, undeveloped land, current operating business, former business, industrial property, etc.)

Property is currently a vacant commercial business. Previously the site was residential and commercial.
The surrounding area is residential and commercial.

*Depending on the form and/or volume of information available, there may be charges for your request. If a potential charge applies, you will be contacted prior to request fulfillment.

Where to Send This Form

To determine where your request should be submitted, select either the DEQ regional office where your site(s) is located, Central Office or entire state to include multiple locations.

Tidewater

To submit this FOIA request for entire state or Central Office, please email this form to deqfoias@deq.virginia.gov. Questions about your request can be answered by calling (540) 574-7886.

For more information on DEQ Locations, please visit <http://www.deq.virginia.gov/locations.aspx>.

SCS Engineers

Attn: Alexis Holcomb

Alexis:

I wanted to add a couple of notes to the FOIA response for #528 Norfolk Church St and other nearby cases.

- PC# 1991-1578 goes with "Church Rd." in Northern VA. It is not a Tidewater Tank case.
- Prep IR# 2019-T-0852 was a mercury spill at the 600 Church St Post Office and that case was handled as a Hazardous Waste issue. All files will be provided by our Hazardous Waste Program for that.



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

W. Tayloe Murphy, Jr.
Secretary of Natural Resources

5636 Southern Boulevard
Virginia Beach, VA 23462
www.deq.state.va.us
Fax # (757) 518-2009
August 8, 2002

Robert G. Burnley
Director

Francis L. Daniel
Tidewater Regional Director
(757) 518-2000

Mr. Nick Onufrak
BP Global Environmental Management
1 West Pennsylvania Ave., Suite 915
Towson, MD 21204-5031

Re: **Case Closure**
Site Check Report Addendum
Site Name/Location: Amoco Service Station #60546, 800 East Brambleton Ave.,
Norfolk, Virginia
DEQ Tracking Number: PC#01-5131

Dear Mr. Onufrak:

Thank you for providing the subject report to the Department of Environmental Quality (DEQ). Based on the information you have provided, the State Water Control Board acting through the DEQ, as authorized by CODE § 62.1-44.34:8 through 9 and 9 VAC 25-580-10 et seq. believes that contamination levels at this site do not warrant further corrective action. This pollution complaint case is now closed. Should future environmental problems occur, which the DEQ determines are related to this release, additional investigation and corrective action may be required in accordance with State Law.

Virginia Law prohibits the payment of corrective action and third party liability reimbursement claims that are filed more than two years after DEQ closes a case. All claims for this release must be received by DEQ no later than August 8, 2004 in order to be eligible for reimbursement.

If you have any questions, please contact me at (757) 518-2121.

Sincerely,

A handwritten signature in cursive script that reads "Amy T. Webster".

Amy T. Webster
Geologist Senior
Remediation Program

cc: Ed Dullaghan, URS Corporation (via fax)
File PC#01-5131

SAK - FAS - TRM File



COMMONWEALTH of VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY

Peter W. Schmidt
Director

Larry S. McBride
Regional Director

AUG 08 1994

Water Regional Office
287 Pembroke Office Park
Pembroke 2, Suite 310
Virginia Beach, Virginia 23462
(804) 552-1840
FAX (804) 552-1840

William Zimmerman
US Postal Service, Eastern Division
10500 Little Patuxent Parkway
Columbia, Maryland 21044-3505

Re: Underground Storage Tank (UST) release report for U.S.
Post Office, 600 Church St., Norfolk, Virginia.
DEQ PC# 90-1020 and 91-1595

Dear Mr. Zimmerman:

Thank you for providing the Site Check Report for the above referenced location. Based on this assessment and current site conditions, no further assessment or remediation activity is required at this site. However, if petroleum contamination is identified in the future, further assessment or cleanup activity may be required. Additionally, any monitoring wells not in use at this site, should be removed from service in accordance with current State regulations for well abandonment.

If you have any questions concerning this case, please contact me at (804) 552-1152.

Sincerely,

T. E. Madigan
Environmental Specialist Senior
Ground Water Section

cc: DEQ-Water Div. TRO-OE ref. PC# 90-1020 & 91-1595



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

TIDEWATER REGIONAL OFFICE

5636 Southern Boulevard, Virginia Beach, Virginia 23462

(757) 518-2000 Fax (757) 518-2103

www.deq.virginia.gov

L. Preston Bryant, Jr
Secretary of Natural Resources

David K. Paylor
Director

Francis L. Daniel
Regional Director

(757) 518-2009

January 8, 2008

Gardner Jones
U.S. Postal Service
Eastern FSO
P.O. Box 27497
Greensboro, NC 27498-1103

Re: **Case Closure**
Closure of Hydraulic Lifts; Subsurface Investigation at Hydraulic Lifts
Site Name/Location: U.S. Postal Service-Vehicle Maintenance Bldg., 600 Church St., Norfolk
DEQ Tracking Number: PC# 2006-5105

Dear Mr. Jones:

Thank you for having Mr. Chad Smith of PBS&J provide the subject reports to the Department of Environmental Quality (DEQ). Based upon the available information, the State Water Control Board acting through the Department of Environmental Quality (DEQ), as authorized by CODE § 62.1-44.34:14 through 23, has determined that contamination levels at this site do not warrant further corrective action. This pollution complaint case is now closed. Should future environmental problems occur, which the DEQ determines are related to this discharge, additional investigation and corrective action may be required in accordance with State Law.

If you have any questions, please contact me by e-mail at lk Moran@deq.virginia.gov or by phone at 518-2126.

Sincerely,

A handwritten signature in black ink that reads "LeAnn Moran".

LeAnn Moran
Geologist Senior
Remediation Program

cc: Mr. Chad Smith, PBS&J
✓File PC# 2006-5105

Moran,LeAnn

Subject: United States Postal Service, Vehicle Maintenance, 600 Church St., Norfolk, PC 06-5105
Entry Type: Note
Company: DEQ-TRO-REM-LKM

Start: Tue 1/8/2008 9:58 AM
End: Tue 1/8/2008 9:58 AM
Duration: 0 hours

I have reviewed the file for the USPS investigation at the former hydraulic lifts, 600 Church St., Norfolk and have determined that no further action is needed at this time based on removal and replacement of hydraulic lifts, the removal of a small amount of soils in the vicinity of the lifts, and the lack of free product.



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

TIDEWATER REGIONAL OFFICE

5636 Southern Boulevard, Virginia Beach, Virginia 23462

(757) 518-2000 Fax (757) 518-2103

www.deq.virginia.gov

Fax # (757) 518-2009

L. Preston Bryant, Jr.
Secretary of Natural Resources

David K. Paylor
Director

Francis L. Daniel
Regional Director

October 20, 2006

City of Norfolk
c/o Ms. Martha P. McGann, Deputy City Director
810 Union Street, Suite 900
City Hall Building
Norfolk, VA 23510

Re: **Case Closure**

Site Name/Location: Former Roland's Auto Repair, #42 Downtown Plaza, Norfolk

DEQ Tracking Number: PC# 2003-5158

Dear Ms. McGann:

The Department of Environmental Quality (DEQ) believes that endpoints established in the Corrective Action Plan (CAP) for the referenced site have been met and no further corrective action is necessary. Based upon the information you have provided regarding site conditions, the State Water Control Board acting through the DEQ, as authorized by CODE § 62.1-44.34:8 through 9 and 9 VAC 25-580-10 et seq. considers this case is closed. You are no longer constrained by the CAP requirements and are free to remove all monitoring points covered by this CAP. Please be advised, should future environmental problems occur, which the DEQ determines are related to this release, corrective action may be required in accordance with State Law.

In order to reduce future risks to ground water at the site, all monitoring wells must be properly abandoned. Please submit an AAF for abandoning monitoring wells and removing the remediation system to this office by **December 20, 2006**.

Virginia Law prohibits the payment of corrective action and third party liability reimbursement claims which are filed more than two years after DEQ closes a case. All claims for this release must be received by DEQ no later than **October 20, 2008**, in order to be eligible for reimbursement.



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

James S. Gilmore, III
Governor

John Paul Woodley, Jr.
Secretary of Natural Resources

5636 Southern Boulevard
Virginia Beach, VA 23462
Tel# (757) 518-2000
<http://www.deq.state.va.us>

Dennis H. Treacy
Director

Francis L. Daniel
Tidewater Regional Director

December 22, 1999

George Davis
First Baptist Church
418 East Bute Street
Norfolk, Virginia 23510

Re: Review of Initial Abatement Report in Response to a Heating Oil Release
from an Underground Storage Tank (UST)
Site Name/Location: First Baptist Church, 418 East Bute Street, Norfolk
DEQ Tracking Number: PC 99-2389

Dear Mr. Davis:

Thank you for providing to the Department of Environmental Quality (DEQ) the subject report prepared by PetroChem. Based upon our review of the report regarding current site conditions, the Department believes that petroleum impacts from the closed-in-place UST at this site do not warrant further corrective action. Should future environmental problems occur, which the DEQ determines are related to this release, additional investigation and corrective action may be required in accordance with State Law.

The report mentions another heating oil UST that has been out of service. Though the DEQ does not have a regulation regarding closure of out-of-use heating oil USTs, the City of Norfolk may have jurisdiction. Please contact the Norfolk Bureau of Fire Prevention at 441-2481 to obtain information on requirements for out-of-use heating oil USTs.

Virginia Law prohibits the payment of corrective action and third party liability reimbursement claims which are filed more than two years after DEQ closes a case. All claims for this release must be received by the DEQ no later than December 29, 2001, in order to be eligible for reimbursement.

If you have any questions regarding this matter, please contact me at (757) 518-2126.

Sincerely,

A handwritten signature in black ink that reads 'LeAnn Moran'.

LeAnn Moran
Geologist Senior, Remediation Section

cc: Chris Haywood, PetroChem
✓File PC 99-2389



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

TIDEWATER REGIONAL OFFICE

5636 Southern Boulevard, Virginia Beach, Virginia 23462

(757) 518-2000 Fax (757) 518-2103

www.deq.virginia.gov

Preston Bryant
Secretary of Natural Resources

David K. Paylor
Director

Francis L. Daniel
Regional Director

(757) 518-2009

June 16, 2006

Let Us Produce
c/o Monica Morris
620 Olney Road
Norfolk, VA 23510

Re: **Case Closure**
Underground Storage Tank (UST) Site Check
Site Name/Location: Let Us Produce, 620 Olney Road, Norfolk
DEQ Tracking Number: PC# 2006-5148

Dear Ms. Morris:

Thank you for having Mr. Marvin Smith of McCallum Testing Laboratories, Inc. provide the subject report to the Department of Environmental Quality (DEQ). Based upon the available information, the State Water Control Board acting through the Department of Environmental Quality (DEQ), as authorized by CODE § 62.1-44.34:14 through 23, has determined that contamination levels at this site do not warrant further corrective action. This pollution complaint case is now closed. Should future environmental problems occur, which the DEQ determines are related to this discharge, additional investigation and corrective action may be required in accordance with State Law.

If you have any questions, please contact me by e-mail at lk Moran@deq.virginia.gov or by phone at 518-2126.

Sincerely,

A handwritten signature in black ink that reads "LeAnn Moran".

LeAnn Moran
Geologist Senior
Remediation Program

cc: ~~Marvin Smith, McCallum Testing Laboratories, Inc.~~
~~File PC# 2006-5148~~



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

W. Tayloe Murphy, Jr.
Secretary of Natural Resources

5636 Southern Boulevard
Virginia Beach, VA 23462
www.deq.state.va.us

Robert G. Burnley
Director

Francis L. Daniel
Tidewater Regional Director
(757) 518-2000

August 22, 2003

First Baptist Church- Downtown Norfolk
ATTN: Pamela A. Walker
418 E. Bute St.
Norfolk, VA 23510

RE: UST Closure and Environmental Assessment:
Facility Id #: 5-003962
Facility: First Baptist Church – Downtown Norfolk, 431 E. Brambleton Ave., Norfolk
Tank: 1000 gallon gasoline UST, closed in place 5/27/2003

Dear Ms. Walker:

Thank you for providing the UST Closure Report and Notification Form received August 11, 2003 for the above-mentioned facility to the Department of Environmental Quality (DEQ).

Based upon a review of the assessment information contained in the report, the DEQ believes that the total petroleum hydrocarbons (TPH) levels at this site do not warrant further assessment. Should future environmental problems occur, which the DEQ determines are related to this site, additional investigation and corrective action may be required in accordance with Virginia State Law.

Your original notification form has been forwarded to the DEQ's Central Office. The agency's tank registration database has been updated to indicate the tank as closed. A copy of the notification form and the original closure assessment report will be placed into our regional facility file for this site.

Please contact me if you have any questions regarding your tank closure, or need more information. I can be reached by telephone at 757-518-2016 or by email at llcrosby@deq.state.va.us Thank you, again, for your continued cooperation.

Sincerely,

A handwritten signature in cursive script that reads "Leah Crosby".

Leah L. Crosby
UST/AST Environmental Technician

cc: UST File 5-003960



UNDERGROUND STORAGE TANK CLOSURE REPORT

First Baptist Church Family Light Center
431 E. Brambleton Avenue
Norfolk, Virginia

PCRS Job # P-12437-03

Submitted to:

Virginia Department of Environmental Quality
Tidewater Regional Office
5636 Southern Boulevard
Virginia Beach, Virginia
(757) 518-2000

Prepared by:

Angie Gent
Geologist

June 12, 2003

TABLE OF CONTENTS

Closure Assessment.....1

Appendix A - Figures

- Figure 1 - Site location on a 1:24,000 USGS Topographic Quad Map
- Figure 2 - Detailed Site Map (Indicating Tank and Sample Locations)

Appendix B - Building Permit Documentation

Appendix C - Disposal Manifests

Appendix D - Copy of EZ Flow, LLC Slurry Invoices

Appendix E - Certificate of Analysis and Chain of Custody

Appendix F - Photographs



CLOSURE ASSESSMENT

On April 30, 2003, PetroChem Recovery Services, Inc. (PCRS) was contracted by First Baptist Church, to fill in place one (1) 1,000 gallon gasoline underground storage (UST) tank located at 431 E. Brambleton Avenue in Norfolk, Virginia (See Figure 1 in Appendix A for geographic location and Figure 2 for a detailed site map indicating tank location).

The dates that the 1,000 gallon gasoline tank was installed and taken out of use are both unknown. The tank and associated piping is steel. There is no information available about this tank, although it is known that the Goodwill Corp. had owned the property before the church and they were unaware that the tank existed. The church purchased the property in 1991, in which they were also unaware that the tank existed.

After excavating the area and cutting the tank open, it was discovered to be filled halfway with concrete. There was no product in the tank, but it did contain approximately 275 gallons of wastewater with a gasoline residue. The piping also contained residual product. The UST and product lines were emptied and cleaned of the remaining wastewater, in which another 25 gallons of wastewater was disposed of. All contaminated liquid was transferred and properly disposed of offsite at PCRS' facility (See Appendix C for disposal manifest).

Prior to performing the tank closure, a building permit was obtained from the City of Norfolk Fire Prevention Department (See Appendix B) and on May 27, 2003, PCRS personnel performed the necessary work to properly close the UST in place in accordance with local, state and federal regulations. After cleaning the tank and product lines, they were then filled in place with four (4) cubic yards of flowable fill slurry (See Appendix D for slurry invoices) as observed by the Fire Marshall with the City of Norfolk Fire Prevention Department. There was visible soil contamination discovered around the UST and a total of 6.25 tons of petroleum impacted soils were excavated and transported to the Soilex Corporation located in Virginia Beach, VA for thermal reclamation (See Appendix C for disposal manifests).

One (1) composite and two (2) grab soil samples were collected from the tank field. All samples were placed in 4 oz. glass jars with Teflon lids and stored on ice until transported to EnviroCompliance Laboratories. The soil sample identified as "disposal" was a composite sample. It was analyzed for Total Petroleum Hydrocarbon-Gasoline Range Organics (TPH-GRO) 8015 and for Toxicity Characteristic Leaching Procedure (TCLP) Lead. The results for the "disposal" soil sample indicated that there were TPH-GRO levels at 43.5 mg/kg and the TCLP Lead was below the detection limit. The two grab soil samples (#1 and #2) were both taken at 6 ft. depths and analyzed for TPH-GRO. Soil sample #1 revealed TPH-GRO levels of 44 mg/kg and soil sample #2 had a result of 16.8 mg/kg (See Appendix E for the Certificate of Analysis and Chain of Custody documentation).




The excavated tank field was backfilled with clean fill sand and leveled to its original grade. Since the TPH-GRO concentration in all of the soil sample results are less than 100 mg/kg and it appears that subsurface petroleum impacted soils have been adequately removed from the site, it is recommended that no further investigative or remedial work be initiated (See Appendix F for photographs of tank closure).



Appendix A

Figures





FIRST BAPTIST CHURCH 431 E. GRANBLETON AVENUE NORFOLK, VIRGINIA



© 2010 Google. All Rights Reserved. Google Maps is a trademark of Google Inc.

Scale: 1:250,000
1" = 25000 ft



EXPLANATION:

* Soil Samples taken at 6 ft. depths

PROJECT NUMBER: P-12437-03
FIGURE NUMBER: 2

DRAWN BY: A. GENT
DATE: 06/12/03


APPROXIMATE SCALE (FT):
NOT TO SCALE

FIGURE TITLE:

GENERAL SITE MAP:
UST CLOSURE
FIRST BAPTIST CHURCH
FAMILY LIGHT CENTER
431 E. BRAMBLETON AVENUE
NORFOLK, VA

PetroChem
Recovery Services, Inc.

635 Maltby Ave.
Norfolk, Virginia 23504
Tel. (757) 627-8791
Fax (757) 640-1261
www.petrochemrecovery.com



BRAMBLETON AVENUE

CONSTRUCTION
AREA

FIRST BAPTIST CHURCH FAMILY LIGHT CENTER
431 E. BRAMBLETON AVENUE

DOOR

VENT PIPE

FILL
PORT

1,000 GAL UST

SS#1

SS#2

GAS METER

FIRE
HYDRANT

POSEY LANE


N

20'

Appendix B

Building Permit Documentation





City of Norfolk

Department of Fire-Rescue

Fire Permit For Removal Or Filling Of Underground Tanks

The Norfolk Fire-Rescue Fire Prevention Division hereby issues a permit for the Removal or Filling Of Underground Tanks to the person, firm, corporation of legal entity listed below.

1. Site Location

Owner: First Baptist Church

Address: 431 E. Brambleton Ave.

Phone: (757) 578-7500

City: Norfolk, Va Zip: 23510

2. Name Of Company Doing Work

Company: Petro Chem

Address: 635 Maltby Ave

City: Norfolk Va

Zip: 23523

Phone: (756) 627-8791

Cell Or Pager: (757) 449-1733

Responsible Party: David Byrd

Tank

3. Process

Filled Fill Material Used Slurry

4. Size of Tank(s) and Product

Size Type Serial Number

Permit

This Permit is issued pursuant to the following conditions

1. Please contact our office at least 2 hours prior to required inspections.
2. The Removal or Filling of Underground Tanks shall meet the requirements of the Norfolk Fire Prevention Code and all other applicable laws and regulations.
3. To ensure compliance with applicable code requirements and permit conditions, the Fire Marshal or His designee shall have the right to inspect the above referenced business or address during normal business hours or at other times after reasonable notice.
4. Written documentation shall be provided to the Fire Marshal or his designee as to the proper disposal of all contents of underground tanks.

Amount removed (Gallons) Removal company Petro Chem

John H. McLeod
Fire Marshal

Date Of Issue Wednesday, February 05, 2003

Fire Permit Fee
Fifty Dollars
(\$50.00)

Inspector Neuz Steffens

Inspector Final GA Goldleaf

Date Removed or Clean 3/4 filled w/ slurry

Date Filled 5-28-03
Filled w/slurry

Fire Marshal's Office
100 Brooke Avenue, Suite 400, Norfolk, VA 23510
(757) 664-6604 / Fax: (757) 441-2537

Appendix C


Disposal Manifests





Soilex Corporation
Post Office Box 62601
Virginia Beach, Virginia 23466
Telephone: (757) 499-1177
Facsimile: (757) 499-3567
www.soilex.com

PROJECT DOCUMENTS

TO: Mr. Chris Haywood
FROM: Jack Ruffin 
PROJECT : Soil Disposal
First Baptist Church
DATE: June 6, 2003

Please find enclosed all project documentation for the disposal of petroleum impacted materials from the above location. We suggest that you or your customers retain this information indefinitely.

Should you have any questions or require additional copies, please do not hesitate to contact our office.

Thank you again for the opportunity to be of service.

Enclosure

Certification of Remediation and Recycling

Presented To

FIRST BAPTIST CHURCH

Hereinafter known as the "Generator" of NON-HAZARDOUS PETROLEUM CONTAMINATED MATERIAL, which originated from 431 E. Brambleton Avenue, Norfolk, Virginia.

As evidenced by the receipt of corresponding manifests, **6.25 tons** of material were delivered to the Virginia Beach Facility for thermal destruction and disposal. Said material was received on May 27, 2003 and has been deemed acceptable for thermal treatment according to all applicable Commonwealth of Virginia Department of Environmental Quality regulations.

The remediation and recycling activities are conducted in accordance with Commonwealth of Virginia Air Pollution Permit No. 61128 and Waste Management Permit No. 075, which apply only to the remediation and recycling of non-hazardous materials.

Certification No. 23-7128
Presented this 6th day of June, 2003


SOILEX CORPORATION



SOILEX CORPORATION
5025 Southern Blvd.
Virginia Beach, VA 23462
(757) 499-1177

WEIGHT RECEIPT

Project Petroleum
Truck Name Wendell
Truck Number 433

03:22 PM 5/27/03

Gross: 26220 LBS

Tare: 13720 LBS

Net: 12500 LBS

6.25
Tax

Received By Tara Harris

3612



Soilex Corporation
 Post Office Box 62601
 Virginia Beach, VA 23466
 (757) 499-1177
 FAX: (757) 499-3567

**NON-HAZARDOUS
 SHIPPING MANIFEST**

MANIFEST NO. 001

GENERATOR

NAME FIRST BAPTIST CHURCH / FAMILY LIGHT CTR.
 ADDRESS 431 E. BRAMBLETON AVE
 SHIPMENT ORIGIN 431 E. BRAMBLETON AVE
 AUTHORIZED AGENT DAVID A. BYRD
 ADDRESS 635 MALTBY AVE.

TELEPHONE 757-622-6701
 CITY NORFOLK STATE VA
 CITY NORFOLK STATE VA
 FIRM PETROCHEM
 OTHER _____

MATERIAL CHARACTERIZATION

ACTIVITY GENERATING THIS MATERIAL: UST/AST REMOVAL CLOSURE OTHER _____
 PETROLEUM TYPE (S): GASOLINE VIRGIN PRODUCT X NON-VIRGIN PRODUCT _____
 PHYSICAL STATE: STOCKPILED _____ EXCAVATING X DRUMS _____ OTHER _____

HANDLING INSTRUCTIONS: **Transport To Facility Designated Below**

FIRE OR SPILL INSTRUCTIONS: **Non-Flammable / Non-Hazardous**

DESTINATION:

I hereby certify, to the best of my knowledge, the material characterized above is non-hazardous as defined by the Virginia Hazardous Waste Management Regulations, Federal Regulations under Subtitle C - RCRA, U.S. Department of Transportation, or local/state of origin regulations.

David A. Byrd
 Signature of Generator / Agent
DAVID A. BYRD 5/27/03
 Printed Name / Date

TRANSPORTER

TRANSPORTER NAME PETROCHEM TELEPHONE 627-8791 TRUCK NO. #53

I certify that the materials described above were received by me for shipment and delivered to the designated facility.

David A. Byrd 5/27/03
 Transporter Signature / Date

FACILITY

I certify that the materials described above were delivered to the facility and received by me.

ACCEPTED BY Tricia Kline DATE 5/27/03

REASONS FOR REJECTION _____

Gross Weight	<u>26220</u>
Tare Weight	<u>13720</u>
Net Weight	<u>12500</u>
Tons	<u>10.25</u>

FED. VAD 05 793 4176
STATE VAD 05 793 41766

PetroChem

Recovery Services, Inc.
635 Maltby Avenue
P.O. Box 1458
Norfolk, Virginia 23501
(757) 627-8791

No 30722

24 HOUR EMERGENCY
RESPONSE
1-800-723-6951

VA CLASS A LIC
2701 037114A

JOB NO. A-12437-03

CUSTOMER'S ORDER NO. _____ DATE: 5/27/03

CUSTOMER'S NAME: FIRST BAPTIST CHURCH - FAMILY LIGHT CENTER

MAILING ADDRESS: _____

JOB LOCATION: 431 E. BRAMBLETON AVE, NORFOLK, VA

HM	SHIPPING NAME & DESCRIPTION	QUANTITY	UNIT
a)	Combustible Liquid, n.o.s. (NA1993, PG III		
b) X	Flammable Liquid, n.o.s. (<u>GASOLINE + WATER</u>) 3, UN 1993, PG III	<u>300</u>	<u>GALLONS</u>
c)	Non-Regulated Wastewater		
d)			

Additional Description For Material Listed Above:

b.) PRODUCT RECOVERED DURING TANK CLOSURE

Designated Facility: PetroChem Recovery Services, Inc.
635 Maltby Ave., Norfolk, VA 23504

THE CUSTOMER AGREES THAT IT SHALL NOT PROVIDE TO PETROCHEM RECOVERY SERVICES, INC. ANY "HAZARDOUS WASTE" OR "HAZARDOUS SUBSTANCE" AS DEFINED IN THE CODE OF FEDERAL REGULATIONS.

ACCEPTANCE OF JOB -- The prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work specified. Payment to be made as follows: Net 10 days upon completion of PetroChem Recovery Services, Inc. work order. 1.5% Service Charge per month over 30 days together with attorney's fees amounting to 25% of the total amount due if incurred.

Leave Shop _____ Arrive Site _____ Leave Site _____ Arrive Shop _____

Customer's Name & Signature: _____

Driver's Signature: _____

Truck #

41

Payment Received: \$ _____

Facility Acceptance: _____

Date: _____

5-27-03

Appendix D

Copy of EZ Flow, LLC Slurry Invoices



EZ FLOW, LLC

01265

A Joint Venture of Agglite of Virginia, Custom Concrete and Sadler Materials

3900 Shannon Street, Chesapeake, Virginia 23324

Phone: (757) 494-5200 Dispatch: (757) 874-5500 Fax: (757) 545-3793
Toll free: 800-564-7300 Jeff: (757) 438-4177

P.O. #/Job #:

SOLD TO:

Petro Chem

SHIPPED TO:

Brambleton Ave + POSEY LA NORFOLK

DELIVERY DATE:

5-28-03

TRUCK #:

5112

QUANTITY SHIPPED:

4

CUBIC YARDS

LEAVE PLANT

ARRIVE JOB

LEAVE JOB

ARRIVE PLANT

NOTE: Customer will be allowed 10 minutes unloading time per yard. Excess unloading time will be charged at the current hourly rental rate. Additional charge for loads less than 8 cubic yards.


GENERAL TERMS AND CONDITIONS

Drivers are prohibited from delivering EZ Flow except under the truck's own power and where site conditions permit the safe and proper operation of the equipment. Drivers are not permitted to go beyond the curb line except upon the authorization of customer and his acceptance of risk for any loss or damage to the property or to our equipment. EZ FLOW, LLC, will not assume responsibility for damage to ground utilities, curbs, cross walks, or driveways. This includes any wrecker or towing charges for getting out of the location.

Finance Charge of 2% Per Month (24% Per Year) On Unpaid Balance After 30 Days From Date of Invoice. No cancellations accepted after EZ Flow has been loaded in trucks at our plant.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE NOTICE ABOVE AND THAT SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

DELIVERY/TERMS ACCEPTED BY:

X 

Customer Representative.

WHITE-EZ FLOW

GREEN-PLANT

YELLOW-CUSTOMER

GOLD-DRIVER

Appendix E

Certificate of Analysis and Chain of Custody





EnviroCompliance Laboratories, Inc.
816 Kiwanis Street
Hampton, VA 23661
(757) 244-3424 Fax (757) 244-3243

CHAIN OF CUSTODY

Page 1 of 1

Client : PETROCHEM RECOVERY SERVICES
Contact : DAVID A. BYRD

PROJECT NO. P-12437-03 PROJECT NAME: FIRST BAPTIST CHURCH - FAMILY LIGHT CENTER
 ADDRESS: 635 MALTEY AVE.
 CITY: NORFOLK
 PHONE: 627-8791 FAX: 640-1261
 PO NO.: P-12437-03

SAMPLERS: (Signatures) David A. Byrd (Print) DAVID A. BYRD

STATION	DATE	TIME	SAMPLE IDENTIFICATION	#	Matrix	Comp / Grb	Preserv	ANALYSIS	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.
	5/27/03	2:45	1. DISPOSAL	1	SS	SS	XX	TEL/MS																				
	5/28/03	11:45	2. SS #1	1	SS	SS	X																					
	5/28/03	12:15	3. SS #2	1	SS	SS	X																					

Relinquished by: (Signature) David A. Byrd Date 5/28/03 Time 1530 Received by: (Signature) [Signature] Temp. 4°C

Relinquished by: (Signature) _____ Date _____ Time _____ Received by: (Signature) _____ Cond. _____

Relinquished by: (Signature) _____ Date _____ Time _____ Received for Lab by: [Signature] 4°C

LAB USE ONLY

Matrices: W=Water S=Soil O=Organic Aq=Aqueous Sl=Sludge F=Filter M=Misc.
 Preservatives: N=Nitric H=Hydrochloric Na=Sodium Hydroxide S=Sulfuric T=Thiosulfate Z=Zinc Acetate



Certificate of Analysis

816 Kiwanis Street
Hampton, Virginia 23661
Phone 757 244 3424
Fax 757 244 3243

PetroChem Recovery Services
Attn: David Byrd
P.O. Box 1458
Norfolk, VA 23501

Project No. : P-12437-03
Project Name : First Baptist Church FLC
Date Received: May 29, 2003
Date Sampled : May 27, 2003
Date Issued : June 09, 2003

Lab # 1/Sample ID : Disposal

Parameter	Result	Units	DL	Date/Time		Analyst
				Prepared	Analyzed Method	
TPH-GRO	43.5	mg/kg	0.5	06-04/0900	06-04/1700 8015B	TLW
TCLP Lead	BDL	mg/l	0.50	06-03/1006	06-06/1145 1311/7420PEJ	

Lab # 2/Sample ID : SS#1

Parameter	Result	Units	DL	Date/Time		Analyst
				Prepared	Analyzed Method	
TPH-GRO	44.0	mg/kg	0.5	05-30/0900	05-30/1600 8015B	TLW

Lab # 3/Sample ID : SS#2

Parameter	Result	Units	DL	Date/Time		Analyst
				Prepared	Analyzed Method	
TPH-GRO	16.8	mg/kg	0.5	05-30/0900	05-30/1600 8015B	TLW

BDL = Below Detection Limit



Khamarie E. McKinley
Laboratory Manager



H3513208-1



Appendix F


Photographs














Appendix F User Questionnaire

USER QUESTIONNAIRE¹

Site Name: The Willis Building
 Site Address: 645 Church St.

In reference to Section 6, User Responsibilities, of the ASTM E1527-13 Standard Practice, the Environmental Professional (SCS Engineers) for this Phase I ESA is required to inquire with the user (Client) regarding their knowledge or possession of information that may assist in identifying recognized environmental conditions (RECs) pertaining to the Subject Site.

In order to qualify for one of the Landowner Liability Protections (LLPs) offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the "Brownfields Amendments"), the user must conduct the following inquiries required by 40 CFR 312.25, 312.28, 312.29, 312.30, and 312.31. These inquiries must also be conducted by USEPA Brownfield Assessment and Characterization grantees. The user should provide the following information to the Environmental Professional overseeing this Phase I ESA. Failure to conduct these inquiries could result in a determination that "all appropriate inquiries" is not complete.

(1) Environmental Cleanup Liens (40 CFR 312.25). Did a search of recorded land title records (or judicial records where appropriate) identify any environmental liens filed or recorded against the property under federal, tribal, state or local law?

Yes No

If Yes, explain and/or provide information:

(2) Activity and Use Limitations (40 CFR 312.26(a)(1)(v) and (vi)). Did a search of recorded land title records (or judicial records, where appropriate) identify any AULs such as engineering controls, land use restrictions, or institutional controls that are in place at the property and/or have been filed or recorded against the property under federal, tribal, state or local law?

Yes No

If Yes, explain and/or provide information:

NRHA, (Norfolk Housing Authority) - has deed restrictions on use (see email)

(3) Specialized Knowledge or Experience (40 CFR 312.28). Do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?

Yes No

If Yes, explain and/or provide information:

¹ The document is designed to comply with Section X3, User Questionnaire, of ASTM E1527-13, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, and the USEPA AAI regulations (40 CFR §312).

(4) Purchase Price vs. Fair Market Value (40 CFR 312.29). Does the purchase price being paid for this property reasonably reflect the fair market value of the property? Yes No

If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? Yes No

If Yes, explain and/or provide information:

(5) Commonly Known or Reasonably Ascertainable Information (40 CFR 312.30). Are you aware of commonly known or reasonably ascertainable information about the property that would help the Environmental Professional to identify conditions indicative of releases or threatened releases? For example,


- (a) Do you know the past use of the property?
 - (b) Do you know specific chemicals that are present or once were present at the property?
 - (c) Do you know of spills or other chemical releases that have taken place at the property?
 - (d) Do you know of any environmental cleanups that have taken place at the property?
- Yes No to all

If Yes, explain and/or provide information:

(6) Obvious Indications of Contamination (40 CFR 312.31). Based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination of the property?

Yes No

If Yes, explain and/or provide information:

Name:  - Sean Washington
Title: Senior Business Development Manager
Date: 3/13/19